


2024/06/04 0930Z

KARA FRANK **V70** PCU **V552** SJI **J2** DEFUN KTLH

398.42 nm / 737.88 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KARA APT	-	30.03780 -91.88390	0 ft 0 m	-	ACADIANA RGNL
FRANK FIX	-	30.54940 -90.00000	35,000 ft 10,668 m	102	-
PCU VOR	V70 AWY-LO	30.56120 -89.73050	35,000 ft 10,668 m	13	PICAYUNE
STENN FIX	V552 AWY-LO	30.59560 -89.45390	35,000 ft 10,668 m	14	-
CAESA FIX	V552 AWY-LO	30.61300 -89.31230	35,000 ft 10,668 m	7	-
MINDO FIX	V552 AWY-LO	30.63260 -89.15160	35,000 ft 10,668 m	8	-
SCALY FIX	V552 AWY-LO	30.66210 -88.90630	35,000 ft 10,668 m	12	-
OBOES FIX	V552 AWY-LO	30.68590 -88.70420	35,000 ft 10,668 m	10	-
SUVOC FIX	V552 AWY-LO	30.69850 -88.59700	35,000 ft 10,668 m	5	-
SJI VOR	V552 AWY-LO	30.72600 -88.35930	35,000 ft 10,668 m	12	SEMMES (MOBILE)
MUURY FIX	J2 AWY-HI	30.76530 -87.74210	35,000 ft 10,668 m	31	-
INBRD FIX	J2 AWY-HI	30.80830 -87.00750	30,100 ft 9,174 m	37	-
CEW VOR	J2 AWY-HI	30.82620 -86.67910	26,400 ft 8,047 m	16	CRESTVIEW
DEFUN FIX	J2 AWY-HI	30.81420 -86.13140	20,400 ft 6,218 m	28	-
KTLH APT	-	30.39710 -84.35140	0 ft 0 m	95	Tallahassee Intl

## KARA

Region: UNITED STATES  
Timezone: AMERICA/CHICAGO  
Runways: 1

Elevation: 24 ft / 7 m  
Location: 30.037800 -91.883900  
Magnetic Var: 0.425 W

## METAR

KARA 040853Z AUTO 08008KT 10SM BKN017 BKN027 24/23 A2984 RMK A02 SLP103 60000 T02440233 58013

## TAF

TAF TAF KARA 040520Z 0406/0506 17008KT P6SM SCT015 FM041000 17008KT P6SM VCTS SCT012CB BKN020 FM041500 18014G22KT

## Frequencies

COM - 125.00 MHz - CTAF  
CLD - 121.70 MHz - CLNC DEL  
TWR - 125.00 MHz -  
COM - 122.95 MHz - UNICOM  
GND - 121.70 MHz -  
APP - 121.10 MHz - LAFAYETTE APP/DEP

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	200 ft	8,027 ft	167.57	CONCRETE	0 ft	0 ft
	61 m	2,447 m	167.99		0 m	0 m
34	200 ft	8,027 ft	347.57	CONCRETE	0 ft	0 ft
	61 m	2,447 m	347.99		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
34	LOC-ILS	IARA	108.90 MHz	18 nm	347.57	-	26 ft
				33 km	347.99		26 m
34	GS	IARA	108.90 MHz	10 nm	348.14	3.00	17 ft
				19 km	348.56		17 m

## KTLH

Region: UNITED STATES  
Timezone: AMERICA/NEW\_YORK  
Runways: 2

Elevation: 83 ft / 25 m  
Location: 30.397100 -84.351400  
Magnetic Var: 5.336 W

## METAR

KTLH 040902Z AUTO 00000KT 10SM SCT002 22/21 A2994 RMK A02 T02220206

## TAF

KTLH 040824Z 0408/0506 00000KT 6SM BR SCT005 SCT100 TEMPO 0408/0412 3SM BR OVC001 FM041400 16006KT P6SM SCT050 FM0

## Frequencies

REC - 119.45 MHz - TALLAHASSEE ATIS	CLD - 126.65 MHz - TALLAHASSEE CLEARANCE
GND - 121.90 MHz - TALLAHASSEE GROUND	TWR - 118.70 MHz - TALLAHASSEE TOWER
DEP - 128.70 MHz - TALLAHASSEE DEPARTURE WEST	DEP - 135.80 MHz - TALLAHASSEE DEPARTURE EAST
APP - 128.70 MHz - TALLAHASSEE APPROACH WEST	APP - 135.80 MHz - TALLAHASSEE APPROACH EAST

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	151 ft	7,984 ft	89.46	ASPHALT	0 ft	200 ft
	46 m	2,434 m	94.80		0 m	61 m
27	151 ft	7,984 ft	269.48	ASPHALT	0 ft	200 ft
	46 m	2,434 m	274.81		0 m	61 m
18	151 ft	7,024 ft	179.54	ASPHALT	0 ft	200 ft
	46 m	2,141 m	184.88		0 m	61 m
36	151 ft	7,024 ft	359.54	ASPHALT	0 ft	200 ft
	46 m	2,141 m	4.88		0 m	61 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
27	LOC-ILS	IPLQ	111.90 MHz	18 nm	269.47	-	83 ft
				33 km	274.81		83 m
36	LOC-ILS	ITLH	110.30 MHz	18 nm	359.54	-	83 ft
				33 km	4.88		83 m
27	GS	IPLQ	111.90 MHz	10 nm	269.47	3.00	83 ft
				19 km	274.81		83 m
36	GS	ITLH	110.30 MHz	10 nm	359.54	3.00	83 ft
				19 km	4.88		83 m