


2024/06/03 0153Z

EHRD MEDIL **UN872** LESDO **UM728** RESMI **UN857** DEPOM **G54** CTX **G28** LMG **A34** AGN **UN860** GRAUS **A34** SEROX  
**UN860** VLC **G850** NARGO **UN860** AMR **UM372** ESAMI GMMW

1085.40 nm / 2010.16 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EHRD APT	-	51.95750 4.44169	0 ft 0 m	-	Rotterdam The Hague
MEDIL FIX	-	50.34210 3.67497	35,000 ft 10,668 m	101	-
LESDO FIX	UN872 AWY-HI	49.80830 3.31806	35,000 ft 10,668 m	34	-
KOVIN FIX	UM728 AWY-HI	49.48580 3.10639	35,000 ft 10,668 m	21	-
RESMI FIX	UM728 AWY-HI	48.56860 2.19194	35,000 ft 10,668 m	65	-
DEKOD FIX	UN857 AWY-HI	48.28330 2.10000	35,000 ft 10,668 m	17	-
DISAK FIX	UN857 AWY-HI	48.13330 2.13167	35,000 ft 10,668 m	9	-
DEPOM FIX	UN857 AWY-HI	47.31780 2.17917	35,000 ft 10,668 m	49	-
CTX NDB	G54 AWY-LO	46.93660 1.80114	35,000 ft 10,668 m	27	CHATEAUROUX DEOLS
GUSON FIX	G28 AWY-LO	46.47420 1.47778	35,000 ft 10,668 m	30	-
LMG VOR	G28 AWY-LO	45.81590 1.02558	35,000 ft 10,668 m	43	LIMOGES
MAVAC FIX	A34 AWY-LO	45.51640 1.00194	35,000 ft 10,668 m	18	-
PERIG FIX	A34 AWY-LO	45.11720 0.96944	35,000 ft 10,668 m	24	-
BUGUS FIX	A34 AWY-LO	45.00000 0.96056	35,000 ft 10,668 m	7	-
RUMEL FIX	A34 AWY-LO	44.50000 0.92050	35,000 ft 10,668 m	30	-
LACOU FIX	A34 AWY-LO	44.29680 0.90439	35,000 ft 10,668 m	12	-
AGN VOR	A34 AWY-LO	43.88800 0.87286	35,000 ft 10,668 m	24	AGEN
ANETO FIX	UN860 AWY-HI	42.69300 0.55844	35,000 ft 10,668 m	73	-
TURUV FIX	UN860 AWY-HI	42.36750 0.47497	35,000 ft 10,668 m	19	-
GRAUS FIX	UN860 AWY-HI	41.97900 0.37644	35,000 ft 10,668 m	23	-
SEROX FIX	A34 AWY-LO	41.34670 0.21869	35,000 ft 10,668 m	38	-
CASPE FIX	UN860 AWY-HI	41.26840 0.19939	35,000 ft 10,668 m	4	-
MLA VOR	UN860 AWY-HI	41.12960 0.16525	35,000 ft 10,668 m	8	MAELLA
CRETA FIX	UN860 AWY-HI	40.87230 0.06156	35,000 ft 10,668 m	16	-
RIMES FIX	UN860 AWY-HI	40.55790 -0.06394	35,000 ft 10,668 m	19	-
SAURA FIX	UN860 AWY-HI	40.25600 -0.18336	35,000 ft 10,668 m	18	-
TATOS	UN860	40.00000	35,000 ft	16	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	-0.28375	10,668 m		
PLANA	UN860	39.89040	35,000 ft	6	-
FIX	AWY-HI	-0.32644	10,668 m		
VLC	UN860	39.48560	35,000 ft	25	VALENCIA
VOR	AWY-HI	-0.48306	10,668 m		
NARGO	G850	38.73830	35,000 ft	50	-
FIX	AWY-LO	-0.99867	10,668 m		
RESTU	UN860	37.90760	35,000 ft	56	-
FIX	AWY-HI	-1.55758	10,668 m		
DOSEK	UN860	37.24540	31,000 ft	44	-
FIX	AWY-HI	-1.98508	9,449 m		
AMR	UN860	36.83320	25,000 ft	28	ALMERIA
VOR	AWY-HI	-2.25942	7,620 m		
ESAMI	UM372	35.83330	11,400 ft	63	-
FIX	AWY-HI	-2.68639	3,475 m		
GMMW	-	34.98880	0 ft	53	EL AROUI
APT	-	-3.02820	0 m		

## EHRD

Region: NETHERLANDS  
Timezone: EUROPE/AMSTERDAM  
Runways: 1

Elevation: -15 ft / -5 m  
Location: 51.957500 4.441690  
Magnetic Var: 1.961 E

## METAR

EHRD 030125Z AUTO 27003KT 240V300 9999 BKN023/// OVC026/// 10/09 Q1022 NOSIG

## TAF

TAF EHRD 022300Z 0300/0406 28005KT 9999 BKN025

## Frequencies

TWR - 118.20 MHz - ROTTERDAM TOWER  
REC - 110.40 MHz - ROTTERDAM ATIS  
GND - 122.17 MHz - ROTTERDAM GROUND

APP - 127.02 MHz - ROTTERDAM APPROACH  
CLD - 128.80 MHz - ROTTERDAM DELIVERY

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	7,198 ft	57.03	ASPHALT	643 ft	0 ft
	45 m	2,194 m	55.07		196 m	0 m
24	148 ft	7,198 ft	237.05	ASPHALT	646 ft	0 ft
	45 m	2,194 m	235.09		197 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	ROS	110.90 MHz	18 nm	-	-	-15 ft
				33 km	-		-15 m
24	DME	RSV	110.90 MHz	18 nm	-	-	-15 ft
				33 km	-		-15 m
06	LOC-ILS	ROS	109.10 MHz	18 nm	56.94	-	-15 ft
				33 km	54.98		-15 m
24	LOC-ILS	RSV	110.90 MHz	18 nm	236.94	-	-15 ft
				33 km	234.98		-15 m