

FIMP

SIR SEEWOSAGUR RAMGOOLAM INTL


FAJS

Johannesburg OR Thambo Intl

2024/05/04 2237Z

FIMP SOBAT **UA401D** SDG **UG653F** GERAG **UG653G** SUNIR **UG653** CL FAJS

1658.53 nm / 3071.59 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 33000ft
- Cruise Speed: 280kts
- Descent Rate: 2000ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIMP APT	-	-20.43023 57.68360	0 ft 0 m	-	SIR SEEWOOSAGUR RAMGOOLAM INTL
SOBAT FIX	-	-20.72469 56.26711	28,100 ft 8,565 m	81	-
SDG VOR	UA401D AWY-HI	-20.88483 55.50981	34,000 ft 10,363 m	43	ST DENIS GILLOT VOR-DME
GERAG FIX	UG653F AWY-HI	-21.51581 52.92025	34,000 ft 10,363 m	149	-
NANTA FIX	UG653G AWY-HI	-21.84278 51.50000	34,000 ft 10,363 m	81	-
LAKRA FIX	UG653G AWY-HI	-22.58972 48.00000	34,000 ft 10,363 m	199	-
VSQ NDB	UG653G AWY-HI	-23.38936 43.72231	34,000 ft 10,363 m	241	TOLIARA NDB
SUNIR FIX	UG653G AWY-HI	-24.20000 40.00000	34,000 ft 10,363 m	210	-
APLAR FIX	UG653 AWY-HI	-25.35061 35.31176	34,000 ft 10,363 m	264	-
NAMKU FIX	UG653 AWY-HI	-25.58667 34.08667	34,000 ft 10,363 m	67	-
VMA VOR	UG653 AWY-HI	-25.86891 32.60501	34,000 ft 10,363 m	81	MAPUTO VOR-DME
ORNAD FIX	UG653 AWY-HI	-25.91667 31.96667	34,000 ft 10,363 m	34	-
GIDEL FIX	UG653 AWY-HI	-26.02833 30.78861	28,400 ft 8,656 m	63	-
CL NDB	UG653 AWY-HI	-26.09194 30.09639	20,300 ft 6,187 m	37	CAROLINA NDB
FAJS APT	-	-26.13854 28.24653	0 ft 0 m	99	Johannesburg OR Thambo Intl

FIMP

Region: MAURITIUS
Timezone: INDIAN/MAURITIUS
Runways: 1

Elevation: 183 ft / 56 m
Location: -20.430200 57.683600
Magnetic Var: 18.071 W

METAR

FIMP 042200Z 14014G27KT 9999 VCSH BKN015 SCT050 23/21 Q1017

TAF

TAF FIMP 041700Z 0418/0600 12014G25KT 9999 SCT016 TEMPO 0418/0512 7000 -SHRA BKN015 PROB40 TEMPO 0418/0506 3000 S

Frequencies

REC - 126.20 MHz - MAURITIUS ATIS
APP - 119.10 MHz - MAURITIUS APPROACH
TWR - 118.10 MHz - MAURITIUS TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	148 ft	11,073 ft	117.17	ASPHALT	1,086 ft	203 ft
	45 m	3,375 m	135.25		331 m	62 m
32	148 ft	11,073 ft	297.17	ASPHALT	0 ft	197 ft
	45 m	3,375 m	315.24		0 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
14	DME	IPL	109.90 MHz	18 nm	-	-	186 ft
				33 km	-		186 m
14	LOC-ILS	IPL	109.90 MHz	18 nm	117.12	-	183 ft
				33 km	135.19		183 m
14	GS	IPL	109.90 MHz	10 nm	117.12	3.50	183 ft
				19 km	135.19		183 m