

# YPPD

Port Hedland Intl


# WIDD

Batam Hang Nadim

2024/06/06 1619Z

YPPD PD **A585** HLM **B469** NE WIDD

1564.10 nm / 2896.71 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
YPPD	-	-20.37860	0 ft	-	Port Hedland Intl
APT	-	118.62900	0 m		
PD	-	-20.37850	100 ft	0	PORT HEDLAND
VOR	-	118.62300	30 m		
OSOTO	A585	-18.12100	35,000 ft	177	-
FIX	AWY-HI	116.59800	10,668 m		
DOMOM	A585	-16.43690	35,000 ft	131	-
FIX	AWY-HI	115.13300	10,668 m		
SAPDA	A585	-12.00000	35,000 ft	342	-
FIX	AWY-HI	111.42700	10,668 m		
IPKON	A585	-8.06217	35,000 ft	301	-
FIX	AWY-HI	108.26900	10,668 m		
IMABA	A585	-7.08088	35,000 ft	74	-
FIX	AWY-HI	107.51100	10,668 m		
HLM	A585	-6.27194	35,000 ft	61	HALIM PERDANAKUSUMA (JAKARTA)
VOR	AWY-HI	106.88700	10,668 m		
BIKAL	B469	-4.87884	35,000 ft	87	-
FIX	AWY-HI	106.46800	10,668 m		
BIDAK	B469	-4.04127	35,000 ft	56	-
FIX	AWY-HI	106.03200	10,668 m		
TODAK	B469	-2.52186	35,000 ft	99	-
FIX	AWY-HI	105.38800	10,668 m		
NE	B469	-0.48300	21,400 ft	131	SINGKEP
NDB	AWY-HI	104.57600	6,523 m		
WIDD	-	1.12095	0 ft	100	Batam Hang Nadim
APT	-	104.11900	0 m		

## WIDD

Region: INDONESIA  
Timezone: ASIA/JAKARTA  
Runways: 1

Elevation: 123 ft / 37 m  
Location: 1.120950 104.119000  
Magnetic Var: 0.213 E

## METAR

WIDD 061530Z 00000KT 9999 FEW014 27/25 Q1014 NOSIG

## TAF

TAF WIDD 061100Z 0612/0712 33004KT 9000 SCT014=

## Frequencies

REC - 126.25 MHz - ATIS  
TWR - 118.30 MHz - HANG NADIM TOWER  
APP - 130.20 MHz - TANJUNG PINANG APPROACH

GND - 121.95 MHz - HANG NADIM GROUND  
TWR - 118.70 MHz - HANG NADIM TOWER  
APP - 120.30 MHz - SINGAPORE APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	148 ft	13,258 ft	41.35	ASPHALT	0 ft	207 ft
	45 m	4,041 m	41.14		0 m	63 m
22	148 ft	13,258 ft	221.35	ASPHALT	0 ft	190 ft
	45 m	4,041 m	221.14		0 m	58 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	DME	IBTM	110.10 MHz	18 nm	-	-	69 ft
				33 km	-		69 m
04	LOC-ILS	IBTM	110.10 MHz	18 nm	41.35	-	123 ft
				33 km	41.14		123 m
04	GS	IBTM	110.10 MHz	10 nm	41.35	3.00	123 ft
				19 km	41.14		123 m