

KFXE

Fort Lauderdale Executive


KBFM

Mobile Downtown Airport

2024/06/06 0932Z

KFXE CHRRRI J43 PIE Q104 PLYER V97 HEVVN Q104 DEFUN KBFM

532.36 nm / 985.93 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KFXE APT	-	26.19700 -80.17040	0 ft 0 m	-	Fort Lauderdale Executive
CHHRI FIX	-	27.05020 -81.65410	33,800 ft 10,302 m	94	-
MMDUQ FIX	J43 AWY-HI	27.26280 -81.90710	35,000 ft 10,668 m	18	-
PIE VOR	J43 AWY-HI	27.90780 -82.68430	35,000 ft 10,668 m	56	SAINT PETERSBURG
SWABE FIX	Q104 AWY-HI	28.58790 -83.10870	35,000 ft 10,668 m	46	-
PLYER FIX	Q104 AWY-HI	28.94760 -83.33570	35,000 ft 10,668 m	24	-
CLAMP FIX	V97 AWY-LO	29.34610 -83.58930	35,000 ft 10,668 m	27	-
HEVVN FIX	V97 AWY-LO	29.82200 -83.89520	35,000 ft 10,668 m	32	-
DEFUN FIX	Q104 AWY-HI	30.81420 -86.13140	21,500 ft 6,553 m	130	-
KBFM APT	-	30.62720 -88.06790	0 ft 0 m	100	Mobile Downtown Airport

KFXE

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 2

Elevation: 13 ft / 4 m
Location: 26.197000 -80.170400
Magnetic Var: 7.400 W

METAR

KFXE 060853Z 00000KT 10SM CLR 28/25 A2986 RMK A02 SLP112 T02780250 56010

TAF

KFXE 060845Z 0608/0706 VRB05KT P6SM SCT030 SCT250 FM061500 12007KT P6SM SCT030 SCT050 FM061800 13010KT P6SM VCTS

Frequencies

REC - 119.85 MHz - EXECUTIVE ATIS
CLD - 127.95 MHz - EXECUTIVE CLEARANCE DELIVERY
TWR - 120.90 MHz - EXECUTIVE TOWER
APP - 119.70 MHz - MIAMI APPROACH
COM - 122.95 MHz - EXECUTIVE UNICOM
GND - 121.75 MHz - EXECUTIVE GROUND
APP - 119.70 MHz - MIAMI DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	100 ft	5,998 ft	83.75	ASPHALT	0 ft	197 ft
	30 m	1,828 m	91.15		0 m	60 m
27	100 ft	5,998 ft	263.75	ASPHALT	0 ft	197 ft
	30 m	1,828 m	271.16		0 m	60 m
13	100 ft	4,004 ft	128.94	ASPHALT	0 ft	148 ft
	30 m	1,220 m	136.34		0 m	45 m
31	100 ft	4,004 ft	308.95	ASPHALT	0 ft	148 ft
	30 m	1,220 m	316.35		0 m	45 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	LOC-ILS	IFXE	111.10 MHz	18 nm	83.76	-	13 ft
				33 km	91.16		13 m
09	GS	IFXE	111.10 MHz	10 nm	83.76	3.00	13 ft
				19 km	91.16		13 m

KBFM

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 2

Elevation: 25 ft / 8 m
Location: 30.627200 -88.067900
Magnetic Var: 2.943 W

METAR

KBFM 060853Z 00000KT 10SM FEW018 SCT023 26/23 A2981 RMK A02 SLP095 T02560228 57007

TAF

TAF KBFM 060520Z 0606/0706 00000KT P6SM FEW022 FM061100 20005KT P6SM VCTS BKN025CB TEMPO 0612/0615 4SM TSRA BKN025

Frequencies

REC - 135.57 MHz - ATIS
COM - 122.95 MHz - UNICOM
TWR - 118.80 MHz - DOWNTOWN TWR
COM - 118.80 MHz - CTAF
GND - 121.70 MHz -
APP - 118.50 MHz - APP/DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	151 ft	9,629 ft	138.89	CONCRETE	0 ft	991 ft
	46 m	2,935 m	141.83		0 m	302 m
32	151 ft	9,629 ft	318.90	CONCRETE	0 ft	991 ft
	46 m	2,935 m	321.84		0 m	302 m
18	151 ft	7,806 ft	179.97	CONCRETE	0 ft	0 ft
	46 m	2,379 m	182.91		0 m	0 m
36	151 ft	7,806 ft	359.97	CONCRETE	0 ft	0 ft
	46 m	2,379 m	2.91		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
32	DME	IRUJ	108.50 MHz	18 nm	-	-	26 ft
				33 km	-		26 m
32	LOC-ILS	IRUJ	108.50 MHz	18 nm	318.90	-	25 ft
				33 km	321.84		25 m
32	GS	IRUJ	108.50 MHz	10 nm	318.90	3.00	25 ft
				19 km	321.84		25 m