


2024/05/23 0308Z

KFMV JENSN INPIN J55 CRG V37 CARVL KSAV

337.33 nm / 624.74 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KFMY	-	26.58670	0 ft	-	Page Fld
APT	-	-81.86320	0 m	-	
JENSN	-	28.34330	35,000 ft	105	-
FIX	-	-81.76360	10,668 m	-	-
INPIN	-	28.55350	35,000 ft	12	-
FIX	-	-81.80740	10,668 m	-	-
LOULO	J55	28.78370	35,000 ft	14	-
FIX	AWY-HI	-81.90080	10,668 m	-	-
CRG	J55	30.33890	23,200 ft	95	CRAIG (JACKSONVILLE)
VOR	AWY-HI	-81.50990	7,071 m	-	
CARVL	V37	30.45160	21,800 ft	6	-
FIX	AWY-LO	-81.49990	6,645 m	-	-
KSAV	-	32.12740	0 ft	101	Savannah Hilton Head Intl
APT	-	-81.20190	0 m	-	

## KFMY

Region: UNITED STATES  
Timezone: AMERICA/NEW\_YORK  
Runways: 2

Elevation: 17 ft / 5 m  
Location: 26.586700 -81.863200  
Magnetic Var: 6.439 W

## METAR

KFMY 230153Z AUTO 07012G17KT 10SM OVC055 28/21 A2996 RMK A02 SLP148 T02780206

## TAF

KFMY 230027Z 2300/2324 26010KT P6SM VCSH SCT050 SCT250 TEMPO 2300/2301 VRB10G20KT 6SM -SHRA FM230200 VRB05KT P6SM

## Frequencies

REC - 123.72 MHz - ATIS  
GND - 121.70 MHz -  
APP - 126.80 MHz - FORT MYERS APP/DEP  
COM - 119.00 MHz - CTAF  
TWR - 119.00 MHz -

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	150 ft	6,413 ft	47.71	ASPHALT	459 ft	0 ft
	46 m	1,955 m	54.15		140 m	0 m
23	150 ft	6,413 ft	227.71	ASPHALT	400 ft	102 ft
	46 m	1,955 m	234.15		122 m	31 m
13	150 ft	4,915 ft	130.63	ASPHALT	614 ft	98 ft
	46 m	1,498 m	137.07		187 m	30 m
31	150 ft	4,915 ft	310.64	ASPHALT	0 ft	0 ft
	46 m	1,498 m	317.08		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	LOC-ILS	IFMY	110.70 MHz	18 nm	47.71	-	16 ft
				33 km	54.15		16 m
05	GS	IFMY	110.70 MHz	10 nm	48.42	3.00	14 ft
				19 km	54.86		14 m

## KSAV

Region: UNITED STATES  
Timezone: AMERICA/NEW\_YORK  
Runways: 2

Elevation: 50 ft / 15 m  
Location: 32.127400 -81.201900  
Magnetic Var: 7.510 W

## METAR

KSAV 230153Z 16005KT 10SM SCT250 24/18 A3003 RMK A02 SLP169 T02440178

## TAF

TAF KSAV 222338Z 2300/2324 15004KT P6SM FEW250 FM230900 00000KT 6SM MIFG FEW008 SCT250 FM231300 23006KT P6SM FEW0

## Frequencies

REC - 123.75 MHz - ATIS  
COM - 122.95 MHz - UNICOM  
GND - 121.90 MHz -  
APP - 118.40 MHz - APP/DEP  
COM - 119.10 MHz - CTAF  
CLD - 119.55 MHz - CLNC DEL  
TWR - 119.10 MHz -

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	150 ft	9,328 ft	90.61	CONCRETE	0 ft	1,001 ft
	46 m	2,843 m	98.12		0 m	305 m
28	150 ft	9,328 ft	270.62	CONCRETE	0 ft	151 ft
	46 m	2,843 m	278.13		0 m	46 m
01	151 ft	7,016 ft	359.63	CONCRETE	0 ft	200 ft
	46 m	2,138 m	7.14		0 m	61 m
19	151 ft	7,016 ft	179.63	CONCRETE	0 ft	200 ft
	46 m	2,138 m	187.14		0 m	61 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	LOC-ILS	ITPV	111.90 MHz	18 nm	359.63	-	50 ft
				33 km	7.14		50 m
10	LOC-ILS	ISAV	109.90 MHz	18 nm	90.61	-	50 ft
				33 km	98.12		50 m
01	GS	ITPV	111.90 MHz	10 nm	359.63	3.00	50 ft
				19 km	7.14		50 m
10	GS	ISAV	109.90 MHz	10 nm	90.61	3.00	50 ft
				19 km	98.12		50 m