

KEYW

Key West Intl


KSAV

Savannah Hilton Head Intl

2024/05/23 0242Z

KEYW CITAG **V225** RSW **V7** LAL **V157** WEBBS LOULO **J55** CRG **V37** CARVL KSAV

462.72 nm / 856.96 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KEYW APT	-	24.55610 -81.75990	0 ft 0 m	-	Key West Intl
CITAG FIX	-	26.23700 -81.77950	35,000 ft 10,668 m	100	-
HICUP FIX	V225 AWY-LO	26.41360 -81.77730	35,000 ft 10,668 m	10	-
RSW VOR	V225 AWY-LO	26.52990 -81.77580	35,000 ft 10,668 m	6	LEE COUNTY (FORT MYERS)
SERFS FIX	V7 AWY-LO	26.80070 -81.81960	35,000 ft 10,668 m	16	-
JOCKS FIX	V7 AWY-LO	27.00960 -81.85350	35,000 ft 10,668 m	12	-
ROGAN FIX	V7 AWY-LO	27.25080 -81.89290	35,000 ft 10,668 m	14	-
CROWD FIX	V7 AWY-LO	27.66710 -81.96120	35,000 ft 10,668 m	25	-
LAL VOR	V7 AWY-LO	27.98620 -82.01390	35,000 ft 10,668 m	19	LAKELAND
URIVE FIX	V157 AWY-LO	28.13480 -82.04010	35,000 ft 10,668 m	9	-
WEBBS FIX	V157 AWY-LO	28.51390 -82.10740	35,000 ft 10,668 m	23	-
LOULO FIX	-	28.78370 -81.90080	35,000 ft 10,668 m	19	-
CRG VOR	J55 AWY-HI	30.33890 -81.50990	23,200 ft 7,071 m	95	CRAIG (JACKSONVILLE)
CARVL FIX	V37 AWY-LO	30.45160 -81.49990	21,800 ft 6,645 m	6	-
KSAV APT	-	32.12740 -81.20190	0 ft 0 m	101	Savannah Hilton Head Intl

KSAV

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 2

Elevation: 50 ft / 15 m
Location: 32.127400 -81.201900
Magnetic Var: 7.510 W

METAR

KSAV 230153Z 16005KT 10SM SCT250 24/18 A3003 RMK A02 SLP169 T02440178

TAF

TAF KSAV 222338Z 2300/2324 15004KT P6SM FEW250 FM230900 00000KT 6SM MIFG FEW008 SCT250 FM231300 23006KT P6SM FEW0

Frequencies

REC - 123.75 MHz - ATIS
COM - 122.95 MHz - UNICOM
GND - 121.90 MHz -
APP - 118.40 MHz - APP/DEP
COM - 119.10 MHz - CTAF
CLD - 119.55 MHz - CLNC DEL
TWR - 119.10 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	150 ft	9,328 ft	90.61	CONCRETE	0 ft	1,001 ft
	46 m	2,843 m	98.12		0 m	305 m
28	150 ft	9,328 ft	270.62	CONCRETE	0 ft	151 ft
	46 m	2,843 m	278.13		0 m	46 m
01	151 ft	7,016 ft	359.63	CONCRETE	0 ft	200 ft
	46 m	2,138 m	7.14		0 m	61 m
19	151 ft	7,016 ft	179.63	CONCRETE	0 ft	200 ft
	46 m	2,138 m	187.14		0 m	61 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	LOC-ILS	ITPV	111.90 MHz	18 nm	359.63	-	50 ft
				33 km	7.14		50 m
10	LOC-ILS	ISAV	109.90 MHz	18 nm	90.61	-	50 ft
				33 km	98.12		50 m
01	GS	ITPV	111.90 MHz	10 nm	359.63	3.00	50 ft
				19 km	7.14		50 m
10	GS	ISAV	109.90 MHz	10 nm	90.61	3.00	50 ft
				19 km	98.12		50 m