

RJAA

Narita


KLAX

Los Angeles Intl

2024/06/14 1455Z

RJAA DAVID TOPOS **Y886** PABBA **OTR5** KALNA **G344** CARTO 4600N17500E 4600N17600E 4600N17700E 4600N17800E
4600N17900E 4600N18000E 4600N18000W 4600N18100E 4600N18200E 4600N17700W 4600N17600W 4600N17500W
4600N17400W 4600N17300W 4600N17200W 4600N17100W 4600N17000W 4600N16900W 4600N16800W 4600N16700W
4600N16600W 4600N16500W 4600N16400W 4600N16300W 4600N16200W 4600N16100W 4600N16000W 4600N15900W
4600N15800W 4600N15700W 4600N15600W 4600N15500W 4600N15400W 4500N15200W 4500N15100W 4500N15000W
4500N14900W 4400N14700W 4400N14600W 4400N14500W 4400N14400W 4300N14200W 4300N14100W 4300N14000W
4200N13800W 4200N13700W 4100N13500W 4000N13300W 4000N13200W 4000N13100W VESPA **C1486** ENI **J143** PYE
V107 OAK **J1** DERBB KLAX

4989.50 nm / 9240.56 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 37000ft
- Cruise Speed: 600kts
- Descent Rate: 1500ft/min

- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
RJAA	-	35.77720	0 ft	-	Narita
APT	-	140.38200	0 m		
DAVID	-	36.68650	26,300 ft	105	-
FIX	-	142.24200	8,016 m		
TOPOS	-	36.90980	30,700 ft	17	-
FIX	-	142.48100	9,357 m		
PABBA	Y886	37.00320	37,000 ft	72	-
FIX	AWY-HI	143.99600	11,278 m		
ONION	OTR5	37.02900	37,000 ft	10	-
FIX	AWY-HI	144.20600	11,278 m		
ADNAP	OTR5	37.19750	37,000 ft	70	-
FIX	AWY-HI	145.66600	11,278 m		
KALNA	OTR5	39.15380	37,000 ft	228	-
FIX	AWY-HI	149.82600	11,278 m		
KALIG	G344	42.98160	37,000 ft	350	-
FIX	AWY-HI	155.66900	11,278 m		
CUTEE	G344	46.41500	37,000 ft	350	-
FIX	AWY-HI	162.31000	11,278 m		
CARTO	G344	48.67570	37,000 ft	295	-
FIX	AWY-HI	168.78300	11,278 m		
4600N17500E	-	46.00000	37,000 ft	299	-
LATLON	-	175.00000	11,278 m		
4600N17600E	-	46.00000	37,000 ft	41	-
LATLON	-	176.00000	11,278 m		
4600N17700E	-	46.00000	37,000 ft	41	-
LATLON	-	177.00000	11,278 m		
4600N17800E	-	46.00000	37,000 ft	41	-
LATLON	-	178.00000	11,278 m		
4600N17900E	-	46.00000	37,000 ft	41	-
LATLON	-	179.00000	11,278 m		
4600N18000E	-	46.00000	37,000 ft	41	-
LATLON	-	-180.00000	11,278 m		
4600N18000W	-	46.00000	37,000 ft	0	-
LATLON	-	-180.00000	11,278 m		
4600N18100E	-	46.00000	37,000 ft	41	-
LATLON	-	-179.00000	11,278 m		
4600N18200E	-	46.00000	37,000 ft	41	-
LATLON	-	-178.00000	11,278 m		
4600N17700W	-	46.00000	37,000 ft	41	-
LATLON	-	-177.00000	11,278 m		
4600N17600W	-	46.00000	37,000 ft	41	-
LATLON	-	-176.00000	11,278 m		
4600N17500W	-	46.00000	37,000 ft	41	-
LATLON	-	-175.00000	11,278 m		
4600N17400W	-	46.00000	37,000 ft	41	-
LATLON	-	-174.00000	11,278 m		
4600N17300W	-	46.00000	37,000 ft	41	-
LATLON	-	-173.00000	11,278 m		
4600N17200W	-	46.00000	37,000 ft	41	-
LATLON	-	-172.00000	11,278 m		
4600N17100W	-	46.00000	37,000 ft	41	-
LATLON	-	-171.00000	11,278 m		
4600N17000W	-	46.00000	37,000 ft	41	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	-170.00000	11,278 m		
4600N16900W	-	46.00000	37,000 ft	41	-
LATLON	-	-169.00000	11,278 m		
4600N16800W	-	46.00000	37,000 ft	41	-
LATLON	-	-168.00000	11,278 m		
4600N16700W	-	46.00000	37,000 ft	41	-
LATLON	-	-167.00000	11,278 m		
4600N16600W	-	46.00000	37,000 ft	41	-
LATLON	-	-166.00000	11,278 m		
4600N16500W	-	46.00000	37,000 ft	41	-
LATLON	-	-165.00000	11,278 m		
4600N16400W	-	46.00000	37,000 ft	41	-
LATLON	-	-164.00000	11,278 m		
4600N16300W	-	46.00000	37,000 ft	41	-
LATLON	-	-163.00000	11,278 m		
4600N16200W	-	46.00000	37,000 ft	41	-
LATLON	-	-162.00000	11,278 m		
4600N16100W	-	46.00000	37,000 ft	41	-
LATLON	-	-161.00000	11,278 m		
4600N16000W	-	46.00000	37,000 ft	41	-
LATLON	-	-160.00000	11,278 m		
4600N15900W	-	46.00000	37,000 ft	41	-
LATLON	-	-159.00000	11,278 m		
4600N15800W	-	46.00000	37,000 ft	41	-
LATLON	-	-158.00000	11,278 m		
4600N15700W	-	46.00000	37,000 ft	41	-
LATLON	-	-157.00000	11,278 m		
4600N15600W	-	46.00000	37,000 ft	41	-
LATLON	-	-156.00000	11,278 m		
4600N15500W	-	46.00000	37,000 ft	41	-
LATLON	-	-155.00000	11,278 m		
4600N15400W	-	46.00000	37,000 ft	41	-
LATLON	-	-154.00000	11,278 m		
4500N15200W	-	45.00000	37,000 ft	103	-
LATLON	-	-152.00000	11,278 m		
4500N15100W	-	45.00000	37,000 ft	42	-
LATLON	-	-151.00000	11,278 m		
4500N15000W	-	45.00000	37,000 ft	42	-
LATLON	-	-150.00000	11,278 m		
4500N14900W	-	45.00000	37,000 ft	42	-
LATLON	-	-149.00000	11,278 m		
4400N14700W	-	44.00000	37,000 ft	104	-
LATLON	-	-147.00000	11,278 m		
4400N14600W	-	44.00000	37,000 ft	43	-
LATLON	-	-146.00000	11,278 m		
4400N14500W	-	44.00000	37,000 ft	43	-
LATLON	-	-145.00000	11,278 m		
4400N14400W	-	44.00000	37,000 ft	43	-
LATLON	-	-144.00000	11,278 m		
4300N14200W	-	43.00000	37,000 ft	105	-
LATLON	-	-142.00000	11,278 m		
4300N14100W	-	43.00000	37,000 ft	43	-
LATLON	-	-141.00000	11,278 m		
4300N14000W	-	43.00000	37,000 ft	43	-
LATLON	-	-140.00000	11,278 m		
4200N13800W	-	42.00000	37,000 ft	106	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	-138.00000	11,278 m		
4200N13700W	-	42.00000	37,000 ft	44	-
LATLON	-	-137.00000	11,278 m		
4100N13500W	-	41.00000	37,000 ft	108	-
LATLON	-	-135.00000	11,278 m		
4000N13300W	-	40.00000	37,000 ft	109	-
LATLON	-	-133.00000	11,278 m		
4000N13200W	-	40.00000	37,000 ft	46	-
LATLON	-	-132.00000	11,278 m		
4000N13100W	-	40.00000	37,000 ft	46	-
LATLON	-	-131.00000	11,278 m		
VESPA	-	40.62530	37,000 ft	186	-
FIX	-	-127.00000	11,278 m		
ENI	C1486	39.05320	37,000 ft	196	MENDOCINO (UKIAH)
VOR	AWY-HI	-123.27400	11,278 m		
PYE	J143	38.07980	37,000 ft	61	POINT REYES
VOR	AWY-HI	-122.86800	11,278 m		
MICRA	V107	37.95740	37,000 ft	12	-
FIX	AWY-LO	-122.64400	11,278 m		
COMMO	V107	37.87420	37,000 ft	8	-
FIX	AWY-LO	-122.49200	11,278 m		
OAK	V107	37.72590	37,000 ft	15	OAKLAND
VOR	AWY-LO	-122.22400	11,278 m		
AVE	J1	35.64700	19,200 ft	165	AVENAL
VOR	AWY-HI	-119.97900	5,852 m		
DERBB	J1	35.25590	14,900 ft	28	-
FIX	AWY-HI	-119.64100	4,542 m		
KLAX	-	33.94310	0 ft	99	Los Angeles Intl
APT	-	-118.40900	0 m		

RJAA

Region: JAPAN
Timezone: ASIA/TOKYO
Runways: 2

Elevation: 135 ft / 41 m
Location: 35.777200 140.382000
Magnetic Var: 7.783 W

METAR

RJAA 141430Z AUTO 16005KT 9999 NCD 20/19 Q1010 NOSIG

TAF

TAF TAF RJAA 141105Z 1412/1518 16006KT 9999 FEW020 TEMPO 1417/1421 1500 BR BCFG BECMG 1509/1512 01006KT TEMPO 1515

Frequencies

REC - 128.25 MHz - ATIS	TWR - 122.70 MHz - NARITA TOWER
TWR - 126.20 MHz - NARITA TOWER	TWR - 118.35 MHz - NARITA TOWER
TWR - 118.20 MHz - NARITA TOWER	GND - 121.85 MHz - NARITA GROUND
GND - 121.95 MHz - NARITA GROUND	GND - 121.60 MHz - NARITA GROUND
GND - 121.75 MHz - NARITA GROUND	APP - 125.20 MHz - NARITA APPROACH
APP - 124.40 MHz - NARITA APPROACH	APP - 121.27 MHz - NARITA APPROACH
APP - 125.80 MHz - NARITA APPROACH	APP - 127.70 MHz - NARITA APPROACH
DEP - 120.60 MHz - NARITA DEPARTURE	DEP - 127.50 MHz - NARITA DEPARTURE
DEP - 119.60 MHz - NARITA DEPARTURE	DEP - 125.52 MHz - NARITA DEPARTURE
DEP - 124.20 MHz - NARITA DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16R	197 ft	13,146 ft	149.63	ASPHALT	0 ft	407 ft
	60 m	4,007 m	157.41		0 m	124 m
34L	197 ft	13,146 ft	329.64	ASPHALT	0 ft	404 ft
	60 m	4,007 m	337.43		0 m	123 m
16L	197 ft	8,210 ft	149.61	ASPHALT	0 ft	197 ft
	60 m	2,503 m	157.40		0 m	60 m
34R	197 ft	8,210 ft	329.62	ASPHALT	0 ft	0 ft
	60 m	2,503 m	337.40		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16L	DME	ITM	110.70 MHz	18 nm	-	-	145 ft
				33 km	-		145 m
16R	DME	IKF	111.50 MHz	18 nm	-	-	145 ft
				33 km	-		145 m
34L	DME	IYQ	111.90 MHz	18 nm	-	-	153 ft
				33 km	-		153 m
34R	DME	ITJ	110.90 MHz	18 nm	-	-	148 ft
				33 km	-		148 m
16L	LOC-ILS	ITM	110.70 MHz	18 nm	149.64	-	135 ft
				33 km	157.42		135 m
16R	LOC-ILS	IKF	111.50 MHz	18 nm	149.62	-	135 ft
				33 km	157.40		135 m
34L	LOC-ILS	IYQ	111.90 MHz	18 nm	329.62	-	135 ft
				33 km	337.40		135 m
34R	LOC-ILS	ITJ	110.90 MHz	18 nm	329.64	-	135 ft
				33 km	337.42		135 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16L	GS	ITM	110.70 MHz	10 nm	149.64	3.00	135 ft
				19 km	157.42		135 m
16R	GS	IKF	111.50 MHz	10 nm	149.62	3.00	135 ft
				19 km	157.40		135 m
34L	GS	IYQ	111.90 MHz	10 nm	329.62	3.00	135 ft
				19 km	337.40		135 m
34R	GS	ITJ	110.90 MHz	10 nm	329.64	3.00	135 ft
				19 km	337.42		135 m

KLAX

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 4

Elevation: 125 ft / 38 m
Location: 33.943100 -118.409000
Magnetic Var: 11.433 E

METAR

KLAX 141353Z VRB03KT 7SM FEW009 OVC015 17/13 A2998 RMK AO2 SLP150 T01670133

TAF

KLAX 141433Z 1415/1518 VRB03KT P6SM SCT008 OVC015 FM141800 24006KT P6SM SCT015 FM142000 26012KT P6SM SKC FM150400

Frequencies

COM - 122.95 MHz - UNICOM	GND - 121.65 MHz - LOS ANGELES GROUND
GND - 121.75 MHz - LOS ANGELES GROUND	GND - 121.40 MHz - LOS ANGELES GROUND
TWR - 119.80 MHz - LOS ANGELES TOWER	TWR - 120.95 MHz - LOS ANGELES TOWER
TWR - 133.90 MHz - LOS ANGELES TOWER	REC - 133.80 MHz - D-ATIS
REC - 135.65 MHz - D-ATIS	APP - 124.90 MHz - SOCAL APPROACH
APP - 124.30 MHz - SOCAL APPROACH	APP - 124.50 MHz - SOCAL APPROACH
APP - 128.50 MHz - SOCAL APPROACH	DEP - 125.20 MHz - SOCAL DEPARTURE
DEP - 124.30 MHz - SOCAL DEPARTURE	CLD - 120.35 MHz - CLEARANCE DELIVERY

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	200 ft	11,106 ft	82.96	CONCRETE	0 ft	381 ft
	61 m	3,385 m	71.52		0 m	116 m
25L	200 ft	11,106 ft	262.98	CONCRETE	0 ft	381 ft
	61 m	3,385 m	251.54		0 m	116 m
07L	151 ft	12,935 ft	82.95	CONCRETE	846 ft	374 ft
	46 m	3,943 m	71.52		258 m	114 m
25R	151 ft	12,935 ft	262.98	CONCRETE	968 ft	197 ft
	46 m	3,943 m	251.54		295 m	60 m
06R	151 ft	10,896 ft	82.95	CONCRETE	551 ft	384 ft
	46 m	3,321 m	71.51		168 m	117 m
24L	151 ft	10,896 ft	262.97	CONCRETE	814 ft	384 ft
	46 m	3,321 m	251.53		248 m	117 m
06L	151 ft	8,936 ft	82.95	CONCRETE	0 ft	0 ft
	46 m	2,724 m	71.52		0 m	0 m
24R	151 ft	8,936 ft	262.96	CONCRETE	0 ft	285 ft
	46 m	2,724 m	251.53		0 m	87 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	DME	IUWU	108.50 MHz	18 nm	-	-	120 ft
				33 km	-		120 m
06R	DME	IGPE	111.70 MHz	18 nm	-	-	120 ft
				33 km	-		120 m
07L	DME	IIAS	111.10 MHz	18 nm	-	-	103 ft
				33 km	-		103 m
07R	DME	IMKZ	109.90 MHz	18 nm	-	-	103 ft
				33 km	-		103 m
24L	DME	IHQB	111.70 MHz	18 nm	-	-	133 ft
				33 km	-		133 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24R	DME	IOSS	108.50 MHz	18 nm 33 km	- -	-	133 ft 133 m
25L	DME	ILAX	109.90 MHz	18 nm 33 km	- -	-	126 ft 126 m
25R	DME	ICFN	111.10 MHz	18 nm 33 km	- -	-	126 ft 126 m
06L	LOC-ILS	IUWU	108.50 MHz	18 nm 33 km	82.97 71.54	-	125 ft 125 m
06R	LOC-ILS	IGPE	111.70 MHz	18 nm 33 km	82.97 71.54	-	125 ft 125 m
07L	LOC-ILS	IIAS	111.10 MHz	18 nm 33 km	82.98 71.55	-	125 ft 125 m
07R	LOC-ILS	IMKZ	109.90 MHz	18 nm 33 km	82.97 71.54	-	125 ft 125 m
24L	LOC-ILS	IHQB	111.70 MHz	18 nm 33 km	262.97 251.54	-	125 ft 125 m
24R	LOC-ILS	IOSS	108.50 MHz	18 nm 33 km	262.97 251.54	-	125 ft 125 m
25L	LOC-ILS	ILAX	109.90 MHz	18 nm 33 km	262.97 251.54	-	125 ft 125 m
25R	LOC-ILS	ICFN	111.10 MHz	18 nm 33 km	262.98 251.55	-	125 ft 125 m
06L	GS	IUWU	108.50 MHz	10 nm 19 km	82.97 71.54	3.00	125 ft 125 m
06R	GS	IGPE	111.70 MHz	10 nm 19 km	82.97 71.54	3.00	125 ft 125 m
07L	GS	IIAS	111.10 MHz	10 nm 19 km	82.98 71.55	3.00	125 ft 125 m
07R	GS	IMKZ	109.90 MHz	10 nm 19 km	82.97 71.54	3.00	125 ft 125 m
24L	GS	IHQB	111.70 MHz	10 nm 19 km	262.97 251.54	3.00	125 ft 125 m
24R	GS	IOSS	108.50 MHz	10 nm 19 km	262.97 251.54	3.00	125 ft 125 m
25L	GS	ILAX	109.90 MHz	10 nm 19 km	262.97 251.54	3.00	125 ft 125 m
25R	GS	ICFN	111.10 MHz	10 nm 19 km	262.98 251.55	3.00	125 ft 125 m