

SKBO

El Dorado Intl


SABE

Aeroparque Jorge Newbery

2024/05/28 1926Z

SKBO SISAK W18 SJE UL542 NEGRA A301 RCO UL417 PUPSI UL404 ERE UW8 PAR W6 PEDRO SABE

2544.16 nm / 4711.79 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SKBO APT	-	4.70160 -74.14700	0 ft 0 m	-	El Dorado Intl
SISAK FIX	-	3.59000 -73.45780	28,000 ft 8,534 m	78	-
OGNAS FIX	W18 AWY-LO	3.20222 -73.14970	35,000 ft 10,668 m	29	-
SJE VOR	W18 AWY-LO	2.53169 -72.64030	35,000 ft 10,668 m	50	SAN JOSE DEL GUAVIARE
MARTU FIX	UL542 AWY-HI	0.29056 -71.74530	35,000 ft 10,668 m	144	-
POTBA FIX	UL542 AWY-HI	-1.96139 -70.84310	35,000 ft 10,668 m	145	-
PUPAS FIX	UL542 AWY-HI	-2.33500 -70.68220	35,000 ft 10,668 m	24	-
REMEX FIX	UL542 AWY-HI	-3.21611 -70.32970	35,000 ft 10,668 m	56	-
LET VOR	UL542 AWY-HI	-4.19500 -69.94060	35,000 ft 10,668 m	63	LETICIA
SPRIN FIX	UL542 AWY-HI	-4.59967 -69.79380	35,000 ft 10,668 m	25	-
VUKEB FIX	UL542 AWY-HI	-4.93017 -69.67720	35,000 ft 10,668 m	21	-
NEGRA FIX	UL542 AWY-HI	-6.26067 -69.20050	35,000 ft 10,668 m	84	-
PALIO FIX	A301 AWY-LO	-7.68967 -68.68700	35,000 ft 10,668 m	91	-
JULIA FIX	A301 AWY-LO	-9.21050 -68.13630	35,000 ft 10,668 m	97	-
RCO VOR	A301 AWY-LO	-9.87598 -67.90540	35,000 ft 10,668 m	42	RIO BRANCO
ISARA FIX	UL417 AWY-HI	-10.60670 -67.67670	35,000 ft 10,668 m	45	-
KADOX FIX	UL417 AWY-HI	-14.54610 -66.45420	35,000 ft 10,668 m	247	-
NIRBO FIX	UL417 AWY-HI	-15.44220 -66.17530	35,000 ft 10,668 m	56	-
LOKOX FIX	UL417 AWY-HI	-16.83390 -65.74250	35,000 ft 10,668 m	87	-
DOLGI FIX	UL417 AWY-HI	-17.07560 -65.66720	35,000 ft 10,668 m	15	-
VAREB FIX	UL417 AWY-HI	-17.46470 -65.54610	35,000 ft 10,668 m	24	-
GELAS FIX	UL417 AWY-HI	-17.67000 -65.48220	35,000 ft 10,668 m	12	-
VALUS FIX	UL417 AWY-HI	-18.88970 -65.10280	35,000 ft 10,668 m	76	-
EGUSU FIX	UL417 AWY-HI	-19.16670 -65.01670	35,000 ft 10,668 m	17	-
ASETO FIX	UL417 AWY-HI	-20.93190 -64.46750	35,000 ft 10,668 m	110	-
ESMUR FIX	UL417 AWY-HI	-21.35640 -64.33530	35,000 ft 10,668 m	26	-
PUBUM	UL417	-22.24170	35,000 ft	55	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	-64.06000	10,668 m		
IMBER	UL417	-24.62330	35,000 ft	149	-
FIX	AWY-HI	-63.25780	10,668 m		
UBRIX	UL417	-25.74940	35,000 ft	70	-
FIX	AWY-HI	-62.86750	10,668 m		
PUPSI	UL417	-27.26580	35,000 ft	96	-
FIX	AWY-HI	-62.29750	10,668 m		
ARNIB	UL404	-28.62030	35,000 ft	81	-
FIX	AWY-HI	-62.10640	10,668 m		
ERE	UL404	-29.86440	35,000 ft	75	CERES VOR-DME
DME	AWY-HI	-61.87220	10,668 m		
GAVAM	UW8	-31.03530	35,000 ft	81	-
FIX	AWY-HI	-61.06940	10,668 m		
PAR	UW8	-31.80840	35,000 ft	55	PARANA
VOR	AWY-HI	-60.48450	10,668 m		
ESKAD	W6	-32.66970	31,400 ft	54	-
FIX	AWY-LO	-60.11830	9,571 m		
PEDRO	W6	-33.70110	17,300 ft	65	-
FIX	AWY-LO	-59.66690	5,273 m		
SABE	-	-34.55920	0 ft	80	Aeroparque Jorge Newbery
APT	-	-58.41570	0 m		

SKBO

Region: COLOMBIA
Timezone: AMERICA/BOGOTA
Runways: 2

Elevation: 8,358 ft / 2,548 m
Location: 4.701600 -74.147000
Magnetic Var: 8.200 W

METAR

SKBO 281900Z 32006KT 9999 -DZ BKN020 17/14 Q1027 NOSIG

TAF

TAF SKBO 281630Z 2818/2918 16012KT 9999 SCT020 TEMPO 2819/2821 DZ BKN020 BECMG 2902/2904 VRB03KT SCT015 PROB40 TEM

Frequencies

REC - 127.80 MHz - ATIS	TWR - 118.10 MHz - EL DORADO TOWER
TWR - 118.25 MHz - EL DORADO TOWER	GND - 121.80 MHz - EL DORADO GROUND
GND - 122.75 MHz - EL DORADO GROUND	APP - 121.30 MHz - BOGOTA APPROACH
APP - 119.50 MHz - BOGOTA APPROACH	APP - 119.65 MHz - BOGOTA APPROACH
APP - 119.95 MHz - BOGOTA APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	151 ft	12,479 ft	127.23	ASPHALT	0 ft	203 ft
	46 m	3,804 m	135.43		0 m	62 m
31L	151 ft	12,479 ft	307.24	ASPHALT	0 ft	203 ft
	46 m	3,804 m	315.44		0 m	62 m
13L	151 ft	12,479 ft	127.24	ASPHALT	0 ft	98 ft
	46 m	3,804 m	135.44		0 m	30 m
31R	151 ft	12,479 ft	307.24	ASPHALT	0 ft	98 ft
	46 m	3,804 m	315.44		0 m	30 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13L	DME	IEDR	111.30 MHz	18 nm	-	-	8,361 ft
				33 km	-		8,361 m
13R	DME	IADO	110.70 MHz	18 nm	-	-	8,361 ft
				33 km	-		8,361 m
13L	LOC-ILS	IEDR	111.30 MHz	18 nm	127.24	-	8,358 ft
				33 km	135.44		8,358 m
13R	LOC-ILS	IADO	110.70 MHz	18 nm	127.24	-	8,358 ft
				33 km	135.44		8,358 m
13L	GS	IEDR	111.30 MHz	10 nm	127.24	3.00	8,358 ft
				19 km	135.44		8,358 m
13R	GS	IADO	110.70 MHz	10 nm	127.24	3.00	8,358 ft
				19 km	135.44		8,358 m

SABE

Region: ARGENTINA
Timezone: UNKNOWN
Runways: 1

Elevation: 18 ft / 5 m
Location: -34.559200 -58.415700
Magnetic Var: 10.082 W

METAR

SABE 281900Z 02004KT 330V050 9999 FEW012 12/10 Q1026 NOSIG

TAF

TAF SABE 281700Z 2818/2918 VRB03KT 5000 BR BKN010 TX16/2918Z TN11/2909Z BECMG 2818/2821 07010KT CAVOK BECMG 2904/

Frequencies

REC - 127.60 MHz - AEROPARQUE ATIS
TWR - 118.85 MHz - AEROPARQUE TWR

GND - 121.90 MHz - AEROPARQUE GRD
APP - 120.60 MHz - AEROPARQUE APP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	131 ft	6,881 ft	124.10	CONCRETE	0 ft	791 ft
	40 m	2,097 m	134.18		0 m	241 m
31	131 ft	6,881 ft	304.09	CONCRETE	430 ft	505 ft
	40 m	2,097 m	314.17		131 m	154 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13	DME	AE	109.50 MHz	18 nm	-	-	17 ft
				33 km	-		17 m
13	LOC-ILS	AE	109.50 MHz	18 nm	124.09	-	18 ft
				33 km	134.17		18 m
13	GS	AE	109.50 MHz	10 nm	124.09	3.00	18 ft
				19 km	134.17		18 m