


**PAYA**  
Yakutat

**PANC**  
Ted Stevens Anchorage Intl

2024/06/09 0708Z

PAYA MALAS **T269** KATAT **J501** JOH PANC

324.24 nm / 600.49 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
PAYA APT	-	59.50330 -139.66100	0 ft 0 m	-	Yakutat
MALAS FIX	-	59.66630 -140.58300	10,600 ft 3,231 m	29	-
KATAT FIX	T269 AWY-LO	60.25810 -144.70500	35,000 ft 10,668 m	128	-
CASEL FIX	J501 AWY-HI	60.33110 -145.29800	31,600 ft 9,632 m	18	-
JOH VOR	J501 AWY-HI	60.48100 -146.59900	23,100 ft 7,041 m	39	JOHNSTONE POINT
PANC APT	-	61.17430 -149.99800	0 ft 0 m	107	Ted Stevens Anchorage Intl

## PAYA

Region: USA (ALASKA)  
Timezone: AMERICA/YAKUTAT  
Runways: 2

Elevation: 39 ft / 12 m  
Location: 59.503300 -139.661000  
Magnetic Var: 16.640 E

## METAR

PAYA 090553Z AUTO 11005KT 10SM OVC100 13/09 A3006 RMK A02 SLP180 T01330089 10244 20133 51019 TSNO \$

## TAF

PAYA 090528Z 0906/1006 13010KT P6SM OVC100 FM091200 11005KT P6SM BKN025 OVC035 FM091800 12008KT P6SM SCT025 OVC050

## Frequencies

REC - 135.75 MHz - ASOS

COM - 123.60 MHz - YAKUTAT UNICOM

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	151 ft	7,742 ft	134.64	ASPHALT	0 ft	210 ft
	46 m	2,360 m	118.00		0 m	64 m
29	151 ft	7,742 ft	314.67	ASPHALT	0 ft	190 ft
	46 m	2,360 m	298.03		0 m	58 m
02	151 ft	6,461 ft	44.93	ASPHALT	1,404 ft	1,122 ft
	46 m	1,969 m	28.29		428 m	342 m
20	151 ft	6,461 ft	224.95	ASPHALT	0 ft	0 ft
	46 m	1,969 m	208.31		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	LOC-ILS	IYAK	111.10 MHz	18 nm	134.66	-	39 ft
				33 km	118.02		39 m
29	LOC-LOC	IYAK	111.10 MHz	18 nm	314.66	-	39 ft
				33 km	298.02		39 m
11	GS	IYAK	111.10 MHz	10 nm	134.66	3.00	39 ft
				19 km	118.02		39 m

## PANC

Region: USA (ALASKA)

Timezone: AMERICA/ANCHORAGE

Runways: 3

Elevation: 151 ft / 46 m

Location: 61.174300 -149.998000

Magnetic Var: 13.997 E

## METAR

PANC 090553Z 13019G31KT 10SM FEW070 BKN095 OVC120 18/01 A2975

## TAF

TAF PANC 090520Z 0906/1012 14018G30KT P6SM SCT080 BKN120 FM091200 12011KT P6SM BKN120 FM091500 03006KT P6SM BKN120

## Frequencies

REC - 135.50 MHz - D-ATIS

GND - 121.90 MHz - ANCHORAGE GROUND

CLD - 119.40 MHz - CLEARANCE DELIVERY

APP - 118.60 MHz - ANCHORAGE APPROACH

APP - 123.80 MHz - ANCHORAGE APPROACH

DEP - 118.60 MHz - ANCHORAGE DEPARTURE

DEP - 123.80 MHz - ANCHORAGE DEPARTURE

COM - 122.95 MHz - UNICOM

TWR - 118.30 MHz - ANCHORAGE TOWER

CLD - 128.65 MHz - CLEARANCE DELIVERY

APP - 119.10 MHz - ANCHORAGE APPROACH

APP - 126.40 MHz - ANCHORAGE APPROACH

DEP - 119.10 MHz - ANCHORAGE DEPARTURE

DEP - 126.40 MHz - ANCHORAGE DEPARTURE

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	200 ft	12,357 ft	89.84	ASPHALT	0 ft	0 ft
	61 m	3,767 m	75.84		0 m	0 m
25L	200 ft	12,357 ft	269.90	ASPHALT	0 ft	194 ft
	61 m	3,767 m	255.91		0 m	59 m
07L	150 ft	10,566 ft	89.88	ASPHALT	0 ft	387 ft
	46 m	3,221 m	75.88		0 m	118 m
25R	150 ft	10,566 ft	269.93	ASPHALT	0 ft	387 ft
	46 m	3,221 m	255.93		0 m	118 m
15	200 ft	10,847 ft	164.89	ASPHALT	0 ft	397 ft
	61 m	3,306 m	150.89		0 m	121 m
33	200 ft	10,847 ft	344.90	ASPHALT	463 ft	236 ft
	61 m	3,306 m	330.91		141 m	72 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	DME	ITGN	109.90 MHz	18 nm	-	-	152 ft
				33 km	-		152 m
07R	DME	IANC	111.30 MHz	18 nm	-	-	152 ft
				33 km	-		152 m
15	DME	IBSC	111.75 MHz	18 nm	-	-	152 ft
				33 km	-		152 m
07L	LOC-ILS	ITGN	109.90 MHz	18 nm	89.90	-	151 ft
				33 km	75.90		151 m
07R	LOC-ILS	IANC	111.30 MHz	18 nm	89.87	-	151 ft
				33 km	75.87		151 m
15	LOC-ILS	IBSC	111.75 MHz	18 nm	164.90	-	151 ft
				33 km	150.90		151 m
07L	GS	ITGN	109.90 MHz	10 nm	89.90	3.00	151 ft
				19 km	75.90		151 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07R	GS	IANC	111.30 MHz	10 nm	89.87	3.00	151 ft
				19 km	75.87		151 m
15	GS	IBSC	111.75 MHz	10 nm	164.90	3.00	151 ft
				19 km	150.90		151 m