

# EDFH

Frankfurt Hahn


# LICA

Lamezia Terme "Sant'Eufemia"

2024/05/18 0209Z

EDFH LAMGO **UM150** UTABA **UL607** ELMEM **UN606** GIRIS **T939** ROKIB **Z906** CHI **L612** ANC **M736** ERIKA **Z910** KUTID  
LICA

780.26 nm / 1445.04 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EDFH	-	49.94580	0 ft	-	Frankfurt Hahn
APT	-	7.26108	0 m	-	
LAMGO	-	48.88580	31,000 ft	87	-
FIX	-	8.77917	9,449 m	-	-
UTABA	UM150	48.25500	35,000 ft	46	-
FIX	AWY-HI	9.46167	10,668 m	-	-
MOMUK	UL607	47.83860	35,000 ft	32	-
FIX	AWY-HI	9.99694	10,668 m	-	-
BEMKI	UL607	47.55940	35,000 ft	20	-
FIX	AWY-HI	10.30560	10,668 m	-	-
XEBIX	UL607	47.40000	35,000 ft	11	-
FIX	AWY-HI	10.47990	10,668 m	-	-
ELMEM	UL607	47.28560	35,000 ft	7	-
FIX	AWY-HI	10.57070	10,668 m	-	-
BILDU	UN606	47.17040	35,000 ft	7	-
FIX	AWY-HI	10.66180	10,668 m	-	-
OTRES	UN606	47.02350	35,000 ft	9	-
FIX	AWY-HI	10.74240	10,668 m	-	-
GIRIS	UN606	46.77180	35,000 ft	16	-
FIX	AWY-HI	10.88410	10,668 m	-	-
ROKIB	T939	45.93560	35,000 ft	60	-
FIX	AWY-HI	11.69220	10,668 m	-	-
LAPAB	Z906	45.52940	35,000 ft	27	-
FIX	AWY-HI	11.97170	10,668 m	-	-
CHI	Z906	45.07110	35,000 ft	30	CHIOGGIA
VOR	AWY-HI	12.28140	10,668 m	-	
ARDAM	L612	44.79780	35,000 ft	18	-
FIX	AWY-HI	12.50580	10,668 m	-	-
BELOV	L612	44.54250	35,000 ft	17	-
FIX	AWY-HI	12.71330	10,668 m	-	-
AMLON	L612	44.33920	35,000 ft	14	-
FIX	AWY-HI	12.87640	10,668 m	-	-
LANLI	L612	43.95730	35,000 ft	26	-
FIX	AWY-HI	13.18050	10,668 m	-	-
ANC	L612	43.58640	35,000 ft	25	ANCONA
VOR	AWY-HI	13.47110	10,668 m	-	
GERBU	M736	43.34400	35,000 ft	16	-
FIX	AWY-HI	13.62390	10,668 m	-	-
UTENO	M736	43.25080	35,000 ft	6	-
FIX	AWY-HI	13.68220	10,668 m	-	-
OTRET	M736	42.69440	35,000 ft	36	-
FIX	AWY-HI	14.02670	10,668 m	-	-
NAVAG	M736	42.58030	35,000 ft	7	-
FIX	AWY-HI	14.09670	10,668 m	-	-
PES	M736	42.43580	35,000 ft	9	PESCARA
VOR	AWY-HI	14.18420	10,668 m	-	
UTAPO	M736	42.37560	35,000 ft	3	-
FIX	AWY-HI	14.17280	10,668 m	-	-
EKMIL	M736	42.16810	35,000 ft	12	-
FIX	AWY-HI	14.13360	10,668 m	-	-
KASTU	M736	41.81440	35,000 ft	21	-
FIX	AWY-HI	14.06690	10,668 m	-	-
ERIKA	M736	41.62280	35,000 ft	11	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	14.03110	10,668 m		
NEBAS	Z910	41.30420	35,000 ft	28	-
FIX	AWY-HI	14.49140	10,668 m		
AKAMO	Z910	41.19080	33,300 ft	9	-
FIX	AWY-HI	14.65330	10,150 m		
KUTID	Z910	40.42030	22,000 ft	52	-
FIX	AWY-HI	15.21170	6,706 m		
LICA	-	38.90500	0 ft	102	Lamezia Terme "Sant'Eufemia"
APT	-	16.24580	0 m		

## EDFH

Region: GERMANY - CIVIL  
Timezone: EUROPE/BERLIN  
Runways: 1

Elevation: 1,647 ft / 502 m  
Location: 49.945800 7.261080  
Magnetic Var: 2.823 E

## METAR

EDFH 180120Z 26010KT 0600 R21/P2000N FG -DZ VV/// 10/10 Q1009

## TAF

TAF EDFH 172300Z 1800/1824 27008KT 6000 BKN003 TEMPO 1800/1810 0400 -RADZ FG BKN001 TEMPO 1810/1818 3000 SHRA BKN0

## Frequencies

REC - 136.35 MHz - HAHN ATIS  
GND - 121.97 MHz - HAHN GROUND  
APP - 125.60 MHz - LANGEN RADAR

COM - 123.65 MHz - HAHN UNICOM  
TWR - 119.65 MHz - HAHN TOWER

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	148 ft	12,457 ft	32.37	ASPHALT	3,461 ft	184 ft
	45 m	3,797 m	29.55		1,055 m	56 m
21	148 ft	12,457 ft	212.39	ASPHALT	984 ft	0 ft
	45 m	3,797 m	209.57		300 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03	LOC-ILS	IHAE	109.30 MHz	18 nm	32.39	-	1,647 ft
				33 km	29.57		1,647 m
21	LOC-ILS	IHAW	111.30 MHz	18 nm	212.39	-	1,647 ft
				33 km	209.57		1,647 m
03	GS	IHAE	109.30 MHz	10 nm	32.39	3.00	1,647 ft
				19 km	29.57		1,647 m
21	GS	IHAW	111.30 MHz	10 nm	212.39	3.00	1,647 ft
				19 km	209.57		1,647 m

## LICA

Region: ITALY  
Timezone: EUROPE/ROME  
Runways: 1

Elevation: 39 ft / 12 m  
Location: 38.905000 16.245800  
Magnetic Var: 4.126 E

## METAR

LICA 180120Z AUTO 12003KT 060V180 9999 BKN050/// 19/15 Q1011

## TAF

TAF AMD LICA 172310Z 1800/1824 VRB05KT CAVOK BECMG 1806/1808 08010KT TEMPO 1809/1815 TSRA

## Frequencies

TWR - 125.90 MHz - LAMEZIA TOWER  
APP - 122.10 MHz - LAMEZIA APPROACH

TWR - 122.10 MHz - LAMEZIA TOWER

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	154 ft	9,908 ft	98.51	ASPHALT	328 ft	0 ft
	47 m	3,020 m	94.38		100 m	0 m
28	154 ft	9,908 ft	278.53	ASPHALT	1,224 ft	0 ft
	47 m	3,020 m	274.40		373 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28	DME	LAM	110.30 MHz	25 nm	-	-	21 ft
				46 km	-		21 m
28	LOC-ILS	LAM	110.30 MHz	18 nm	278.56	-	39 ft
				33 km	274.43		39 m
28	GS	LAM	110.30 MHz	10 nm	278.56	3.00	39 ft
				19 km	274.43		39 m