

UDD

Moscow Domodedovo Mikhail V. Lomonosov Intl


ULLI

Saint Petersburg Pulkovo Intl / Fedor M. Dostoevsky

2024/05/19 1116Z

UDD OBELU **B239** AJ **R900** OKUDI ULLI

367.35 nm / 680.34 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 34000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
UDD	-	55.40920	0 ft	-	Moscow Domodedovo Mikhail V. Lomonosov Intl	
APT	-	37.90750	0 m			
OBELU	-	56.27000	31,200 ft	87	-	
FIX	-	35.81110	9,510 m			
AJ	B239	56.51750	34,000 ft	32	STARITSA	
NDB	AWY-HI	34.93640	10,363 m			
LANSO	R900	57.74940	34,000 ft	87	-	
FIX	AWY-HI	33.47690	10,363 m			
SIFON	R900	58.08110	28,900 ft	24	-	
FIX	AWY-HI	33.04920	8,809 m			
OKUDI	R900	59.11640	12,600 ft	76	-	
FIX	AWY-HI	31.64780	3,840 m			
ULLI	-	59.80030	0 ft	58	Saint Petersburg Pulkovo Intl / Fedor M. Dostoevsky	
APT	-	30.26250	0 m			

UDD

Region: RUSSIA
Timezone: EUROPE/MOSCOW
Runways: 2

Elevation: 592 ft / 180 m
Location: 55.409200 37.907500
Magnetic Var: 11.825 E

METAR

UDD 191100Z 09004MPS 050V130 CAVOK 18/03 Q1019 R14R/CLRD60 NOSIG

TAF

TAF UDD 190752Z 1909/2015 15005MPS CAVOK TX23/2012Z TN07/2001Z BECMG 1919/1921 21003MPS

Frequencies

APP - 125.30 MHz - DOMODEDOVO RADAR	APP - 129.80 MHz - DOMODEDOVO RADAR
APP - 127.70 MHz - DOMODEDOVO RADAR	APP - 119.40 MHz - DOMODEDOVO RADAR
APP - 132.05 MHz - DOMODEDOVO RADAR	APP - 134.67 MHz - DOMODEDOVO RADAR
TWR - 118.60 MHz - DOMODEDOVO TOWER	TWR - 119.70 MHz - DOMODEDOVO TOWER
TWR - 127.30 MHz - DOMODEDOVO TOWER	CLD - 129.15 MHz - DOMODEDOVO DELIVERY
REC - 128.30 MHz - ATIS	REC - 122.95 MHz - ATIS
GND - 119.00 MHz - DOMODEDOVO APRON	APP - 118.95 MHz - MOSCOW APPROACH
APP - 118.55 MHz - MOSCOW APPROACH	APP - 130.37 MHz - MOSCOW APPROACH
APP - 124.20 MHz - MOSCOW APPROACH	APP - 127.20 MHz - MOSCOW APPROACH
APP - 128.00 MHz - MOSCOW APPROACH	APP - 134.00 MHz - MOSCOW APPROACH
APP - 131.20 MHz - MOSCOW APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14L	174 ft	7,762 ft	145.68	CONCRETE	0 ft	0 ft
	53 m	2,366 m	133.85		0 m	0 m
32R	174 ft	7,762 ft	325.70	CONCRETE	0 ft	0 ft
	53 m	2,366 m	313.87		0 m	0 m
14R	197 ft	11,459 ft	145.68	CONCRETE	0 ft	0 ft
	60 m	3,493 m	133.85		0 m	0 m
32L	197 ft	11,459 ft	325.70	CONCRETE	0 ft	0 ft
	60 m	3,493 m	313.88		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
32R	DME	IDE	111.90 MHz	18 nm	-	-	588 ft
				33 km	-		588 m
14R	LOC-ILS	IDM	110.10 MHz	18 nm	145.70	-	592 ft
				33 km	133.87		592 m
32L	LOC-ILS	IDO	109.30 MHz	18 nm	325.70	-	592 ft
				33 km	313.87		592 m
14R	GS	IDM	110.10 MHz	10 nm	145.70	3.00	592 ft
				19 km	133.87		592 m
32L	GS	IDO	109.30 MHz	10 nm	325.70	3.00	592 ft
				19 km	313.87		592 m

ULLI

Region: RUSSIA
Timezone: EUROPE/MOSCOW
Runways: 2

Elevation: 79 ft / 24 m
Location: 59.800300 30.262500
Magnetic Var: 11.657 E

METAR

ULLI 191100Z 25005G11MPS 220V290 CAVOK 26/07 Q1013 R88/090060 NOSIG

TAF

TAF ULLI 190754Z 1909/2009 23004G09MPS 9999 SCT040 BECMG 1913/1915 30003MPS

Frequencies

REC - 127.30 MHz - PULKOVO ATIS	REC - 127.40 MHz - PULKOVO ATIS
TWR - 118.70 MHz - PULKOVO TOWER	TWR - 118.10 MHz - PULKOVO TOWER
TWR - 133.50 MHz - PULKOVO TOWER	GND - 121.70 MHz - PULKOVO GROUND
GND - 119.00 MHz - PULKOVO RAMP	GND - 120.90 MHz - PULKOVO APRON
CLD - 121.90 MHz - PULKOVO DELIVERY	APP - 125.20 MHz - PETERSBURG APPROACH
APP - 119.30 MHz - PETERSBURG APPROACH	APP - 120.30 MHz - PETERSBURG KRUG RADAR
DEP - 120.30 MHz - PETERSBURG KRUG RADAR	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10R	197 ft	12,379 ft	106.40	CONCRETE	0 ft	0 ft
	60 m	3,773 m	94.74		0 m	0 m
28L	197 ft	12,379 ft	286.46	CONCRETE	0 ft	0 ft
	60 m	3,773 m	274.80		0 m	0 m
10L	197 ft	11,132 ft	106.51	CONCRETE	0 ft	0 ft
	60 m	3,393 m	94.85		0 m	0 m
28R	197 ft	11,132 ft	286.56	CONCRETE	0 ft	0 ft
	60 m	3,393 m	274.90		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10L	LOC-ILS	IPU	110.50 MHz	18 nm	106.54	-	79 ft
				33 km	94.88		79 m
10R	LOC-ILS	IPK	111.90 MHz	18 nm	106.43	-	79 ft
				33 km	94.77		79 m
28L	LOC-ILS	IPO	108.90 MHz	18 nm	286.43	-	79 ft
				33 km	274.77		79 m
28R	LOC-ILS	IPL	111.30 MHz	18 nm	286.54	-	79 ft
				33 km	274.88		79 m
10L	GS	IPU	110.50 MHz	10 nm	106.54	3.00	79 ft
				19 km	94.88		79 m
10R	GS	IPK	111.90 MHz	10 nm	106.43	3.00	79 ft
				19 km	94.77		79 m
28L	GS	IPO	108.90 MHz	10 nm	286.43	3.00	79 ft
				19 km	274.77		79 m
28R	GS	IPL	111.30 MHz	10 nm	286.54	3.00	79 ft
				19 km	274.88		79 m