


2024/05/29 1043Z

NZCI APOTO **Q611** ATABU NZWN

413.99 nm / 766.71 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
NZCI	-	-43.81190	0 ft	-	Chatham Is
APT	-	-176.46500	0 m		
APOTO	-	-43.38280	35,000 ft	101	-
FIX	-	-178.72200	10,668 m		
APIDO	Q611	-42.64200	35,000 ft	119	-
FIX	AWY-HI	178.75000	10,668 m		
ATABU	Q611	-41.85860	16,000 ft	117	-
FIX	AWY-HI	176.32100	4,877 m		
NZWN	-	-41.32670	0 ft	75	Wellington Intl
APT	-	174.80700	0 m		

Region: NEW ZEALAND AND ANTARCTICA
Timezone: PACIFIC/AUCKLAND
Runways: 1

Elevation: 41 ft / 12 m
Location: -41.326700 174.807000
Magnetic Var: 22.994 E

NZWN 291030Z AUTO 20030G40KT 7000 SCT049/// BKN055/// 11/05 Q1010

TAF NZWN 290811Z 2909/3012 18025G35KT 9999 -SHRA SCT030 TEMPO 2909/2912 7000 SHRA BECMG 2915/2917 19015KT BECMG 30

CLD - 128.20 MHz - CLNC DEL	APP - 119.30 MHz -
DEP - 122.30 MHz -	TWR - 118.80 MHz -
GND - 121.90 MHz -	COM - 122.80 MHz - UNICOM
REC - 126.90 MHz - ATIS	TWR - 128.80 MHz - UNNAMED ENTITY

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	131 ft	6,735 ft	182.88	ASPHALT	427 ft	62 ft
	40 m	2,053 m	159.89		130 m	19 m
34	131 ft	6,735 ft	2.88	ASPHALT	348 ft	161 ft
	40 m	2,053 m	339.89		106 m	49 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	DME	IEB	110.30 MHz	18 nm	-	-	26 ft
				33 km	-		26 m
34	DME	IMP	109.90 MHz	18 nm	-	-	7 ft
				33 km	-		7 m
16	LOC-ILS	IEB	110.30 MHz	18 nm	182.84	-	20 ft
				33 km	159.85		20 m
34	LOC-ILS	IMP	109.90 MHz	18 nm	2.75	-	20 ft
				33 km	339.76		20 m
16	GS	IEB	110.30 MHz	10 nm	184.06	3.00	26 ft
				19 km	161.07		26 m
34	GS	IMP	109.90 MHz	10 nm	3.00	3.00	6 ft
				19 km	340.01		6 m