

WITT

Sultan Iskandar Muda International Airport


WIII

Jakarta Soekarno-Hatta Intl

2024/05/29 0800Z

WITT BAC **W19** MKB **W11** TKG WIII

978.52 nm / 1812.22 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: no

Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
WITT	-	5.52573	0 ft	-		Sultan Iskandar Muda International Airport
APT	-	95.41980	0 m			
BAC	-	5.52263	0 ft	0		BANDA ACEH
VOR	-	95.42220	0 m			
MOSOL	W19	1.87229	35,000 ft	276	-	
FIX	AWY-LO	98.24510	10,668 m			
MKB	W19	-0.78700	35,000 ft	201		MINANGKABAU (PADANG PARIAMAN)
VOR	AWY-LO	100.27800	10,668 m			
TALAM	W11	-2.50290	35,000 ft	152	-	
FIX	AWY-LO	102.14100	10,668 m			
TUNDA	W11	-4.69733	32,700 ft	195	-	
FIX	AWY-LO	104.54700	9,967 m			
TKG	W11	-5.26034	21,700 ft	51		BANDAR LAMPUNG
VOR	AWY-LO	105.19400	6,614 m			
WIII	-	-6.11981	0 ft	101		Jakarta Soekarno-Hatta Intl
APT	-	106.65700	0 m			

WITT

Region: INDONESIA
Timezone: ASIA/JAKARTA
Runways: 1

Elevation: 64 ft / 20 m
Location: 5.525730 95.419800
Magnetic Var: 0.447 W

METAR

UNKNOWN

TAF

TAF WITT 290500Z 2906/3006 18005KT 9999 SCT018 BECMG 2904/2906 30015KT BECMG 2913/2915 16003KT

Frequencies

TWR - 122.20 MHz - SULTAN TOWER
REC - 128.80 MHz - ATIS

APP - 120.20 MHz - ACEH APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17	148 ft	9,852 ft	168.37	ASPHALT	0 ft	217 ft
	45 m	3,003 m	168.82		0 m	66 m
35	148 ft	9,852 ft	348.37	ASPHALT	0 ft	207 ft
	45 m	3,003 m	348.82		0 m	63 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17	LOC-ILS	IBAC	111.30 MHz	18 nm	168.46	-	65 ft
				33 km	168.91		65 m
17	GS	IBAC	111.30 MHz	10 nm	168.74	3.00	65 ft
				19 km	169.19		65 m

WIII

Region: INDONESIA
Timezone: ASIA/JAKARTA
Runways: 3

Elevation: 34 ft / 10 m
Location: -6.119810 106.657000
Magnetic Var: 0.529 E

METAR

WIII 290730Z 05011KT 9000 SCT020 33/25 Q1007 NOSIG

TAF

TAF WIII 290500Z 2906/3012 05010KT 9000 SCT020 BECMG 2913/2915 13005KT 5000 HZ BECMG 3000/3002 06010KT 9000 NSW

Frequencies

REC - 126.85 MHz - ATIS	CLD - 121.95 MHz -
CLD - 124.25 MHz -	SOEKARNO-HATTA CLEARANCE DELIVERY
SOEKARNO-HATTA CLEARANCE DELIVERY	CLD - 125.15 MHz -
GND - 121.60 MHz - SOEKARNO-HATTA GROUND	SOEKARNO-HATTA CLEARANCE DELIVERY
GND - 128.85 MHz - SOEKARNO-HATTA GROUND	GND - 121.00 MHz - SOEKARNO-HATTA GROUND
TWR - 118.20 MHz - SOEKARNO-HATTA TOWER	GND - 128.95 MHz - SOEKARNO-HATTA GROUND
TWR - 119.30 MHz - SOEKARNO-HATTA TOWER	TWR - 118.75 MHz - SOEKARNO-HATTA TOWER
APP - 124.20 MHz - JAKARTA ARRIVAL	TWR - 120.25 MHz - SOEKARNO-HATTA TOWER
APP - 119.75 MHz - JAKARTA DIRECTOR	APP - 125.45 MHz - JAKARTA ARRIVAL
APP - 124.55 MHz - JAKARTA DIRECTOR	APP - 123.75 MHz - JAKARTA DIRECTOR
APP - 125.05 MHz - JAKARTA DIRECTOR	APP - 124.95 MHz - JAKARTA DIRECTOR
APP - 124.15 MHz - JAKARTA RADAR	APP - 127.90 MHz - JAKARTA DIRECTOR
APP - 125.35 MHz - JAKARTA RADAR	APP - 124.35 MHz - JAKARTA RADAR
APP - 127.95 MHz - JAKARTA RADAR	APP - 126.45 MHz - JAKARTA RADAR
	APP - 130.10 MHz - JAKARTA RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	150 ft	8,202 ft	68.13	ASPHALT	328 ft	846 ft
	46 m	2,500 m	67.61		100 m	258 m
24	150 ft	8,202 ft	248.13	ASPHALT	0 ft	0 ft
	46 m	2,500 m	247.60		0 m	0 m
07L	197 ft	11,820 ft	68.15	ASPHALT	0 ft	0 ft
	60 m	3,603 m	67.62		0 m	0 m
25R	197 ft	11,820 ft	248.15	ASPHALT	0 ft	0 ft
	60 m	3,603 m	247.62		0 m	0 m
07R	197 ft	12,015 ft	68.12	ASPHALT	0 ft	0 ft
	60 m	3,662 m	67.59		0 m	0 m
25L	197 ft	12,015 ft	248.12	ASPHALT	0 ft	0 ft
	60 m	3,662 m	247.59		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	LOC-ILS	ICHL	111.50 MHz	18 nm	68.13	-	21 ft
				33 km	67.60		21 m
07R	LOC-ILS	ICHR	110.50 MHz	18 nm	68.13	-	27 ft
				33 km	67.60		27 m
25L	LOC-ILS	ICGL	111.10 MHz	18 nm	248.12	-	34 ft
				33 km	247.59		34 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25R	LOC-ILS	ICGR	110.90 MHz	18 nm	248.13	-	29 ft
				33 km	247.60		29 m
07L	GS	ICHL	111.50 MHz	10 nm	68.25	3.00	29 ft
				19 km	67.72		29 m
07R	GS	ICHR	110.50 MHz	10 nm	68.24	3.00	34 ft
				19 km	67.72		34 m
25L	GS	ICGL	111.10 MHz	10 nm	248.24	3.00	27 ft
				19 km	247.72		27 m
25R	GS	ICGR	110.90 MHz	10 nm	248.25	3.00	21 ft
				19 km	247.72		21 m