

KFXE

Fort Lauderdale Executive


KPGD

Punta Gorda

2024/06/16 0949Z

KFXE VASES KPGD

107.03 nm / 198.22 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KFXE	-	26.19700	0 ft	-	Fort Lauderdale Executive
APT	-	-80.17040	0 m		
VASES	-	26.80840	3,600 ft	90	-
FIX	-	-81.70050	1,097 m		
KPGD	-	26.91950	0 ft	16	Punta Gorda
APT	-	-81.99170	0 m		

KFXE

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 2

Elevation: 13 ft / 4 m
Location: 26.197000 -80.170400
Magnetic Var: 7.403 W

METAR

KFXE 160853Z 00000KT 10SM OVC120 27/24 A2998 RMK A02 SLP156 T02720239 53000

TAF

KFXE 160845Z 1609/1706 VRB03KT P6SM SCT080 BKN100 FM161500 08007KT P6SM VCSH FEW020 SCT040 BKN100 FM161800 08010KT

Frequencies

REC - 119.85 MHz - EXECUTIVE ATIS
CLD - 127.95 MHz - EXECUTIVE CLEARANCE DELIVERY
TWR - 120.90 MHz - EXECUTIVE TOWER
APP - 119.70 MHz - MIAMI APPROACH
COM - 122.95 MHz - EXECUTIVE UNICOM
GND - 121.75 MHz - EXECUTIVE GROUND
APP - 119.70 MHz - MIAMI DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	100 ft	5,998 ft	83.75	ASPHALT	0 ft	197 ft
	30 m	1,828 m	91.15		0 m	60 m
27	100 ft	5,998 ft	263.75	ASPHALT	0 ft	197 ft
	30 m	1,828 m	271.16		0 m	60 m
13	100 ft	4,004 ft	128.94	ASPHALT	0 ft	148 ft
	30 m	1,220 m	136.35		0 m	45 m
31	100 ft	4,004 ft	308.95	ASPHALT	0 ft	148 ft
	30 m	1,220 m	316.35		0 m	45 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	LOC-ILS	IFXE	111.10 MHz	18 nm	83.76	-	13 ft
				33 km	91.16		13 m
09	GS	IFXE	111.10 MHz	10 nm	83.76	3.00	13 ft
				19 km	91.16		13 m

KPGD

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 3

Elevation: 25 ft / 8 m
Location: 26.919500 -81.991700
Magnetic Var: 6.409 W

METAR

KPGD 160853Z AUTO 00000KT 10SM 24/23 A3000 RMK A02 SLP157 T02440228 55003 \$

TAF

TAF KPGD 160520Z 1606/1706 VRB03KT P6SM FEW100 BKN250 FM161400 10007KT P6SM SCT030 BKN100 FM162100 13008KT P6SM V

Frequencies

REC - 135.67 MHz - ATIS	COM - 121.00 MHz - CTAF
COM - 122.97 MHz - UNICOM	CLD - 127.05 MHz - CLEARANCE DELIVERY
GND - 119.55 MHz - PUNTA GORDA GROUND	TWR - 121.00 MHz - PUNTA GORDA TOWER
APP - 127.05 MHz - FORT MYERS APPROACH	DEP - 127.05 MHz - FORT MYERS DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	151 ft	7,212 ft	29.05	ASPHALT	0 ft	0 ft
	46 m	2,198 m	35.45		0 m	0 m
22	151 ft	7,212 ft	209.05	ASPHALT	0 ft	0 ft
	46 m	2,198 m	215.46		0 m	0 m
09	60 ft	2,633 ft	89.17	ASPHALT	0 ft	0 ft
	18 m	803 m	95.58		0 m	0 m
27	60 ft	2,633 ft	269.17	ASPHALT	0 ft	0 ft
	18 m	803 m	275.58		0 m	0 m
15	151 ft	6,304 ft	149.26	ASPHALT	279 ft	194 ft
	46 m	1,922 m	155.67		85 m	59 m
33	151 ft	6,304 ft	329.26	ASPHALT	0 ft	203 ft
	46 m	1,922 m	335.67		0 m	62 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	LOC-ILS	IPGD	109.75 MHz	18 nm	29.05	-	25 ft
				33 km	35.46		25 m
04	GS	IPGD	109.75 MHz	10 nm	29.05	3.00	25 ft
				19 km	35.46		25 m