


2024/06/04 1154Z

KFMY FLL **BR22V** WIERS **BR57V** ZBV **A555** RAJAY **Y587** GTK GTK **A555** SEBUG **Y587** GRADI **A555** HARDE **Y587**  
ROBLL TJSJ

1007.49 nm / 1865.88 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KFMY	-	26.58670	0 ft	-	Page Fld
APT	-	-81.86320	0 m		
FLL	-	26.07420	34,400 ft	96	FORT LAUDERDALE VOR-DME
DME	-	-80.16300	10,485 m		
DEKAL	BR22V	25.85060	35,000 ft	31	-
FIX	AWY-HI	-79.63140	10,668 m		
WIERS	BR22V	25.76990	35,000 ft	11	-
FIX	AWY-HI	-79.44540	10,668 m		
ZBV	BR57V	25.70420	35,000 ft	9	BIMINI
VOR	AWY-HI	-79.29440	10,668 m		
RAJAY	A555	25.30080	35,000 ft	64	-
FIX	AWY-HI	-78.18600	10,668 m		
COZIE	Y587	24.68140	35,000 ft	75	-
FIX	AWY-HI	-76.98190	10,668 m		
DONEZ	Y587	24.26300	35,000 ft	45	-
FIX	AWY-HI	-76.28250	10,668 m		
PAARR	Y587	23.24500	35,000 ft	124	-
FIX	AWY-HI	-74.30690	10,668 m		
RNDLY	Y587	22.51490	35,000 ft	89	-
FIX	AWY-HI	-72.89990	10,668 m		
GTK	Y587	21.44000	35,000 ft	117	GRAND TURK
VOR	AWY-HI	-71.13500	10,668 m		
GTK	-	21.44070	35,000 ft	0	GRAND TURK VORTAC
DME	-	-71.13440	10,668 m		
COCBU	A555	21.14990	35,000 ft	32	-
FIX	AWY-HI	-70.65440	10,668 m		
SEBUG	A555	20.89770	35,000 ft	27	-
FIX	AWY-HI	-70.24210	10,668 m		
GRADI	Y587	20.52120	35,000 ft	41	-
FIX	AWY-HI	-69.63200	10,668 m		
HARDE	A555	20.00640	35,000 ft	55	-
FIX	AWY-HI	-68.81700	10,668 m		
GAGDD	Y587	19.66440	31,300 ft	39	-
FIX	AWY-HI	-68.22470	9,540 m		
ROBLL	Y587	18.95450	14,000 ft	80	-
FIX	AWY-HI	-67.01400	4,267 m		
TJSJ	-	18.43870	0 ft	65	Luis Munoz Marin Intl
APT	-	-66.00220	0 m		

## KFMY

Region: UNITED STATES  
Timezone: AMERICA/NEW\_YORK  
Runways: 2

Elevation: 17 ft / 5 m  
Location: 26.586700 -81.863200  
Magnetic Var: 6.443 W

## METAR

KFMY 041053Z 06004KT 10SM CLR 23/19 A2992 RMK A02 SLP134 T02330194

## TAF

TAF KFMY 040520Z 0406/0506 11004KT P6SM SCT080 BKN100 FM041500 09007KT P6SM FEW050 SCT250 FM042000 16008KT P6SM V

## Frequencies

REC - 123.72 MHz - ATIS  
GND - 121.70 MHz -  
APP - 126.80 MHz - FORT MYERS APP/DEP  
COM - 119.00 MHz - CTAF  
TWR - 119.00 MHz -

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	150 ft	6,413 ft	47.71	ASPHALT	459 ft	0 ft
	46 m	1,955 m	54.15		140 m	0 m
23	150 ft	6,413 ft	227.71	ASPHALT	400 ft	102 ft
	46 m	1,955 m	234.16		122 m	31 m
13	150 ft	4,915 ft	130.63	ASPHALT	614 ft	98 ft
	46 m	1,498 m	137.07		187 m	30 m
31	150 ft	4,915 ft	310.64	ASPHALT	0 ft	0 ft
	46 m	1,498 m	317.08		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	LOC-ILS	IFMY	110.70 MHz	18 nm	47.71	-	16 ft
				33 km	54.15		16 m
05	GS	IFMY	110.70 MHz	10 nm	48.42	3.00	14 ft
				19 km	54.86		14 m

## TJSJ

Region: USA (PUERTO RICO)  
Timezone: AMERICA/PUERTO\_RICO  
Runways: 2

Elevation: 8 ft / 2 m  
Location: 18.438700 -66.002200  
Magnetic Var: 13.518 W

## METAR

TJSJ 041056Z 14006KT 9SM FEW027 SCT040 BKN080 29/25 A2994

## TAF

TAF TJSJ 040537Z 0406/0506 16005KT P6SM -SHRA VCTS FEW025CB SCT050 FM041400 15010KT P6SM SCT035 SCT040 FM041700 1

## Frequencies

REC - 125.80 MHz - ATIS	COM - 123.00 MHz - UNICOM
CLD - 126.40 MHz - CLEARANCE DELIVERY	GND - 121.90 MHz - SAN JUAN GROUND
TWR - 132.05 MHz - SAN JUAN TOWER	DEP - 120.90 MHz - SAN JUAN DEPARTURE
DEP - 119.40 MHz - SAN JUAN DEPARTURE	APP - 119.40 MHz - SAN JUAN APPROACH
APP - 120.90 MHz - SAN JUAN APPROACH	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	200 ft	10,410 ft	66.85	ASPHALT	404 ft	394 ft
	61 m	3,173 m	80.37		123 m	120 m
26	200 ft	10,410 ft	246.86	ASPHALT	400 ft	397 ft
	61 m	3,173 m	260.38		122 m	121 m
10	151 ft	8,006 ft	90.14	CONCRETE	0 ft	203 ft
	46 m	2,440 m	103.66		0 m	62 m
28	151 ft	8,006 ft	270.15	CONCRETE	0 ft	200 ft
	46 m	2,440 m	283.67		0 m	61 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	LOC-ILS	ISJU	110.30 MHz	18 nm	66.86	-	2 ft
				33 km	80.38		2 m
10	LOC-ILS	ICLA	109.70 MHz	18 nm	90.15	-	2 ft
				33 km	103.67		2 m
08	GS	ISJU	110.30 MHz	10 nm	66.86	3.00	2 ft
				19 km	80.38		2 m
10	GS	ICLA	109.70 MHz	10 nm	90.15	3.00	2 ft
				19 km	103.67		2 m