

# DABB

Rabah Bitat


# DAAG

Alger/Houari Boumediene

2024/05/17 2146Z

DABB JIL **A411** BJA DAAG

221.65 nm / 410.50 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
DABB	-	36.82930	0 ft	-	Rabah Bitat
APT	-	7.81380	0 m		
JIL	-	36.77670	27,500 ft	93	JIJEL VOR-DME
DME	-	5.87722	8,382 m		
BJA	A411	36.71540	19,200 ft	38	BEJAIA
NDB	AWY-HI	5.07667	5,852 m		
DAAG	-	36.69750	0 ft	89	Alger/Houari Boumediene
APT	-	3.21225	0 m		

## DABB

Region: ALGERIA  
Timezone: AFRICA/ALGIERS  
Runways: 2

Elevation: 16 ft / 5 m  
Location: 36.829300 7.813800  
Magnetic Var: 2.601 E

## METAR

DABB 172100Z 03004KT CAVOK 18/16 Q1011

## TAF

TAF DABB 171700Z 1712/1812 03012KT 9999 FEW030 TEMPO 1718/1804 FEW026TCU PROB40 TEMPO 1719/1804 5000 -TSRA FEW026

## Frequencies

TWR - 118.70 MHz - ANNABA TOWER  
APP - 119.00 MHz - ANNABA APPROACH

TWR - 119.70 MHz - ANNABA TOWER  
APP - 119.70 MHz - ANNABA APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	145 ft	9,868 ft	186.89	ASPHALT	0 ft	0 ft
	44 m	3,008 m	184.29		0 m	0 m
36	145 ft	9,868 ft	6.89	ASPHALT	315 ft	0 ft
	44 m	3,008 m	4.29		96 m	0 m
05	145 ft	7,503 ft	51.74	ASPHALT	0 ft	0 ft
	44 m	2,287 m	49.13		0 m	0 m
23	145 ft	7,503 ft	231.75	ASPHALT	0 ft	0 ft
	44 m	2,287 m	229.15		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
18	LOC-ILS	AN	109.70 MHz	18 nm	186.89	-	16 ft
				33 km	184.29		16 m
18	GS	AN	109.70 MHz	10 nm	186.89	3.00	16 ft
				19 km	184.29		16 m

## DAAG

Region: ALGERIA  
Timezone: AFRICA/ALGIERS  
Runways: 2

Elevation: 82 ft / 25 m  
Location: 36.697500 3.212250  
Magnetic Var: 1.709 E

## METAR

DAAG 172130Z VRB01KT CAVOK 17/09 Q1011

## TAF

TAF TAF DAAG 171700Z 1718/1818 36010KT CAVOK BECMG 1719/1721 VRB02KT BECMG 1809/1811 34010KT

## Frequencies

GND - 121.80 MHz - ALGIERS GROUND  
TWR - 119.70 MHz - ALGIERS TOWER  
REC - 128.52 MHz - ATIS

TWR - 118.70 MHz - ALGIERS TOWER  
APP - 121.40 MHz - ALGIERS APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft	12,468 ft	91.69	CONCRETE	984 ft	0 ft
	45 m	3,800 m	89.98		300 m	0 m
27	148 ft	12,468 ft	271.72	CONCRETE	0 ft	0 ft
	45 m	3,800 m	270.01		0 m	0 m
05	197 ft	11,494 ft	52.68	CONCRETE	0 ft	0 ft
	60 m	3,503 m	50.97		0 m	0 m
23	197 ft	11,494 ft	232.70	CONCRETE	0 ft	0 ft
	60 m	3,503 m	230.99		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	LOC-ILS	HB	108.50 MHz	18 nm	91.70	-	82 ft
				33 km	89.99		82 m
23	LOC-ILS	AG	110.30 MHz	18 nm	232.70	-	82 ft
				33 km	230.99		82 m
27	LOC-ILS	AL	109.50 MHz	18 nm	271.70	-	82 ft
				33 km	269.99		82 m
09	GS	HB	108.50 MHz	10 nm	91.70	3.00	82 ft
				19 km	89.99		82 m
23	GS	AG	110.30 MHz	10 nm	232.70	3.00	82 ft
				19 km	230.99		82 m
27	GS	AL	109.50 MHz	10 nm	271.70	3.00	82 ft
				19 km	269.99		82 m