


2024/05/23 0215Z

SAEZ TORUL **UT654** BIXIM **UT669** ROPON SAZN

528.14 nm / 978.11 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SAEZ	-	-34.82200	0 ft	-	Ministro Pistarini Intl
APT	-	-58.53260	0 m	-	
TORUL	-	-35.36170	19,600 ft	55	-
FIX	-	-59.44000	5,974 m	-	-
SIKAR	UT654	-36.12690	35,000 ft	79	-
FIX	AWY-HI	-60.76830	10,668 m	-	-
BIXIM	UT654	-37.34720	35,000 ft	130	-
FIX	AWY-HI	-63.01610	10,668 m	-	-
PONVA	UT669	-38.41110	23,500 ft	153	-
FIX	AWY-HI	-65.95310	7,163 m	-	-
ROPON	UT669	-38.94030	6,400 ft	79	-
FIX	AWY-HI	-67.51190	1,951 m	-	-
SAZN	-	-38.94900	0 ft	30	Presidente Peron
APT	-	-68.15570	0 m	-	

SAEZ

Region: ARGENTINA
Timezone: AMERICA/ARGENTINA/BUENOS_AIRES
Runways: 2

Elevation: 66 ft / 20 m
Location: -34.822000 -58.532600
Magnetic Var: 9.816 W

METAR

SAEZ 230200Z 18005KT CAVOK 10/09 Q1016 NOSIG

TAF

TAF SAEZ 222300Z 2300/2324 16005KT 9999 SCT025 TX15/2318Z TN07/2309Z BECMG 2301/2303 5000 BR SCT010 BKN030 TEMPO 2

Frequencies

REC - 127.80 MHz - ATIS
GND - 121.75 MHz - EZEIZA GROUND
APP - 119.90 MHz - EZEIZA APPROACH
CLD - 127.10 MHz - EZEIZA CLEARANCE
TWR - 118.60 MHz - EZEIZA TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	197 ft	10,801 ft	102.32	ASPHALT	0 ft	85 ft
	60 m	3,292 m	112.14		0 m	26 m
29	197 ft	10,801 ft	282.30	ASPHALT	0 ft	102 ft
	60 m	3,292 m	292.12		0 m	31 m
17	148 ft	10,226 ft	164.07	ASPHALT	0 ft	105 ft
	45 m	3,117 m	173.89		0 m	32 m
35	148 ft	10,226 ft	344.07	ASPHALT	991 ft	92 ft
	45 m	3,117 m	353.88		302 m	28 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	DME	PC	110.10 MHz	18 nm	-	-	66 ft
				33 km	-		66 m
35	DME	EZ	108.70 MHz	18 nm	-	-	66 ft
				33 km	-		66 m
11	LOC-ILS	PC	110.10 MHz	18 nm	102.31	-	66 ft
				33 km	112.13		66 m
35	LOC-ILS	EZ	108.70 MHz	18 nm	344.07	-	66 ft
				33 km	353.89		66 m
11	GS	PC	110.10 MHz	10 nm	102.31	3.00	66 ft
				19 km	112.13		66 m
35	GS	EZ	108.70 MHz	10 nm	344.07	3.00	66 ft
				19 km	353.89		66 m

SAZN

Region: ARGENTINA
Timezone: AMERICA/ARGENTINA/SALTA
Runways: 1

Elevation: 895 ft / 273 m
Location: -38.949000 -68.155700
Magnetic Var: 1.717 E

METAR

SAZN 230200Z 00000KT CAVOK 06/04 Q1020

TAF

TAF SAZN 222300Z 2300/2324 27005KT CAVOK TX09/2318Z TN03/2311Z BECMG 2310/2312 12010KT SCT040

Frequencies

REC - 127.65 MHz - NEUQUEN ATIS
TWR - 119.80 MHz - NEUQUEN TOWER

GND - 121.80 MHz - NEUQUEN GROUND
COM - 122.80 MHz - NEUQUEN UNICOM

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	147 ft	8,417 ft	90.22	ASPHALT	0 ft	679 ft
	45 m	2,565 m	88.50		0 m	207 m
27	147 ft	8,417 ft	270.20	ASPHALT	0 ft	676 ft
	45 m	2,565 m	268.48		0 m	206 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	LOC-ILS	NE	110.30 MHz	18 nm	90.21	-	895 ft
				33 km	88.49		895 m
09	GS	NE	110.30 MHz	10 nm	90.21	3.00	895 ft
				19 km	88.49		895 m