


2024/05/23 0446Z

KCAE SAV KSAV

108.87 nm / 201.63 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KCAE	-	33.93880	0 ft	-	Columbia Metropolitan
APT	-	-81.11940	0 m		
SAV	-	32.14630	200 ft	107	SAVANNAH
VOR	-	-81.19910	61 m		
KSAV	-	32.12740	0 ft	1	Savannah Hilton Head Intl
APT	-	-81.20190	0 m		

KCAE

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 2

Elevation: 234 ft / 71 m
Location: 33.938800 -81.119400
Magnetic Var: 7.786 W

METAR

KCAE 230356Z 19003KT 10SM SCT200 23/18 A3002 RMK A02 SLP162 T02280183

TAF

KCAE 230239Z 2303/2324 VRB03KT P6SM BKN250 FM231400 23007KT P6SM SCT050 BKN250

Frequencies

REC - 120.15 MHz - ATIS	COM - 122.95 MHz - COLUMBIA UNICOM
GND - 121.90 MHz - COLUMBIA GROUND	TWR - 119.50 MHz - COLUMBIA TOWER
APP - 124.15 MHz - COLUMBIA APPROACH	APP - 133.40 MHz - COLUMBIA APPROACH
CLD - 119.75 MHz - CLEARANCE DELIVERY	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	150 ft	8,004 ft	44.53	CONCRETE	0 ft	200 ft
	46 m	2,440 m	52.32		0 m	61 m
23	150 ft	8,004 ft	224.54	CONCRETE	997 ft	0 ft
	46 m	2,440 m	232.33		304 m	0 m
11	150 ft	8,609 ft	104.72	CONCRETE	0 ft	390 ft
	46 m	2,624 m	112.51		0 m	119 m
29	150 ft	8,609 ft	284.74	CONCRETE	0 ft	390 ft
	46 m	2,624 m	292.52		0 m	119 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	LOC-ILS	IGJC	108.95 MHz	18 nm	44.54	-	234 ft
				33 km	52.33		234 m
11	LOC-ILS	ICAE	110.30 MHz	18 nm	104.73	-	234 ft
				33 km	112.52		234 m
29	LOC-ILS	IVYK	108.30 MHz	18 nm	284.73	-	234 ft
				33 km	292.52		234 m
05	GS	IGJC	108.95 MHz	10 nm	44.54	3.00	234 ft
				19 km	52.33		234 m
11	GS	ICAE	110.30 MHz	10 nm	104.73	3.00	234 ft
				19 km	112.52		234 m
29	GS	IVYK	108.30 MHz	10 nm	284.73	3.00	234 ft
				19 km	292.52		234 m

KSAV

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 2

Elevation: 50 ft / 15 m
Location: 32.127400 -81.201900
Magnetic Var: 7.510 W

METAR

KSAV 230353Z 18005KT 10SM SCT250 23/19 A3006 RMK A02 SLP178 LAST T02280189

TAF

TAF KSAV 222338Z 2300/2324 15004KT P6SM FEW250 FM230900 00000KT 6SM MIFG FEW008 SCT250 FM231300 23006KT P6SM FEW0

Frequencies

REC - 123.75 MHz - ATIS
COM - 122.95 MHz - UNICOM
GND - 121.90 MHz -
APP - 118.40 MHz - APP/DEP
COM - 119.10 MHz - CTAF
CLD - 119.55 MHz - CLNC DEL
TWR - 119.10 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	150 ft	9,328 ft	90.61	CONCRETE	0 ft	1,001 ft
	46 m	2,843 m	98.12		0 m	305 m
28	150 ft	9,328 ft	270.62	CONCRETE	0 ft	151 ft
	46 m	2,843 m	278.13		0 m	46 m
01	151 ft	7,016 ft	359.63	CONCRETE	0 ft	200 ft
	46 m	2,138 m	7.14		0 m	61 m
19	151 ft	7,016 ft	179.63	CONCRETE	0 ft	200 ft
	46 m	2,138 m	187.14		0 m	61 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	LOC-ILS	ITPV	111.90 MHz	18 nm	359.63	-	50 ft
				33 km	7.14		50 m
10	LOC-ILS	ISAV	109.90 MHz	18 nm	90.61	-	50 ft
				33 km	98.12		50 m
01	GS	ITPV	111.90 MHz	10 nm	359.63	3.00	50 ft
				19 km	7.14		50 m
10	GS	ISAV	109.90 MHz	10 nm	90.61	3.00	50 ft
				19 km	98.12		50 m