

ENBR

Bergen Lufthavn Flesland


LGRP

Rhodos Diagoras

2024/05/23 0352Z

ENBR BODMU **Z272** NERDO **P621** AAL AAL **L621** ROE ROE **N983** POLON **N133** KEKED BADOR **L620** RILAS **N127** NEPOT
L867 LAMIT **N127** NIKTI **UN127** IMR **UG80** OKESA LGRP

1724.70 nm / 3194.15 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
ENBR	-	60.29360	0 ft	-	Bergen Lufthavn Flesland
APT	-	5.21806	0 m	-	
BODMU	-	59.30040	32,500 ft	91	-
FIX	-	7.50000	9,906 m	-	
NERDO	Z272	57.88790	35,000 ft	100	-
FIX	AWY-HI	9.22828	10,668 m	-	
AAL	P621	57.10390	35,000 ft	53	AALBORG VOR-DME
DME	AWY-HI	9.99281	10,668 m	-	
AAL	-	57.10370	35,000 ft	0	AALBORG
VOR	-	9.99558	10,668 m	-	
LAPMA	L621	56.62580	35,000 ft	52	-
FIX	AWY-HI	11.34750	10,668 m	-	
NORTI	L621	56.52440	35,000 ft	11	-
FIX	AWY-HI	11.62560	10,668 m	-	
MADAG	L621	56.38060	35,000 ft	15	-
FIX	AWY-HI	12.01360	10,668 m	-	
ROKAM	L621	56.31690	35,000 ft	6	-
FIX	AWY-HI	12.18330	10,668 m	-	
KULUD	L621	56.26060	35,000 ft	6	-
FIX	AWY-HI	12.33310	10,668 m	-	
SVD	L621	56.16890	35,000 ft	9	SVEDA VOR-DME
DME	AWY-HI	12.57380	10,668 m	-	
INRER	L621	56.05270	35,000 ft	10	-
FIX	AWY-HI	12.81370	10,668 m	-	
MAXUM	L621	55.66130	35,000 ft	35	-
FIX	AWY-HI	13.60400	10,668 m	-	
ELVIX	L621	55.41190	35,000 ft	22	-
FIX	AWY-HI	14.09420	10,668 m	-	
ROE	L621	55.06560	35,000 ft	30	RONNE
VOR	AWY-HI	14.75870	10,668 m	-	
ROE	-	55.06190	35,000 ft	0	RONNE VOR-DME
DME	-	14.75590	10,668 m	-	
AMROR	N983	54.89000	35,000 ft	15	-
FIX	AWY-HI	15.09720	10,668 m	-	
ELPOL	N983	54.60640	35,000 ft	25	-
FIX	AWY-HI	15.63390	10,668 m	-	
MAPEX	N983	53.70610	35,000 ft	72	-
FIX	AWY-HI	17.00360	10,668 m	-	
EMGIP	N983	52.60500	35,000 ft	87	-
FIX	AWY-HI	18.57470	10,668 m	-	
AMUTO	N983	52.33330	35,000 ft	21	-
FIX	AWY-HI	18.94580	10,668 m	-	
POLON	N983	51.80000	35,000 ft	41	-
FIX	AWY-HI	19.65610	10,668 m	-	
GIPOS	N133	51.69830	35,000 ft	6	-
FIX	AWY-HI	19.71000	10,668 m	-	
VIDEV	N133	51.52190	35,000 ft	11	-
FIX	AWY-HI	19.80250	10,668 m	-	
IRBOS	N133	51.44250	35,000 ft	5	-
FIX	AWY-HI	19.84420	10,668 m	-	
NUBLI	N133	51.35860	35,000 ft	5	-
FIX	AWY-HI	19.88780	10,668 m	-	
LUBEN	N133	51.22420	35,000 ft	8	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	19.95750	10,668 m		
OVBOR	N133	51.10420	35,000 ft	7	-
FIX	AWY-HI	20.01920	10,668 m		
NEGUV	N133	50.91470	35,000 ft	11	-
FIX	AWY-HI	20.11580	10,668 m		
KOTEK	N133	50.64720	35,000 ft	16	-
FIX	AWY-HI	20.25110	10,668 m		
GOSAK	N133	50.55780	35,000 ft	5	-
FIX	AWY-HI	20.30440	10,668 m		
LENOV	N133	49.33640	35,000 ft	78	-
FIX	AWY-LO	21.01030	10,668 m		
KEKED	N133	48.52310	35,000 ft	50	-
FIX	AWY-LO	21.29140	10,668 m		
BADOR	-	47.57360	35,000 ft	65	-
FIX	-	22.10810	10,668 m		
ROMAG	L620	47.42280	35,000 ft	15	-
FIX	AWY-HI	22.41860	10,668 m		
RILAS	L620	47.32890	35,000 ft	9	-
FIX	AWY-HI	22.61030	10,668 m		
OBARA	N127	47.03140	35,000 ft	18	-
FIX	AWY-HI	22.71640	10,668 m		
BUKAN	N127	46.53170	35,000 ft	30	-
FIX	AWY-HI	22.89170	10,668 m		
NEPOT	N127	45.96030	35,000 ft	35	-
FIX	AWY-HI	23.08810	10,668 m		
LAMIT	L867	45.10390	35,000 ft	52	-
FIX	AWY-HI	23.37470	10,668 m		
TITEK	N127	44.49330	35,000 ft	37	-
FIX	AWY-HI	23.57390	10,668 m		
NULGO	N127	44.04500	35,000 ft	27	-
FIX	AWY-HI	23.71720	10,668 m		
OSTOV	N127	43.78330	35,000 ft	16	-
FIX	AWY-HI	23.80000	10,668 m		
INBOL	N127	43.47080	35,000 ft	18	-
FIX	AWY-HI	23.80390	10,668 m		
LUKOV	N127	43.28470	35,000 ft	11	-
FIX	AWY-HI	23.80610	10,668 m		
ROVAM	N127	43.15110	35,000 ft	8	-
FIX	AWY-HI	23.80780	10,668 m		
PENEV	N127	43.03170	35,000 ft	7	-
FIX	AWY-HI	23.80940	10,668 m		
BLO	N127	42.66720	35,000 ft	21	BAILOVO
VOR	AWY-HI	23.81390	10,668 m		
LARAT	N127	42.50170	35,000 ft	10	-
FIX	AWY-HI	23.87110	10,668 m		
DILVO	N127	42.31000	35,000 ft	11	-
FIX	AWY-HI	23.93690	10,668 m		
OTKOK	N127	41.99940	35,000 ft	18	-
FIX	AWY-HI	24.01250	10,668 m		
NIKTI	N127	41.54640	35,000 ft	27	-
FIX	AWY-HI	24.12170	10,668 m		
LOPTI	UN127	41.19530	35,000 ft	25	-
FIX	AWY-HI	24.43420	10,668 m		
KPL	UN127	40.91270	35,000 ft	18	KAVALA
VOR	AWY-HI	24.61480	10,668 m		
SUTIS	UN127	40.70190	35,000 ft	14	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	24.74860	10,668 m		
AMALA	UN127	40.56860	35,000 ft	8	-
FIX	AWY-HI	24.83280	10,668 m		
LMO	UN127	39.91950	35,000 ft	43	LIMNOS
VOR	AWY-HI	25.23720	10,668 m		
ERES0	UN127	39.29190	35,000 ft	49	-
FIX	AWY-HI	25.94360	10,668 m		
RIKSO	UN127	38.83330	35,000 ft	35	-
FIX	AWY-HI	26.43330	10,668 m		
IMR	UN127	38.31740	26,900 ft	41	IZMIR
VOR	AWY-HI	27.00720	8,199 m		
OKESA	UG80	37.62920	17,300 ft	45	-
FIX	AWY-HI	27.38640	5,273 m		
LGRP	-	36.40540	0 ft	80	Rhodos Diagoras
APT	-	28.08620	0 m		

ENBR

Region: NORWAY
Timezone: EUROPE/OSLO
Runways: 1

Elevation: 166 ft / 51 m
Location: 60.293600 5.218060
Magnetic Var: 1.996 E

METAR

ENBR 230250Z AUTO 11005KT 9999 NCD 18/08 Q1013 RMK WIND 1200FT 12019KT

TAF

TAF ENBR 222300Z 2300/2324 12007KT CAVOK PROB40 TEMPO 2300/2318 14015G25KT

Frequencies

REC - 125.25 MHz - FLESLAND INFORMATION
TWR - 119.10 MHz - FLESLAND TOWER
APP - 125.00 MHz - FLESLAND APPROACH EAST
GND - 121.90 MHz - FLESLAND GROUND
APP - 121.00 MHz - FLESLAND APPROACH WEST
CLD - 118.85 MHz - FLESLAND DIRECTOR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17	148 ft	9,791 ft	170.53	ASPHALT	876 ft	0 ft
	45 m	2,984 m	168.53		267 m	0 m
35	148 ft	9,791 ft	350.53	ASPHALT	889 ft	0 ft
	45 m	2,984 m	348.54		271 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17	LOC-ILS	BR	109.90 MHz	18 nm	170.56	-	165 ft
				33 km	168.57		165 m
35	LOC-ILS	BG	110.50 MHz	18 nm	350.55	-	165 ft
				33 km	348.55		165 m
17	GS	BR	109.90 MHz	10 nm	170.53	3.10	166 ft
				19 km	168.53		166 m
35	GS	BG	110.50 MHz	10 nm	350.53	3.00	166 ft
				19 km	348.53		166 m

LGRP

Region: GREECE
Timezone: EUROPE/ATHENS
Runways: 1

Elevation: 17 ft / 5 m
Location: 36.405400 28.086200
Magnetic Var: 5.387 E

METAR

LGRP 230320Z 23010KT CAVOK 23/18 Q1009 NOSIG

TAF

TAF LGRP 222300Z 2300/2324 25010KT 9999 FEW020 BECMG 2307/2309 26018KT

Frequencies

REC - 126.35 MHz - RODOS DIAGORAS AIRPORT ATIS GND - 121.70 MHz - DIAGORAS GROUND
TWR - 118.20 MHz - DIAGORAS TOWER APP - 118.25 MHz - RODOS DIRECTOR
APP - 127.25 MHz - RODOS APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	10,825 ft	69.98	ASPHALT	0 ft	23 ft
	45 m	3,300 m	64.59		0 m	7 m
24	148 ft	10,825 ft	250.00	ASPHALT	0 ft	20 ft
	45 m	3,300 m	244.61		0 m	6 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24	LOC-ILS	IRDS	110.30 MHz	18 nm	249.99	-	17 ft
				33 km	244.60		17 m
24	GS	IRDS	110.30 MHz	10 nm	249.99	3.00	17 ft
				19 km	244.60		17 m