

CYQB

Quebec Jean Lesage Intl


CYVO

Val D Or

2024/06/11 0152Z

CYQB YLQ **J593** YVO CYVO

283.87 nm / 525.72 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
CYQB	-	46.78960	0 ft	-	Quebec Jean Lesage Intl
APT	-	-71.39260	0 m		
YLQ	-	47.41610	24,300 ft	68	LA TUQUE
NDB	-	-72.78640	7,407 m		
YVO	J593	48.17530	1,600 ft	208	VAL-D'OR
VOR	AWY-HI	-77.82030	488 m		
CYVO	-	48.05330	0 ft	7	Val D Or
APT	-	-77.78270	0 m		

CYQB

Region: CANADA
Timezone: AMERICA/MONTREAL
Runways: 2

Elevation: 244 ft / 74 m
Location: 46.789600 -71.392600
Magnetic Var: 15.222 W

METAR

CYQB 110100Z 22003KT 15SM -SHRA SCT009 BKN050 BKN100 17/16 A2962 RMK SF3SC2AC1 CVCTV CLD EMBD SLP034 DENSITY ALT 9

TAF

TAF CYQB 102340Z 1100/1124 24010KT P6SM SCT012 BKN100 TEMPO 1100/1102 P6SM -SHRA BKN012 OVC040 FM110400 25005KT P

Frequencies

REC - 134.60 MHz - ATIS
TWR - 120.30 MHz -
APP - 124.00 MHz - TRML CON

GND - 121.90 MHz -
TWR - 118.65 MHz -
APP - 127.85 MHz - TRML CON

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	150 ft	8,962 ft	44.60	ASPHALT	0 ft	0 ft
	46 m	2,732 m	59.82		0 m	0 m
24	150 ft	8,962 ft	224.62	ASPHALT	0 ft	0 ft
	46 m	2,732 m	239.84		0 m	0 m
11	150 ft	5,690 ft	97.70	ASPHALT	0 ft	0 ft
	46 m	1,734 m	112.92		0 m	0 m
29	150 ft	5,690 ft	277.72	ASPHALT	0 ft	0 ft
	46 m	1,734 m	292.94		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	LOC-ILS	IQB	109.50 MHz	18 nm	44.62	-	244 ft
				33 km	59.84		244 m
06	GS	IQB	109.50 MHz	10 nm	44.62	3.00	244 ft
				19 km	59.84		244 m

CYVO

Region: CANADA
Timezone: AMERICA/MONTREAL
Runways: 1

Elevation: 1,106 ft / 337 m
Location: 48.053300 -77.782700
Magnetic Var: 12.469 W

METAR

CYVO 110100Z VRB02KT 15SM BKN039 07/06 A2986 RMK SC6 SLP129

TAF

TAF CYVO 102340Z 1100/1112 04005KT P6SM SCT015 BKN040 TEMPO 1100/1103 5SM -SHRA BR BKN015 OVC040 FM110300 34008KT

Frequencies

TWR - 118.50 MHz - MANDATORY FREQUENCY

DEP - 125.90 MHz - DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	150 ft	10,011 ft	169.17	ASPHALT	0 ft	0 ft
	46 m	3,051 m	181.64		0 m	0 m
36	150 ft	10,011 ft	349.17	ASPHALT	0 ft	0 ft
	46 m	3,051 m	1.64		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
18	LOC-ILS	IVO	110.30 MHz	18 nm	169.17	-	1,106 ft
				33 km	181.64		1,106 m
18	GS	IVO	110.30 MHz	10 nm	169.17	3.00	1,106 ft
				19 km	181.64		1,106 m