

# OEJN

King Abdulaziz Intl


# OIIE

Imam Khomeini-Tehran Intl

2024/06/05 0112Z

OEJN EGREP **B417** KMC **Q714** BOSID **B417** KUA **G667** ALSAN ABD ABD **G667** ARK OIIE

1083.79 nm / 2007.18 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OEJN	-	21.68280	0 ft	-	King Abdulaziz Intl
APT	-	39.15510	0 m	-	
EGREP	-	22.46510	21,500 ft	60	-
FIX	-	39.83520	6,553 m	-	-
PATOR	B417	23.27750	35,000 ft	65	-
FIX	AWY-HI	40.61580	10,668 m	-	-
DASOR	B417	23.68780	35,000 ft	35	-
FIX	AWY-HI	41.08310	10,668 m	-	-
ASVIV	B417	23.91610	35,000 ft	21	-
FIX	AWY-HI	41.38920	10,668 m	-	-
BDB	B417	24.33080	35,000 ft	34	BIR DARB
VOR	AWY-HI	41.82440	10,668 m	-	
KURDO	B417	24.88500	35,000 ft	44	-
FIX	AWY-HI	42.36610	10,668 m	-	-
KINOB	B417	25.52940	35,000 ft	51	-
FIX	AWY-HI	43.00500	10,668 m	-	-
AMBIV	B417	25.80440	35,000 ft	22	-
FIX	AWY-HI	43.28030	10,668 m	-	-
GAS	B417	26.29810	35,000 ft	40	GASSIM
VOR	AWY-HI	43.77960	10,668 m	-	
ASNID	B417	26.76670	35,000 ft	40	-
FIX	AWY-HI	44.30970	10,668 m	-	-
RARLO	B417	26.99420	35,000 ft	19	-
FIX	AWY-HI	44.56940	10,668 m	-	-
ALKIR	B417	27.13280	35,000 ft	11	-
FIX	AWY-HI	44.72860	10,668 m	-	-
EMARO	B417	27.56170	35,000 ft	36	-
FIX	AWY-HI	45.22500	10,668 m	-	-
KMC	B417	27.88060	35,000 ft	25	KING SAUD AB (HAFR AL BATIN)
VOR	AWY-HI	45.55570	10,668 m	-	
GINVA	Q714	28.33050	35,000 ft	40	-
FIX	AWY-HI	46.12950	10,668 m	-	-
BOSID	Q714	28.70750	35,000 ft	46	-
FIX	AWY-HI	46.90030	10,668 m	-	-
BONIM	B417	28.99140	35,000 ft	35	-
FIX	AWY-HI	47.49030	10,668 m	-	-
KUA	B417	29.21830	35,000 ft	28	KUWAIT
VOR	AWY-HI	47.96760	10,668 m	-	
RALKA	G667	29.43640	35,000 ft	22	-
FIX	AWY-HI	48.30530	10,668 m	-	-
ALSAN	G667	29.95190	35,000 ft	31	-
FIX	AWY-HI	48.24890	10,668 m	-	-
ABD	-	30.37530	35,000 ft	25	ABADAN
VOR	-	48.22060	10,668 m	-	
ABD	-	30.38700	35,000 ft	0	ABADAN VOR-DME
DME	-	48.21760	10,668 m	-	
GABSU	G667	30.88860	35,000 ft	33	-
FIX	AWY-HI	48.50970	10,668 m	-	-
AWZ	G667	31.33760	35,000 ft	29	AHWAZ
VOR	AWY-HI	48.76460	10,668 m	-	
EGVAX	G667	31.72690	35,000 ft	30	-
FIX	AWY-HI	49.13390	10,668 m	-	-
RABIM	G667	31.97750	35,000 ft	15	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	49.20690	10,668 m		
NAGRO	G667	32.17080	35,000 ft	11	-
FIX	AWY-HI	49.26330	10,668 m		
ALTAX	G667	32.50390	35,000 ft	20	-
FIX	AWY-HI	49.36170	10,668 m		
RASLA	G667	33.20060	33,800 ft	43	-
FIX	AWY-HI	49.56920	10,302 m		
ARK	G667	34.13720	21,300 ft	58	ARAK
VOR	AWY-HI	49.85380	6,492 m		
OIIE	-	35.41850	0 ft	99	Imam Khomeini-Tehran Intl
APT	-	51.14350	0 m		

## OEJN

Region: SAUDI ARABIA  
Timezone: ASIA/RIYADH  
Runways: 3

Elevation: 49 ft / 15 m  
Location: 21.682800 39.155100  
Magnetic Var: 3.899 E

## METAR

OEJN 050100Z 34004KT CAVOK 30/18 Q1002 NOSIG

## TAF

TAF OEJN 042300Z 0500/0606 VRB03KT CAVOK BECMG 0506/0508 32010KT BECMG 0518/0520 36005KT

## Frequencies

TWR - 118.20 MHz - JEDDAH TOWER  
GND - 121.90 MHz - JEDDAH GROUND  
REC - 126.20 MHz - JEDDAH ATIS  
APP - 119.10 MHz - JEDDAH APPROACH  
APP - 123.80 MHz - JEDDAH DIRECTOR

TWR - 124.30 MHz - JEDDAH TOWER  
GND - 121.60 MHz - JEDDAH GROUND  
DEP - 124.00 MHz - JEDDAH DEPARTURE  
APP - 124.00 MHz - JEDDAH APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16L	197 ft	13,170 ft	159.89	ASPHALT	0 ft	397 ft
	60 m	4,014 m	155.99		0 m	121 m
34R	197 ft	13,170 ft	339.89	ASPHALT	0 ft	397 ft
	60 m	4,014 m	336.00		0 m	121 m
16C	197 ft	13,168 ft	159.88	ASPHALT	0 ft	400 ft
	60 m	4,014 m	155.98		0 m	122 m
34C	197 ft	13,168 ft	339.88	ASPHALT	0 ft	400 ft
	60 m	4,014 m	335.98		0 m	122 m
16R	194 ft	12,511 ft	159.87	ASPHALT	0 ft	394 ft
	59 m	3,813 m	155.97		0 m	120 m
34L	194 ft	12,511 ft	339.87	ASPHALT	0 ft	390 ft
	59 m	3,813 m	335.97		0 m	119 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16C	DME	IJDC	109.70 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
16L	DME	IDFJ	108.50 MHz	18 nm	-	-	27 ft
				33 km	-		27 m
16R	DME	IJDD	109.30 MHz	18 nm	-	-	9 ft
				33 km	-		9 m
34C	DME	IJDW	109.50 MHz	18 nm	-	-	22 ft
				33 km	-		22 m
34L	DME	IJDL	109.10 MHz	18 nm	-	-	11 ft
				33 km	-		11 m
34R	DME	IEAL	108.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
16C	LOC-ILS	IJDC	109.70 MHz	18 nm	159.88	-	49 ft
				33 km	155.98		49 m
16L	LOC-ILS	IDFJ	108.50 MHz	18 nm	159.89	-	49 ft
				33 km	155.99		49 m
16R	LOC-ILS	IJDD	109.30 MHz	18 nm	159.87	-	49 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	155.97		49 m
34C	LOC-ILS	IJDW	109.50 MHz	18 nm	339.88	-	49 ft
				33 km	335.98		49 m
34L	LOC-ILS	IJDL	109.10 MHz	18 nm	339.87	-	49 ft
				33 km	335.97		49 m
34R	LOC-ILS	IEAL	108.30 MHz	18 nm	339.89	-	49 ft
				33 km	335.99		49 m
16C	GS	IJDC	109.70 MHz	10 nm	159.88	3.00	49 ft
				19 km	155.98		49 m
16L	GS	IDFJ	108.50 MHz	10 nm	159.89	3.00	49 ft
				19 km	155.99		49 m
16R	GS	IJDD	109.30 MHz	10 nm	159.87	3.00	49 ft
				19 km	155.97		49 m
34C	GS	IJDW	109.50 MHz	10 nm	339.88	3.00	49 ft
				19 km	335.98		49 m
34L	GS	IJDL	109.10 MHz	10 nm	339.87	3.00	49 ft
				19 km	335.97		49 m
34R	GS	IEAL	108.30 MHz	10 nm	339.89	3.00	49 ft
				19 km	335.99		49 m

## OIIE

Region: IRAN  
Timezone: ASIA/TEHRAN  
Runways: 2

Elevation: 3,305 ft / 1,007 m  
Location: 35.418500 51.143500  
Magnetic Var: 5.046 E

## METAR

OIIE 050100Z 33014KT CAVOK 20/09 Q1016

## TAF

TAF OIIE 042310Z 0500/0606 32010KT CAVOK BECMG 0506/0508 12010KT 8000 FEW040 SCT100 TEMPO 0512/0515 16018G28KT 40

## Frequencies

REC - 127.20 MHz - TEHRAN ATIS  
GND - 121.60 MHz - TEHRAN GROUND  
APP - 119.70 MHz - MEHRABAD APPROACH  
GND - 121.82 MHz - TEHRAN GROUND  
TWR - 118.70 MHz - IKA TOWER  
APP - 125.10 MHz - MEHRABAD APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11R	148 ft	13,439 ft	108.87	CONCRETE	0 ft	1,024 ft
	45 m	4,096 m	103.83		0 m	312 m
29L	148 ft	13,439 ft	288.90	CONCRETE	1,476 ft	0 ft
	45 m	4,096 m	283.85		450 m	0 m
11L	148 ft	13,786 ft	108.87	CONCRETE	0 ft	394 ft
	45 m	4,202 m	103.82		0 m	120 m
29R	148 ft	13,786 ft	288.89	CONCRETE	0 ft	394 ft
	45 m	4,202 m	283.85		0 m	120 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
29R	DME	IIKA	110.30 MHz	18 nm	-	-	3,275 ft
				33 km	-		3,275 m
29R	LOC-ILS	IIKA	110.30 MHz	18 nm	288.88	-	3,305 ft
				33 km	283.83		3,305 m
11L	LOC-ILS	IKIA	109.10 MHz	18 nm	108.88	-	3,305 ft
				33 km	103.83		3,305 m
29R	GS	IIKA	110.30 MHz	10 nm	288.88	3.00	3,305 ft
				19 km	283.83		3,305 m
11L	GS	IKIA	109.10 MHz	10 nm	108.88	3.00	3,305 ft
				19 km	103.83		3,305 m