


2024/05/23 0237Z

KTEB SKIPY V213 ENO V157 CANNY J191 PXT J14 COLIN V157 RIC J52 RDU J207 SAV KSAV

629.14 nm / 1165.16 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KTEB	-	40.85030	0 ft	-	Teterboro
APT	-	-74.06090	0 m		
SKIPY	-	39.50620	34,900 ft	97	-
FIX	-	-75.27180	10,638 m		
ENO	V213	39.23160	35,000 ft	20	SMYRNA (KENTON)
VOR	AWY-LO	-75.51600	10,668 m		
CANNY	V157	39.06110	35,000 ft	12	-
FIX	AWY-LO	-75.67800	10,668 m		
RIDGY	J191	38.94300	35,000 ft	8	-
FIX	AWY-HI	-75.78980	10,668 m		
CLASY	J191	38.80310	35,000 ft	10	-
FIX	AWY-HI	-75.92120	10,668 m		
GARED	J191	38.69460	35,000 ft	8	-
FIX	AWY-HI	-76.02280	10,668 m		
PXT	J191	38.28790	35,000 ft	30	PATUXENT (PATUXENT RIVER)
VOR	AWY-HI	-76.40020	10,668 m		
COLIN	J14	38.09980	35,000 ft	16	-
FIX	AWY-HI	-76.66410	10,668 m		
DUPEY	V157	38.03690	35,000 ft	5	-
FIX	AWY-LO	-76.75180	10,668 m		
TAPPA	V157	37.97020	35,000 ft	5	-
FIX	AWY-LO	-76.84460	10,668 m		
SVILL	V157	37.78640	35,000 ft	14	-
FIX	AWY-LO	-77.03250	10,668 m		
RIC	V157	37.50230	35,000 ft	21	RICHMOND
VOR	AWY-LO	-77.32030	10,668 m		
ZITTO	J52	36.86140	35,000 ft	47	-
FIX	AWY-HI	-77.90500	10,668 m		
JADEE	J52	36.56460	35,000 ft	21	-
FIX	AWY-HI	-78.17170	10,668 m		
HAKOK	J52	36.15790	35,000 ft	30	-
FIX	AWY-HI	-78.53280	10,668 m		
RDU	J52	35.87250	35,000 ft	21	RALEIGH-DURHAM
VOR	AWY-HI	-78.78330	10,668 m		
STUKK	J207	35.56720	35,000 ft	20	-
FIX	AWY-HI	-78.94900	10,668 m		
FLO	J207	34.23300	31,800 ft	87	FLORENCE
VOR	AWY-HI	-79.65720	9,693 m		
SAV	J207	32.14630	200 ft	147	SAVANNAH
VOR	AWY-HI	-81.19910	61 m		
KSAV	-	32.12740	0 ft	1	Savannah Hilton Head Intl
APT	-	-81.20190	0 m		

KTEB

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 2

Elevation: 8 ft / 2 m
Location: 40.850300 -74.060900
Magnetic Var: 12.729 W

METAR

KTEB 230151Z 20004KT 10SM CLR 24/17 A2988 RMK A02 SLP118 T02440172

TAF

TAF AMD KTEB 230231Z 2303/2406 20005KT P6SM SCT080 SCT200 FM230800 VRB04KT 6SM BR SCT080 BKN100 PROB30 2309/2313 3

Frequencies

REC - 132.02 MHz - ATIS	CLD - 128.05 MHz - CLEARANCE DELIVERY
GND - 121.90 MHz - TETERBORO GROUND	TWR - 125.10 MHz - TETERBORO TOWER
TWR - 119.50 MHz - TETERBORO TOWER	APP - 127.60 MHz - NEW YORK APPROACH
DEP - 119.20 MHz - NEW YORK DEPARTURE	DEP - 126.70 MHz - NEW YORK DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	150 ft	7,011 ft	3.17	ASPHALT	771 ft	381 ft
	46 m	2,137 m	15.90		235 m	116 m
19	150 ft	7,011 ft	183.17	ASPHALT	768 ft	105 ft
	46 m	2,137 m	195.90		234 m	32 m
06	150 ft	6,009 ft	48.03	ASPHALT	184 ft	377 ft
	46 m	1,832 m	60.76		56 m	115 m
24	150 ft	6,009 ft	228.04	ASPHALT	0 ft	292 ft
	46 m	1,832 m	240.77		0 m	89 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
19	DME	ITJL	110.15 MHz	18 nm	-	-	6 ft
				33 km	-		6 m
06	LOC-ILS	ITEB	108.90 MHz	18 nm	48.04	-	8 ft
				33 km	60.77		8 m
19	LOC-ILS	ITJL	110.15 MHz	18 nm	183.17	-	8 ft
				33 km	195.90		8 m
06	GS	ITEB	108.90 MHz	10 nm	48.04	3.00	8 ft
				19 km	60.77		8 m
19	GS	ITJL	110.15 MHz	10 nm	183.17	3.00	8 ft
				19 km	195.90		8 m

KSAV

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 2

Elevation: 50 ft / 15 m
Location: 32.127400 -81.201900
Magnetic Var: 7.510 W

METAR

KSAV 230153Z 16005KT 10SM SCT250 24/18 A3003 RMK A02 SLP169 T02440178

TAF

TAF KSAV 222338Z 2300/2324 15004KT P6SM FEW250 FM230900 00000KT 6SM MIFG FEW008 SCT250 FM231300 23006KT P6SM FEW0

Frequencies

REC - 123.75 MHz - ATIS
COM - 122.95 MHz - UNICOM
GND - 121.90 MHz -
APP - 118.40 MHz - APP/DEP
COM - 119.10 MHz - CTAF
CLD - 119.55 MHz - CLNC DEL
TWR - 119.10 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	150 ft	9,328 ft	90.61	CONCRETE	0 ft	1,001 ft
	46 m	2,843 m	98.12		0 m	305 m
28	150 ft	9,328 ft	270.62	CONCRETE	0 ft	151 ft
	46 m	2,843 m	278.13		0 m	46 m
01	151 ft	7,016 ft	359.63	CONCRETE	0 ft	200 ft
	46 m	2,138 m	7.14		0 m	61 m
19	151 ft	7,016 ft	179.63	CONCRETE	0 ft	200 ft
	46 m	2,138 m	187.14		0 m	61 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	LOC-ILS	ITPV	111.90 MHz	18 nm	359.63	-	50 ft
				33 km	7.14		50 m
10	LOC-ILS	ISAV	109.90 MHz	18 nm	90.61	-	50 ft
				33 km	98.12		50 m
01	GS	ITPV	111.90 MHz	10 nm	359.63	3.00	50 ft
				19 km	7.14		50 m
10	GS	ISAV	109.90 MHz	10 nm	90.61	3.00	50 ft
				19 km	98.12		50 m