

UDYZ

Yerevan Zvartnots Airport


OIIE

Imam Khomeini-Tehran Intl

2024/06/05 0349Z

UDYZ SIBVU L125 PAROT OIIE

431.49 nm / 799.12 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
UDYZ APT	-	40.14730 44.39590	0 ft 0 m	-	Yerevan Zvartnots Airport
SIBVU FIX	-	38.74560 45.78250	35,000 ft 10,668 m	105	-
BUDED FIX	L125 AWY-HI	37.88690 47.34220	35,000 ft 10,668 m	89	-
MURPU FIX	L125 AWY-HI	37.51190 48.05530	35,000 ft 10,668 m	40	-
ASPOK FIX	L125 AWY-HI	36.98830 48.83000	31,300 ft 9,540 m	48	-
PAROT FIX	L125 AWY-HI	36.19110 49.97810	15,700 ft 4,785 m	73	-
OIIE APT	-	35.41850 51.14350	0 ft 0 m	73	Imam Khomeini-Tehran Intl

UDYZ

Region: ARMENIA
Timezone: ASIA/YEREVAN
Runways: 1

Elevation: 2,837 ft / 865 m
Location: 40.147300 44.395900
Magnetic Var: 6.696 E

METAR

UDYZ 050330Z 14004KT 9999 NSC 20/09 Q1019 NOSIG

TAF

TAF UDYZ 042300Z 0500/0524 16004KT 9999 FEW040= TAF UDSG 042258Z 0500/0524 VRB06KT 9999 FEW050 TEMPO 0507/0516 24004KT 9999

Frequencies

REC - 119.50 MHz - ATIS
TWR - 120.90 MHz - YEREVAN TOWER
GND - 119.00 MHz - YEREVAN GROUND
APP - 126.00 MHz - YEREVAN APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	184 ft	12,590 ft	89.66	ASPHALT	0 ft	0 ft
	56 m	3,837 m	82.96		0 m	0 m
27	184 ft	12,590 ft	269.69	ASPHALT	0 ft	0 ft
	56 m	3,837 m	262.99		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	LOC-ILS	IZR	108.10 MHz	18 nm	89.67	-	2,837 ft
				33 km	82.97		2,837 m
09	GS	IZR	108.10 MHz	10 nm	89.67	3.00	2,837 ft
				19 km	82.97		2,837 m

OIIE

Region: IRAN
Timezone: ASIA/TEHRAN
Runways: 2

Elevation: 3,305 ft / 1,007 m
Location: 35.418500 51.143500
Magnetic Var: 5.046 E

METAR

OIIE 050300Z 31012KT 9999 FEW035 21/09 Q1017 NOSIG

TAF

TAF OIIE 042310Z 0500/0606 32010KT CAVOK BECMG 0506/0508 12010KT 8000 FEW040 SCT100 TEMPO 0512/0515 16018G28KT 40

Frequencies

REC - 127.20 MHz - TEHRAN ATIS
GND - 121.60 MHz - TEHRAN GROUND
APP - 119.70 MHz - MEHRABAD APPROACH
GND - 121.82 MHz - TEHRAN GROUND
TWR - 118.70 MHz - IKA TOWER
APP - 125.10 MHz - MEHRABAD APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11R	148 ft	13,439 ft	108.87	CONCRETE	0 ft	1,024 ft
	45 m	4,096 m	103.83		0 m	312 m
29L	148 ft	13,439 ft	288.90	CONCRETE	1,476 ft	0 ft
	45 m	4,096 m	283.85		450 m	0 m
11L	148 ft	13,786 ft	108.87	CONCRETE	0 ft	394 ft
	45 m	4,202 m	103.82		0 m	120 m
29R	148 ft	13,786 ft	288.89	CONCRETE	0 ft	394 ft
	45 m	4,202 m	283.85		0 m	120 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
29R	DME	IIKA	110.30 MHz	18 nm	-	-	3,275 ft
				33 km	-		3,275 m
29R	LOC-ILS	IIKA	110.30 MHz	18 nm	288.88	-	3,305 ft
				33 km	283.83		3,305 m
11L	LOC-ILS	IKIA	109.10 MHz	18 nm	108.88	-	3,305 ft
				33 km	103.83		3,305 m
29R	GS	IIKA	110.30 MHz	10 nm	288.88	3.00	3,305 ft
				19 km	283.83		3,305 m
11L	GS	IKIA	109.10 MHz	10 nm	108.88	3.00	3,305 ft
				19 km	103.83		3,305 m