

**KATL**  
Atlanta


**DAL697**

**CYUL**  
Montréal--Trudeau

2024/06/07 2113Z

KATL MPASS ZELAN SMKEY HUCHH +35.770\_-083.868 BOBBD ATUME HAPKI KONGO WISTA ASERY GEFFS EMNEM  
PSYKO PSB ZUUCS CNTER EXTOL AUDIL SYR ART CURDS DAVDA +44.801\_-075.251 EPMOK ARVIE HABBS COMAU  
MITIG AGNAG TIDAS MAXOD OVUVI CYUL

930.75 nm / 1723.74 km



## Notes

None

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KATL	-	33.63670	1,026 ft	-	-
APT	-	-84.42786	313 m		
MPASS	-	33.69304	10,300 ft	8	-
FIX	-	-84.58203	3,139 m		
ZELAN	-	33.81128	13,800 ft	7	-
FIX	-	-84.58069	4,206 m		
SMKEY	-	34.28829	25,200 ft	32	-
FIX	-	-84.26179	7,681 m		
HUCHH	-	34.76368	31,000 ft	29	-
FIX	-	-84.15009	9,449 m		
+35.770_-083.868	-	35.77024	39,000 ft	62	-
LATLON	-	-83.86769	11,887 m		
BOBBD	-	35.79933	39,000 ft	1	-
FIX	-	-83.85942	11,887 m		
ATUME	-	36.95379	39,000 ft	79	-
FIX	-	-83.05677	11,887 m		
HAPKI	-	37.08215	39,000 ft	12	-
FIX	-	-82.85073	11,887 m		
KONGO	-	37.50541	39,000 ft	42	-
FIX	-	-82.13682	11,887 m		
WISTA	-	38.28348	39,000 ft	56	-
FIX	-	-81.46293	11,887 m		
ASERY	-	38.47666	39,000 ft	14	-
FIX	-	-81.29282	11,887 m		
GEFFS	-	39.01385	39,000 ft	39	-
FIX	-	-80.81385	11,887 m		
EMNEM	-	39.52420	39,000 ft	46	-
FIX	-	-80.07450	11,887 m		
PSYKO	-	40.14361	39,000 ft	56	-
FIX	-	-79.15361	11,887 m		
PSB	-	40.91626	39,000 ft	70	-
VOR	-	-77.99272	11,887 m		
ZUUCS	-	41.37214	39,000 ft	31	-
FIX	-	-77.64131	11,887 m		
CNTER	-	42.21973	39,000 ft	59	-
FIX	-	-76.97238	11,887 m		
EXTOL	-	42.65769	39,000 ft	30	-
FIX	-	-76.61836	11,887 m		
AUDIL	-	42.87187	39,000 ft	15	-
FIX	-	-76.44307	11,887 m		
SYR	-	43.16052	39,000 ft	20	-
VOR	-	-76.20456	11,887 m		
ART	-	43.95213	39,000 ft	47	-
VOR	-	-76.06463	11,887 m		
CURDS	-	44.44410	39,000 ft	35	-
FIX	-	-75.62740	11,887 m		
DAVDA	-	44.72417	39,000 ft	19	-
FIX	-	-75.37450	11,887 m		
+44.801_-075.251	-	44.80086	39,000 ft	7	-
LATLON	-	-75.25082	11,887 m		
EPMOK	-	44.98476	32,700 ft	16	-
FIX	-	-74.95202	9,967 m		
ARVIE	-	45.11769	26,700 ft	16	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	-	-74.61761	8,138 m		
HABBS	-	45.20528	23,000 ft	9	-
FIX	-	-74.41722	7,010 m		
COMAU	-	45.36068	16,300 ft	17	-
FIX	-	-74.05630	4,968 m		
MITIG	-	45.45777	13,400 ft	7	-
FIX	-	-73.93009	4,084 m		
AGNAG	-	45.59663	9,300 ft	11	-
FIX	-	-73.74852	2,835 m		
TIDAS	-	45.64931	7,800 ft	4	-
FIX	-	-73.67930	2,377 m		
MAXOD	-	45.68892	6,700 ft	3	-
FIX	-	-73.62713	2,042 m		
OVUVI	-	45.71339	5,900 ft	1	-
FIX	-	-73.59484	1,798 m		
CYUL	-	45.47046	118 ft	15	-
APT	-	-73.74093	36 m		

## KATL

Region: UNITED STATES  
Timezone: AMERICA/NEW\_YORK  
Runways: 5

Elevation: 1,026 ft / 313 m  
Location: 33.636600 -84.428000  
Magnetic Var: 5.637 W

## METAR

KATL 072052Z 34012KT 10SM FEW070 31/11 A2987 RMK AO2 SLP105 T03060106 58006

## TAF

TAF AMD KATL 071933Z 0720/0824 34011G21KT P6SM SKC FM080100 33009KT P6SM SKC FM081200 03004KT P6SM SKC FM081700 17

## Frequencies

REC - 119.65 MHz - D-ATIS	REC - 125.55 MHz - D-ATIS
COM - 122.95 MHz - UNICOM	CLD - 118.10 MHz - CLEARANCE DELIVERY
GND - 121.65 MHz - ATLANTA GROUND	GND - 121.75 MHz - ATLANTA GROUND
GND - 121.90 MHz - ATLANTA GROUND	TWR - 119.10 MHz - ATLANTA TOWER
TWR - 119.30 MHz - ATLANTA TOWER	TWR - 119.50 MHz - ATLANTA TOWER
TWR - 123.85 MHz - ATLANTA TOWER	TWR - 125.32 MHz - ATLANTA TOWER
APP - 127.90 MHz - ATLANTA APPROACH	APP - 128.00 MHz - ATLANTA APPROACH
DEP - 125.65 MHz - ATLANTA DEPARTURE	DEP - 125.70 MHz - ATLANTA DEPARTURE
DEP - 135.37 MHz - ATLANTA DEPARTURE	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09L	151 ft	12,400 ft	89.99	CONCRETE	0 ft	0 ft
	46 m	3,780 m	95.63		0 m	0 m
27R	151 ft	12,400 ft	270.01	CONCRETE	518 ft	0 ft
	46 m	3,780 m	275.65		158 m	0 m
09R	151 ft	9,008 ft	89.98	CONCRETE	0 ft	0 ft
	46 m	2,746 m	95.61		0 m	0 m
27L	151 ft	9,008 ft	269.99	CONCRETE	0 ft	0 ft
	46 m	2,746 m	275.63		0 m	0 m
08L	151 ft	9,008 ft	89.98	CONCRETE	0 ft	0 ft
	46 m	2,746 m	95.61		0 m	0 m
26R	151 ft	9,008 ft	269.99	CONCRETE	0 ft	0 ft
	46 m	2,746 m	275.63		0 m	0 m
10	151 ft	9,008 ft	89.97	CONCRETE	0 ft	0 ft
	46 m	2,746 m	95.61		0 m	0 m
28	151 ft	9,008 ft	269.99	CONCRETE	0 ft	0 ft
	46 m	2,746 m	275.62		0 m	0 m
08R	151 ft	10,009 ft	89.98	CONCRETE	0 ft	0 ft
	46 m	3,051 m	95.61		0 m	0 m
26L	151 ft	10,009 ft	269.99	CONCRETE	0 ft	0 ft
	46 m	3,051 m	275.63		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	DME	IHFV	109.30 MHz	18 nm	-	-	993 ft
				33 km	-		993 m
08R	DME	IATL	109.90 MHz	18 nm	-	-	1,026 ft
				33 km	-		1,026 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	DME	IHZK	110.50 MHz	18 nm	-	-	978 ft
				33 km	-		978 m
09R	DME	IFUN	108.90 MHz	18 nm	-	-	987 ft
				33 km	-		987 m
10	DME	IOMO	111.55 MHz	18 nm	-	-	970 ft
				33 km	-		970 m
26L	DME	IBRU	108.70 MHz	18 nm	-	-	1,026 ft
				33 km	-		1,026 m
26R	DME	IGXZ	110.10 MHz	18 nm	-	-	1,000 ft
				33 km	-		1,000 m
27L	DME	IFSQ	108.50 MHz	18 nm	-	-	1,020 ft
				33 km	-		1,020 m
27R	DME	IAFA	111.30 MHz	18 nm	-	-	978 ft
				33 km	-		978 m
28	DME	IPKU	111.75 MHz	18 nm	-	-	970 ft
				33 km	-		970 m
08L	LOC-ILS	IHFV	109.30 MHz	18 nm	89.98	-	1,026 ft
				33 km	95.62		1,026 m
08R	LOC-ILS	IATL	109.90 MHz	18 nm	89.99	-	1,026 ft
				33 km	95.62		1,026 m
09L	LOC-ILS	IHZK	110.50 MHz	18 nm	90.01	-	968 ft
				33 km	95.65		968 m
09R	LOC-ILS	IFUN	108.90 MHz	18 nm	89.98	-	1,026 ft
				33 km	95.62		1,026 m
10	LOC-ILS	IOMO	111.55 MHz	18 nm	89.98	-	970 ft
				33 km	95.62		970 m
26L	LOC-ILS	IBRU	108.70 MHz	18 nm	269.98	-	1,026 ft
				33 km	275.62		1,026 m
26R	LOC-ILS	IGXZ	110.10 MHz	18 nm	269.98	-	1,026 ft
				33 km	275.62		1,026 m
27L	LOC-ILS	IFSQ	108.50 MHz	18 nm	269.98	-	1,026 ft
				33 km	275.62		1,026 m
27R	LOC-ILS	IAFA	111.30 MHz	18 nm	270.00	-	1,026 ft
				33 km	275.63		1,026 m
28	LOC-ILS	IPKU	111.75 MHz	18 nm	269.97	-	970 ft
				33 km	275.61		970 m
08L	GS	IHFV	109.30 MHz	10 nm	90.96	3.00	1,008 ft
				19 km	96.60		1,008 m
08R	GS	IATL	109.90 MHz	10 nm	90.96	3.00	1,012 ft
				19 km	96.60		1,012 m
09L	GS	IHZK	110.50 MHz	10 nm	90.02	3.00	1,017 ft
				19 km	95.66		1,017 m
09R	GS	IFUN	108.90 MHz	10 nm	90.96	3.00	1,021 ft
				19 km	96.60		1,021 m
10	GS	IOMO	111.55 MHz	10 nm	90.94	3.00	985 ft
				19 km	96.58		985 m
26L	GS	IBRU	108.70 MHz	10 nm	270.96	3.00	992 ft
				19 km	276.60		992 m
26R	GS	IGXZ	110.10 MHz	10 nm	270.96	3.00	984 ft
				19 km	276.60		984 m
27L	GS	IFSQ	108.50 MHz	10 nm	270.96	3.00	990 ft
				19 km	276.60		990 m
27R	GS	IAFA	111.30 MHz	10 nm	270.02	3.00	981 ft
				19 km	275.66		981 m
28	GS	IPKU	111.75 MHz	10 nm	270.94	3.00	990 ft
				19 km	276.58		990 m

## CYUL

Region: CANADA  
Timezone: AMERICA/MONTREAL  
Runways: 3

Elevation: 118 ft / 36 m  
Location: 45.467500 -73.743800  
Magnetic Var: 13.892 W

## METAR

CYUL 072100Z 35005KT 290V360 15SM -SHRA BKN052 OVC080 17/13 A2954 RMK SC7AC1 SLP006 DENSITY ALT 800FT

## TAF

TAF CYUL 072041Z 0721/0818 22010G20KT P6SM SCT030 BKN080 TEMPO 0721/0723 P6SM -SHRA BKN030 OVC060 PROB30 0721/0723

## Frequencies

TWR - 119.90 MHz - MONTREAL TOWER	TWR - 119.30 MHz - MONTREAL TOWER
TWR - 124.30 MHz - MONTREAL TOWER	GND - 121.00 MHz - MONTREAL GROUND
GND - 121.90 MHz - MONTREAL GROUND	CLD - 125.60 MHz - CLEARANCE DELIVERY
APP - 132.85 MHz - MONTREAL APPROACH	APP - 126.90 MHz - MONTREAL APPROACH
DEP - 124.65 MHz - MONTREAL DEPARTURE	DEP - 120.42 MHz - MONTREAL DEPARTURE
REC - 133.70 MHz - ATIS	REC - 127.50 MHz - ATIS
COM - 123.55 MHz - QUEBEC FIC	COM - 126.70 MHz - QUEBEC FIC
COM - 134.15 MHz - VFR ADVISORY	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06L	197 ft	11,010 ft	42.55	ASPHALT	0 ft	0 ft
	60 m	3,356 m	56.44		0 m	0 m
24R	197 ft	11,010 ft	222.57	ASPHALT	0 ft	0 ft
	60 m	3,356 m	236.46		0 m	0 m
06R	197 ft	9,608 ft	42.59	CONCRETE	0 ft	0 ft
	60 m	2,929 m	56.48		0 m	0 m
24L	197 ft	9,608 ft	222.60	CONCRETE	0 ft	0 ft
	60 m	2,929 m	236.49		0 m	0 m
10	197 ft	7,008 ft	87.61	ASPHALT	0 ft	0 ft
	60 m	2,136 m	101.50		0 m	0 m
28	197 ft	7,008 ft	267.63	ASPHALT	0 ft	0 ft
	60 m	2,136 m	281.52		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	LOC-ILS	IUL	109.30 MHz	18 nm	42.57	-	118 ft
				33 km	56.46		118 m
06R	LOC-ILS	IOA	110.50 MHz	18 nm	42.60	-	118 ft
				33 km	56.49		118 m
10	LOC-ILS	IDO	110.10 MHz	18 nm	87.62	-	118 ft
				33 km	101.51		118 m
24L	LOC-ILS	IMQ	110.50 MHz	18 nm	222.60	-	118 ft
				33 km	236.49		118 m
24R	LOC-ILS	IZZ	111.90 MHz	18 nm	222.57	-	118 ft
				33 km	236.46		118 m
06L	GS	IUL	109.30 MHz	10 nm	42.57	3.00	118 ft
				19 km	56.46		118 m
06R	GS	IOA	110.50 MHz	10 nm	42.60	3.00	118 ft
				19 km	56.49		118 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	GS	IDO	110.10 MHz	10 nm	87.62	3.00	118 ft
				19 km	101.51		118 m
24L	GS	IMQ	110.50 MHz	10 nm	222.60	3.00	118 ft
				19 km	236.49		118 m
24R	GS	IZZ	111.90 MHz	10 nm	222.57	3.00	118 ft
				19 km	236.46		118 m