


2024/05/23 1525Z

EHAM DENOX UN872 CIV CIV UN872 LESDO UM728 RESMI UN857 DEPOM G54 CTX G28 LMG UN10 SAU UN857 PPN
UN10 VASUM UN857 MONTO UN864 MAR GMTT

1115.22 nm / 2065.38 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EHAM APT	-	52.30810 4.76417	0 ft 0 m	-	Amsterdam Schiphol
DENOX FIX	-	50.87940 4.02778	32,100 ft 9,784 m	90	-
CIV VOR	UN872 AWY-HI	50.57400 3.83287	35,000 ft 10,668 m	19	CHIEVRES
CIV DME	-	50.57230 3.82183	35,000 ft 10,668 m	0	CHIEVRES TACAN
MEDIL FIX	UN872 AWY-HI	50.34210 3.67497	35,000 ft 10,668 m	14	-
LESDO FIX	UN872 AWY-HI	49.80830 3.31806	35,000 ft 10,668 m	34	-
KOVIN FIX	UM728 AWY-HI	49.48580 3.10639	35,000 ft 10,668 m	21	-
RESMI FIX	UM728 AWY-HI	48.56860 2.19194	35,000 ft 10,668 m	65	-
DEKOD FIX	UN857 AWY-HI	48.28330 2.10000	35,000 ft 10,668 m	17	-
DISAK FIX	UN857 AWY-HI	48.13330 2.13167	35,000 ft 10,668 m	9	-
DEPOM FIX	UN857 AWY-HI	47.31780 2.17917	35,000 ft 10,668 m	49	-
CTX NDB	G54 AWY-LO	46.93660 1.80114	35,000 ft 10,668 m	27	CHATEAUROUX DEOLS
GUSON FIX	G28 AWY-LO	46.47420 1.47778	35,000 ft 10,668 m	30	-
LMG VOR	G28 AWY-LO	45.81590 1.02558	35,000 ft 10,668 m	43	LIMOGES
VELIN FIX	UN10 AWY-HI	44.98000 0.15556	35,000 ft 10,668 m	62	-
SAU VOR	UN10 AWY-HI	44.67680 -0.15292	35,000 ft 10,668 m	22	SAUVETERRE DE GUYENNE
BEGUY FIX	UN857 AWY-HI	43.05830 -1.45083	35,000 ft 10,668 m	112	-
PPN VOR	UN857 AWY-HI	42.73370 -1.70200	35,000 ft 10,668 m	22	PAMPLONA
VASUM FIX	UN10 AWY-HI	42.27190 -2.01100	35,000 ft 10,668 m	30	-
BAN VOR	UN857 AWY-HI	41.32360 -2.62978	35,000 ft 10,668 m	63	BARAHONA
MITUM FIX	UN857 AWY-HI	40.64560 -3.24781	35,000 ft 10,668 m	49	-
BOSIO FIX	UN857 AWY-HI	40.34090 -3.52058	35,000 ft 10,668 m	22	-
GOTOR FIX	UN857 AWY-HI	40.11080 -3.72450	35,000 ft 10,668 m	16	-
KAMPO FIX	UN857 AWY-HI	39.73330 -4.05539	35,000 ft 10,668 m	27	-
MONTO FIX	UN857 AWY-HI	39.22180 -4.49683	35,000 ft 10,668 m	36	-
CRISA FIX	UN864 AWY-HI	38.93860 -4.55628	35,000 ft 10,668 m	17	-
VULPE	UN864	37.76120	29,000 ft	71	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	-4.79844	8,839 m		
MAR	UN864	37.05530	19,800 ft	42	MARTIN
VOR	AWY-HI	-4.93989	6,035 m		
GMTT	-	35.73170	0 ft	92	IBN BATOUTA
APT	-	-5.92099	0 m		

EHAM

Region: NETHERLANDS
Timezone: EUROPE/AMSTERDAM
Runways: 6

Elevation: -11 ft / -3 m
Location: 52.308100 4.764170
Magnetic Var: 2.048 E

METAR

EHAM 231455Z 26014KT 220V290 9999 FEW028 18/11 Q1014 NOSIG

TAF

TAF TAF EHAM 231110Z 2312/2418 24014KT 9999 SCT020 BECMG 2318/2321 16004KT CAVOK PROB30 2402/2405 2000 BR BCFG TEM

Frequencies

GND - 121.55 MHz - SCHIPHOL GROUND	GND - 121.70 MHz - SCHIPHOL GROUND
GND - 121.80 MHz - SCHIPHOL GROUND	GND - 121.90 MHz - SCHIPHOL GROUND
GND - 121.60 MHz - SCHIPHOL GROUND	TWR - 119.22 MHz - SCHIPHOL TOWER
TWR - 118.10 MHz - SCHIPHOL TOWER	TWR - 118.27 MHz - SCHIPHOL TOWER
TWR - 119.90 MHz - SCHIPHOL TOWER	APP - 118.80 MHz - AMSTERDAM RADAR
APP - 120.55 MHz - AMSTERDAM RADAR	APP - 127.78 MHz - AMSTERDAM RADAR
APP - 119.05 MHz - SCHIPHOL APPROACH	APP - 118.08 MHz - SCHIPHOL APPROACH
APP - 126.68 MHz - SCHIPHOL APPROACH	APP - 118.40 MHz - SCHIPHOL ARRIVAL
APP - 131.15 MHz - SCHIPHOL ARRIVAL	DEP - 121.20 MHz - SCHIPHOL DEPARTURE
REC - 122.20 MHz - SCHIPHOL ATIS	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	145 ft	11,319 ft	86.77	ASPHALT	325 ft	0 ft
	44 m	3,450 m	84.73		99 m	0 m
27	145 ft	11,319 ft	266.81	ASPHALT	0 ft	0 ft
	44 m	3,450 m	264.77		0 m	0 m
18L	150 ft	11,150 ft	183.24	ASPHALT	1,886 ft	0 ft
	46 m	3,399 m	181.19		575 m	0 m
36R	150 ft	11,150 ft	3.24	ASPHALT	0 ft	0 ft
	46 m	3,399 m	1.19		0 m	0 m
18C	145 ft	10,813 ft	183.22	ASPHALT	0 ft	0 ft
	44 m	3,296 m	181.17		0 m	0 m
36C	145 ft	10,813 ft	3.22	ASPHALT	1,473 ft	0 ft
	44 m	3,296 m	1.17		449 m	0 m
18R	190 ft	12,467 ft	183.19	ASPHALT	886 ft	0 ft
	58 m	3,800 m	181.14		270 m	0 m
36L	190 ft	12,467 ft	3.19	ASPHALT	0 ft	0 ft
	58 m	3,800 m	1.14		0 m	0 m
06	150 ft	11,288 ft	57.85	ASPHALT	814 ft	0 ft
	46 m	3,441 m	55.81		248 m	0 m
24	150 ft	11,288 ft	237.89	ASPHALT	0 ft	0 ft
	46 m	3,441 m	235.84		0 m	0 m
04	140 ft	6,624 ft	41.18	ASPHALT	0 ft	0 ft
	43 m	2,019 m	39.14		0 m	0 m
22	140 ft	6,624 ft	221.20	ASPHALT	0 ft	0 ft
	43 m	2,019 m	219.15		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	KAG	110.55 MHz	18 nm 33 km	- -	-	-11 ft -11 m
18R	DME	VPB	110.10 MHz	18 nm 33 km	- -	-	-11 ft -11 m
22	DME	SCH	109.15 MHz	18 nm 33 km	- -	-	-11 ft -11 m
27	DME	BVB	111.55 MHz	18 nm 33 km	- -	-	-11 ft -11 m
36C	DME	MSA	108.75 MHz	18 nm 33 km	- -	-	-11 ft -11 m
36R	DME	ABA	111.95 MHz	18 nm 33 km	- -	-	-11 ft -11 m
06	LOC-ILS	KAG	110.55 MHz	18 nm 33 km	57.88 55.83	-	-11 ft -11 m
18C	LOC-ILS	ZWA	109.50 MHz	18 nm 33 km	183.22 181.17	-	-11 ft -11 m
18R	LOC-ILS	VPB	110.10 MHz	18 nm 33 km	183.19 181.14	-	-11 ft -11 m
22	LOC-ILS	SCH	109.15 MHz	18 nm 33 km	221.20 219.15	-	-11 ft -11 m
27	LOC-ILS	BVB	111.55 MHz	18 nm 33 km	266.79 264.74	-	-11 ft -11 m
36C	LOC-ILS	MSA	108.75 MHz	18 nm 33 km	3.22 1.17	-	-11 ft -11 m
36R	LOC-ILS	ABA	111.95 MHz	18 nm 33 km	3.24 1.19	-	-11 ft -11 m
06	GS	KAG	110.55 MHz	10 nm 19 km	57.88 55.83	3.00	-11 ft -11 m
18C	GS	ZWA	109.50 MHz	10 nm 19 km	183.22 181.17	3.00	-11 ft -11 m
18R	GS	VPB	110.10 MHz	10 nm 19 km	183.19 181.14	3.00	-11 ft -11 m
22	GS	SCH	109.15 MHz	10 nm 19 km	221.20 219.15	3.00	-11 ft -11 m
27	GS	BVB	111.55 MHz	10 nm 19 km	266.79 264.74	3.00	-11 ft -11 m
36C	GS	MSA	108.75 MHz	10 nm 19 km	3.22 1.17	3.00	-11 ft -11 m
36R	GS	ABA	111.95 MHz	10 nm 19 km	3.24 1.19	3.00	-11 ft -11 m

GMTT

Region: MOROCCO
Timezone: AFRICA/CASABLANCA
Runways: 1

Elevation: 62 ft / 19 m
Location: 35.731700 -5.920990
Magnetic Var: 0.562 W

METAR

GMTT 231500Z 04016KT CAVOK 25/14 Q1012 NOSIG

TAF

TAF GMTT 231100Z 2312/2418 06006KT CAVOK BECMG 2314/2316 08017KT

Frequencies

TWR - 119.50 MHz - TANGER TWR

APP - 121.20 MHz - TANGER APP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	141 ft	11,479 ft	96.53	ASPHALT	0 ft	197 ft
	43 m	3,499 m	97.09		0 m	60 m
28	141 ft	11,479 ft	276.56	ASPHALT	1,654 ft	184 ft
	43 m	3,499 m	277.12		504 m	56 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28	LOC-ILS	TAG	109.30 MHz	18 nm	276.54	-	62 ft
				33 km	277.10		62 m
28	GS	TAG	109.30 MHz	10 nm	276.54	3.00	62 ft
				19 km	277.10		62 m