


2024/05/12 0822Z

KIWS LOTTA **V15** ACT **J50** ABI **J17** PUB **J28** FSHR **V244** FLOOD KASE

824.08 nm / 1526.20 km



## Notes

Basic altitude profile:

- Ascent Rate: 1100ft/min
- Ascent Speed: 165kts
- Cruise Altitude: 32000ft
- Cruise Speed: 220kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KIWS APT	-	29.81819 -95.67260	0 ft 0 m	-	WEST HOUSTON
LOTTA FIX	-	31.14120 -96.84794	34,000 ft 10,363 m	100	-
SATTY FIX	V15 AWY-LO	31.36047 -97.02442	18,000 ft 5,486 m	15	-
ACT VOR	V15 AWY-LO	31.66233 -97.26903	18,000 ft 5,486 m	22	WACO VORTAC
HICOE FIX	J50 AWY-HI	31.93812 -98.11898	34,000 ft 10,363 m	46	-
ABI VOR	J50 AWY-HI	32.48133 -99.86344	34,000 ft 10,363 m	94	ABILENE VORTAC
DUMPS FIX	J17 AWY-HI	33.79249 -100.72046	34,000 ft 10,363 m	89	-
TURKI FIX	J17 AWY-HI	34.30093 -101.06084	34,000 ft 10,363 m	34	-
PNH VOR	J17 AWY-HI	35.23506 -101.69903	34,000 ft 10,363 m	64	PANHANDLE VORTAC
TBE VOR	J17 AWY-HI	37.25867 -103.60006	34,000 ft 10,363 m	152	TOBE VOR-DME
PUB VOR	J17 AWY-HI	38.29425 -104.42944	26,800 ft 8,169 m	73	PUEBLO VORTAC
FSHER FIX	J28 AWY-HI	38.30969 -104.64754	24,600 ft 7,498 m	10	-
STANO FIX	V244 AWY-LO	38.32231 -104.83036	18,000 ft 5,486 m	8	-
FLOOD FIX	V244 AWY-LO	38.34000 -105.09399	18,000 ft 5,486 m	12	-
KASE APT	-	39.22316 -106.86885	0 ft 0 m	98	Aspen Pitkin Co Sardy Fld

## KASE

Region: UNITED STATES  
Timezone: AMERICA/DENVER  
Runways: 1

Elevation: 7,838 ft / 2,389 m  
Location: 39.221900 -106.868000  
Magnetic Var: 8.432 E

## METAR

KASE 120753Z AUTO 00000KT 9SM UP SCT005 OVC027 00/00 A3003 RMK A02 UPB44SNE44 SLP120 P0004 T00000000

## TAF

TAF KASE 120528Z 1206/1306 19003KT P6SM -SHRA SCT004 OVC014 TEMPO 1206/1208 2SM -SHRA BKN008 OVC013 FM120900 2000

## Frequencies

REC - 120.40 MHz - ASPEN ATIS	CLD - 123.75 MHz - ASPEN CLEARANCE
GND - 121.90 MHz - ASPEN GROUND	TWR - 118.85 MHz - ASPEN TOWER
APP - 123.80 MHz - ASPEN APPROACH	DEP - 123.80 MHz - ASPEN DEPARTURE
COM - 122.95 MHz - ASPEN UNICOM	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	100 ft	8,010 ft	159.71	ASPHALT	0 ft	203 ft
	30 m	2,441 m	151.28		0 m	62 m
33	100 ft	8,010 ft	339.72	ASPHALT	1,004 ft	200 ft
	30 m	2,441 m	331.29		306 m	61 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15	DME	IASE	111.15 MHz	18 nm	-	-	7,830 ft
				33 km	-		7,830 m
15	LOC-LOC	IPKN	108.50 MHz	18 nm	159.72	-	7,835 ft
				33 km	151.29		7,835 m