

UUEE

Moscow Sheremetyevo Alexander S. Pushkin Intl


ULAA

Arkhangelsk Talagi Regl

2024/06/08 1750Z

UUEE REKSO **R22** ERNIG **G931** UREPI **B958** BAROD **W57** ABELU ULAA

542.52 nm / 1004.75 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
UUEE	-	55.97250	0 ft	-	Moscow Sheremetyevo	Alexander S. Pushkin Intl
APT	-	37.41310	0 m			
REKSO	-	57.32670	30,600 ft	85	-	
FIX	-	38.23780	9,327 m			
LUGON	R22	57.95830	35,000 ft	41	-	
FIX	AWY-HI	38.76610	10,668 m			
ERNIG	R22	58.17420	35,000 ft	14	-	
FIX	AWY-HI	38.95190	10,668 m			
RIBTI	G931	58.27360	35,000 ft	6	-	
FIX	AWY-HI	38.87060	10,668 m			
ORSOT	G931	58.70170	35,000 ft	28	-	
FIX	AWY-HI	38.51390	10,668 m			
KOMAM	G931	58.87610	35,000 ft	11	-	
FIX	AWY-HI	38.36810	10,668 m			
UREPI	G931	59.27670	35,000 ft	26	-	
FIX	AWY-HI	38.01940	10,668 m			
IPNAN	B958	59.65690	35,000 ft	23	-	
FIX	AWY-HI	38.16970	10,668 m			
INRIM	B958	59.77670	35,000 ft	7	-	
FIX	AWY-HI	38.21780	10,668 m			
ADLAR	B958	60.41060	35,000 ft	38	-	
FIX	AWY-HI	38.47810	10,668 m			
OTLAS	B958	60.67190	35,000 ft	16	-	
FIX	AWY-HI	38.58830	10,668 m			
BASAP	B958	60.84580	35,000 ft	10	-	
FIX	AWY-HI	38.66250	10,668 m			
GIMOT	B958	61.29000	35,000 ft	27	-	
FIX	AWY-HI	38.85610	10,668 m			
BAROD	B958	61.53330	35,000 ft	14	-	
FIX	AWY-HI	38.96420	10,668 m			
ABELU	W57	63.73330	11,500 ft	136	-	
FIX	AWY-HI	40.18250	3,505 m			
ULAA	-	64.60030	0 ft	53	Arkhangelsk Talagi Regl	
APT	-	40.71650	0 m			

UUEE

Region: RUSSIA
Timezone: EUROPE/MOSCOW
Runways: 3

Elevation: 630 ft / 192 m
Location: 55.972500 37.413100
Magnetic Var: 11.987 E

METAR

UUEE 081730Z 27003G08MPS 200V330 CAVOK 21/07 Q1009 R24L/CLRD62 R24C/CLRD62 NOSIG

TAF

TAF UUEE 081354Z 0815/0915 29003MPS 9999 SCT040 TX22/0912Z TN14/0902Z TEMPO 0815/0820 34008G13MPS TEMPO 0820/0824

Frequencies

REC - 122.07 MHz - SHEREMETYEVO ATIS ARRIVAL	REC - 125.12 MHz - SHEREMETYEVO ATIS DEPARTURE
REC - 120.37 MHz - SHEREMETYEVO ATIS ARRIVAL	REC - 126.37 MHz - SHEREMETYEVO ATIS DEPARTURE
TWR - 131.50 MHz - SHEREMETYEVO TOWER	TWR - 120.70 MHz - SHEREMETYEVO TOWER
TWR - 118.70 MHz - SHEREMETYEVO TOWER	TWR - 119.30 MHz - SHEREMETYEVO TOWER
GND - 119.00 MHz - SHEREMETYEVO GROUND	GND - 121.80 MHz - SHEREMETYEVO GROUND
GND - 122.90 MHz - SHEREMETYEVO GROUND	GND - 121.90 MHz - SHEREMETYEVO APRON 1
GND - 123.60 MHz - SHEREMETYEVO APRON 2	GND - 130.35 MHz - SHEREMETYEVO APRON 3
GND - 134.55 MHz - SHEREMETYEVO APRON 4	CLD - 128.60 MHz -
CLD - 120.87 MHz -	SHEREMETYEVO CLEARANCE DELIVERY
SHEREMETYEVO CLEARANCE DELIVERY	APP - 122.70 MHz - SHEREMETYEVO RADAR
APP - 135.17 MHz - SHEREMETYEVO RADAR	APP - 118.10 MHz - SHEREMETYEVO RADAR
APP - 126.60 MHz - SHEREMETYEVO RADAR	APP - 120.67 MHz - SHEREMETYEVO RADAR
APP - 127.20 MHz - MOSCOW APPROACH	APP - 128.00 MHz - MOSCOW APPROACH
APP - 134.00 MHz - MOSCOW APPROACH	APP - 131.20 MHz - MOSCOW APPROACH
APP - 118.95 MHz - MOSCOW APPROACH	APP - 118.55 MHz - MOSCOW APPROACH
APP - 130.37 MHz - MOSCOW APPROACH	APP - 124.20 MHz - MOSCOW APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06L	197 ft	10,467 ft	74.98	CONCRETE	0 ft	0 ft
	60 m	3,190 m	63.00		0 m	0 m
24R	197 ft	10,467 ft	255.02	CONCRETE	0 ft	0 ft
	60 m	3,190 m	243.04		0 m	0 m
06C	197 ft	11,611 ft	75.03	CONCRETE	0 ft	0 ft
	60 m	3,539 m	63.04		0 m	0 m
24C	197 ft	11,611 ft	255.07	CONCRETE	0 ft	0 ft
	60 m	3,539 m	243.08		0 m	0 m
06R	197 ft	12,101 ft	75.03	CONCRETE	0 ft	0 ft
	60 m	3,689 m	63.04		0 m	0 m
24L	197 ft	12,101 ft	255.07	CONCRETE	0 ft	0 ft
	60 m	3,689 m	243.09		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	LOC-ILS	IMA	108.75 MHz	18 nm	75.00	-	630 ft
				33 km	63.01		630 m
06C	LOC-ILS	IMR	108.10 MHz	18 nm	75.05	-	630 ft
				33 km	63.06		630 m
06R	LOC-ILS	INL	109.10 MHz	18 nm	75.05	-	630 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	63.06		630 m
24L	LOC-ILS	IBW	110.50 MHz	18 nm	255.05	-	630 ft
				33 km	243.06		630 m
24C	LOC-ILS	IAD	111.30 MHz	18 nm	255.05	-	630 ft
				33 km	243.06		630 m
24R	LOC-ILS	IBR	109.35 MHz	18 nm	255.00	-	630 ft
				33 km	243.01		630 m
06L	GS	IMA	108.75 MHz	10 nm	75.00	3.00	630 ft
				19 km	63.01		630 m
06C	GS	IMR	108.10 MHz	10 nm	75.05	2.98	630 ft
				19 km	63.06		630 m
06R	GS	INL	109.10 MHz	10 nm	75.05	2.98	630 ft
				19 km	63.06		630 m
24L	GS	IBW	110.50 MHz	10 nm	255.05	2.98	630 ft
				19 km	243.06		630 m
24C	GS	IAD	111.30 MHz	10 nm	255.05	2.98	630 ft
				19 km	243.06		630 m
24R	GS	IBR	109.35 MHz	10 nm	255.00	3.00	630 ft
				19 km	243.01		630 m

ULAA

Region: RUSSIA
Timezone: EUROPE/MOSCOW
Runways: 1

Elevation: 62 ft / 19 m
Location: 64.600300 40.716500
Magnetic Var: 17.961 E

METAR

ULAA 081730Z 31002MPS 9999 -SHRA BKN005 OVC020CB 12/12 Q1004 R26/290060 NOSIG RMK QBB150 QFE752/1002

TAF

TAF ULAA 081100Z 0812/0912 32004MPS 9999 BKN011CB TEMPO 0812/0821 30006G12MPS 6000 -SHRA BKN007 BKN010CB

Frequencies

REC - 126.67 MHz - ARKHANGELSK ATIS
APP - 122.00 MHz - ARKHANGELSK APPROACH
GND - 122.90 MHz - ARKHANGELSK GROUND
TWR - 121.80 MHz - ARKHANGELSK TOWER
COM - 124.00 MHz - ARKHANGELSK RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	144 ft	8,187 ft	96.45	ASPHALT	0 ft	0 ft
	44 m	2,496 m	78.49		0 m	0 m
26	144 ft	8,187 ft	276.50	ASPHALT	0 ft	0 ft
	44 m	2,496 m	258.54		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	LOC-ILS	IAZ	110.30 MHz	18 nm	96.48	-	62 ft
				33 km	78.52		62 m
26	LOC-ILS	IKM	111.70 MHz	18 nm	276.48	-	62 ft
				33 km	258.52		62 m
08	GS	IAZ	110.30 MHz	10 nm	96.48	2.67	62 ft
				19 km	78.52		62 m
26	GS	IKM	111.70 MHz	10 nm	276.48	2.67	62 ft
				19 km	258.52		62 m