

# SAZM

Mar Del Plata Intl


# SAEZ

Ministro Pistarini Intl

2024/06/07 2148Z

SAZM SORSI SAEZ

195.92 nm / 362.83 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SAZM	-	-37.93420	0 ft	-	Mar Del Plata Intl
APT	-	-57.57330	0 m		
SORSI	-	-36.46250	21,100 ft	97	-
FIX	-	-58.42080	6,431 m		
SAEZ	-	-34.82200	0 ft	98	Ministro Pistarini Intl
APT	-	-58.53260	0 m		

## SAZM

Region: ARGENTINA  
Timezone: AMERICA/ARGENTINA/BUENOS\_AIRES  
Runways: 1

Elevation: 71 ft / 22 m  
Location: -37.934200 -57.573300  
Magnetic Var: 8.577 W

## METAR

SAZM 072100Z 00000KT CAVOK 16/12 Q1018

## TAF

TAF SAZM 071700Z 0718/0818 23005KT CAVOK TX21/0718Z TN11/0811Z BECMG 0719/0721 16005KT BECMG 0800/0802 02005KT 50

## Frequencies

GND - 121.70 MHz -  
APP - 118.20 MHz -

TWR - 118.75 MHz -

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	148 ft	7,208 ft	122.80	ASPHALT	0 ft	164 ft
	45 m	2,197 m	131.37		0 m	50 m
31	148 ft	7,208 ft	302.78	ASPHALT	0 ft	0 ft
	45 m	2,197 m	311.36		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13	DME	MP	109.50 MHz	18 nm	-	-	70 ft
				33 km	-		70 m
13	LOC-ILS	MP	109.50 MHz	18 nm	122.49	-	71 ft
				33 km	131.07		71 m
13	GS	MP	109.50 MHz	10 nm	123.31	3.00	71 ft
				19 km	131.89		71 m

## SAEZ

Region: ARGENTINA

Timezone: AMERICA/ARGENTINA/BUENOS\_AIRES

Runways: 2

Elevation: 66 ft / 20 m

Location: -34.822000 -58.532600

Magnetic Var: 9.824 W

## METAR

SAEZ 072100Z 10005KT CAVOK 17/13 Q1016 NOSIG

## TAF

TAF SAEZ 071700Z 0718/0818 09010KT CAVOK TX24/0818Z TN15/0811Z BECMG 0719/0721 9999 BKN020 BKN040 BECMG 0802/0805

## Frequencies

REC - 127.80 MHz - ATIS

GND - 121.75 MHz - EZEIZA GROUND

APP - 119.90 MHz - EZEIZA APPROACH

CLD - 127.10 MHz - EZEIZA CLEARANCE

TWR - 118.60 MHz - EZEIZA TOWER

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	197 ft	10,801 ft	102.32	ASPHALT	0 ft	85 ft
	60 m	3,292 m	112.14		0 m	26 m
29	197 ft	10,801 ft	282.30	ASPHALT	0 ft	102 ft
	60 m	3,292 m	292.12		0 m	31 m
17	148 ft	10,226 ft	164.07	ASPHALT	0 ft	105 ft
	45 m	3,117 m	173.90		0 m	32 m
35	148 ft	10,226 ft	344.07	ASPHALT	991 ft	92 ft
	45 m	3,117 m	353.89		302 m	28 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	DME	PC	110.10 MHz	18 nm	-	-	66 ft
				33 km	-		66 m
35	DME	EZ	108.70 MHz	18 nm	-	-	66 ft
				33 km	-		66 m
11	LOC-ILS	PC	110.10 MHz	18 nm	102.31	-	66 ft
				33 km	112.13		66 m
35	LOC-ILS	EZ	108.70 MHz	18 nm	344.07	-	66 ft
				33 km	353.89		66 m
11	GS	PC	110.10 MHz	10 nm	102.31	3.00	66 ft
				19 km	112.13		66 m
35	GS	EZ	108.70 MHz	10 nm	344.07	3.00	66 ft
				19 km	353.89		66 m