

VTBD

Don Mueang Intl


FIMP

Sir Seewoosagur Ramgoolam Intl

2024/06/07 0841Z

VTBD HOTEL **G458** MENEX **W34** PUT LEKIR NILAM IGEBO BEDAX **P627** GUTOX 200N08900E MATLU **P627** PLS FIMP

3338.91 nm / 6183.66 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VTBD	-	13.91250	0 ft	-	Don Mueang Intl
APT	-	100.60700	0 m		
HOTEL	-	13.00170	20,300 ft	57	-
FIX	-	100.33000	6,187 m		
UKERA	G458	12.03530	35,000 ft	60	-
FIX	AWY-HI	100.01900	10,668 m		
MENEX	G458	11.14190	35,000 ft	55	-
FIX	AWY-HI	99.76180	10,668 m		
CPN	W34	10.71120	35,000 ft	34	CHUMPHON
VOR	AWY-HI	99.36560	10,668 m		
RAN	W34	9.77866	35,000 ft	72	RANONG
VOR	AWY-HI	98.58390	10,668 m		
PUT	W34	8.11523	35,000 ft	101	PHUKET
VOR	AWY-HI	98.30630	10,668 m		
LEKIR	-	7.27560	35,000 ft	98	-
FIX	-	96.87860	10,668 m		
NILAM	-	6.75640	35,000 ft	62	-
FIX	-	95.97640	10,668 m		
IGEBO	-	6.23580	35,000 ft	61	-
FIX	-	95.08080	10,668 m		
BEDAX	-	5.36433	35,000 ft	93	-
FIX	-	93.78760	10,668 m		
NIXUL	P627	4.00806	35,000 ft	134	-
FIX	AWY-HI	92.00000	10,668 m		
GUTOX	P627	2.28917	35,000 ft	168	-
FIX	AWY-HI	89.77280	10,668 m		
200N08900E	-	2.00000	35,000 ft	49	-
LATLON	-	89.00000	10,668 m		
MATLU	-	1.44889	35,000 ft	38	-
FIX	-	88.67360	10,668 m		
KALOX	P627	-0.31083	35,000 ft	174	-
FIX	AWY-HI	86.37140	10,668 m		
DABAP	P627	-1.44417	35,000 ft	112	-
FIX	AWY-HI	84.88830	10,668 m		
KADAP	P627	-2.00000	35,000 ft	55	-
FIX	AWY-HI	84.16000	10,668 m		
KABTA	P627	-5.90833	35,000 ft	388	-
FIX	AWY-HI	79.00000	10,668 m		
KALBI	P627	-8.87167	35,000 ft	297	-
FIX	AWY-HI	75.00000	10,668 m		
KANSA	P627	-12.45140	35,000 ft	365	-
FIX	AWY-HI	70.00000	10,668 m		
KABDO	P627	-15.84580	35,000 ft	355	-
FIX	AWY-HI	65.00000	10,668 m		
GUTKO	P627	-19.07830	32,400 ft	350	-
FIX	AWY-HI	59.90390	9,876 m		
PLS	P627	-20.42000	200 ft	150	PLAISANCE (MAURITIUS)
VOR	AWY-HI	57.66240	61 m		
FIMP	-	-20.43020	0 ft	1	Sir Seewoosagur Ramgoolam Intl
APT	-	57.68360	0 m		

VTBD

Region: THAILAND
Timezone: ASIA/BANGKOK
Runways: 2

Elevation: 8 ft / 2 m
Location: 13.912500 100.607000
Magnetic Var: 0.541 W

METAR

VTBD 070830Z 25009KT 220V280 9999 FEW020 SCT040 32/24 Q1006 NOSIG

TAF

TAF VTBD 070500Z 0706/0812 23008KT 9999 SCT025 TEMPO 0709/0713 VRB20KT 4000 TSRA FEW018CB SCT030 BKN090 TEMPO 0800/0805

Frequencies

REC - 118.55 MHz - ATIS	REC - 126.40 MHz - ATIS
GND - 122.50 MHz - DON MUEANG GROUND	GND - 121.90 MHz - DON MUEANG GROUND
TWR - 118.10 MHz - DON MUEANG TOWER	CLD - 127.70 MHz - DON MUEANG DELIVERY
APP - 118.40 MHz - DON MUEANG APPROACH	APP - 119.10 MHz - DON MUEANG APPROACH
APP - 121.70 MHz - BANGKOK APPROACH	APP - 124.35 MHz - BANGKOK APPROACH
APP - 125.20 MHz - BANGKOK APPROACH	APP - 125.50 MHz - DON MUEANG ARRIVAL

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03L	197 ft	12,191 ft	28.56	ASPHALT	0 ft	492 ft
	60 m	3,716 m	29.10		0 m	150 m
21R	197 ft	12,191 ft	208.56	ASPHALT	0 ft	492 ft
	60 m	3,716 m	209.10		0 m	150 m
03R	148 ft	11,543 ft	28.57	ASPHALT	0 ft	325 ft
	45 m	3,518 m	29.11		0 m	99 m
21L	148 ft	11,543 ft	208.57	ASPHALT	1,145 ft	0 ft
	45 m	3,518 m	209.11		349 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	DME	IBKD	109.70 MHz	18 nm	-	-	3 ft
				33 km	-		3 m
21L	DME	IDMG	110.30 MHz	18 nm	-	-	9 ft
				33 km	-		9 m
03L	LOC-ILS	IBKD	109.70 MHz	18 nm	28.56	-	9 ft
				33 km	29.10		9 m
21L	LOC-ILS	IDMG	110.30 MHz	18 nm	208.57	-	9 ft
				33 km	209.11		9 m
21R	LOC-ILS	IBKK	109.30 MHz	18 nm	208.56	-	9 ft
				33 km	209.10		9 m
03L	GS	IBKD	109.70 MHz	10 nm	28.56	3.00	9 ft
				19 km	29.10		9 m
21L	GS	IDMG	110.30 MHz	10 nm	208.57	3.00	9 ft
				19 km	209.11		9 m
21R	GS	IBKK	109.30 MHz	10 nm	208.56	3.00	9 ft
				19 km	209.10		9 m

FIMP

Region: MAURITIUS
Timezone: INDIAN/MAURITIUS
Runways: 1

Elevation: 183 ft / 56 m
Location: -20.430200 57.683600
Magnetic Var: 18.067 W

METAR

FIMP 070800Z 12013KT 9999 SCT017 26/18 Q1020

TAF

TAF FIMP 070505Z 0706/0812 12015G25KT 7000 -SHRA FEW008 BKN015 BECMG 0707/0709 9999 SCT017

Frequencies

REC - 126.20 MHz - MAURITIUS ATIS
APP - 119.10 MHz - MAURITIUS APPROACH
TWR - 118.10 MHz - MAURITIUS TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	148 ft	11,073 ft	117.17	ASPHALT	1,086 ft	203 ft
	45 m	3,375 m	135.24		331 m	62 m
32	148 ft	11,073 ft	297.17	ASPHALT	0 ft	197 ft
	45 m	3,375 m	315.23		0 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
14	DME	IPL	109.90 MHz	18 nm	-	-	186 ft
				33 km	-		186 m
14	LOC-ILS	IPL	109.90 MHz	18 nm	117.12	-	183 ft
				33 km	135.19		183 m
14	GS	IPL	109.90 MHz	10 nm	117.12	3.50	183 ft
				19 km	135.19		183 m