


2024/06/09 0729Z

URMM PARAT **B947** ER URRP

237.00 nm / 438.92 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
URMM	-	44.22680	0 ft	-	Mineralnyye Vody Intl
APT	-	43.08300	0 m		
PARAT	-	45.53310	29,800 ft	97	-
FIX	-	41.71500	9,083 m		
KULOM	B947	45.81640	25,400 ft	20	-
FIX	AWY-HI	41.43170	7,742 m		
ER	B947	46.58530	13,300 ft	56	YEGORLYKSKAYA
NDB	AWY-HI	40.65940	4,054 m		
URRP	-	47.49400	0 ft	62	Platov
APT	-	39.92470	0 m		

URMM

Region: RUSSIA
Timezone: EUROPE/MOSCOW
Runways: 1

Elevation: 1,046 ft / 319 m
Location: 44.226800 43.083000
Magnetic Var: 7.952 E

METAR

URMM 090723Z 26004MPS 9999 VCTS -SHRA BKN054CB 21/17 Q1011 R29/190160 NOSIG RMK QFE730/0974

TAF

TAF URMM 090500Z 0906/1006 28003G10MPS 9999 BKN040 TX26/0912Z TN16/1002Z TEMPO 0906/1006 VRB05G13MPS 6000 -TSRA B

Frequencies

REC - 125.25 MHz - ATIS
GND - 121.90 MHz - MINERALNYYE VODY GROUND
TWR - 128.00 MHz - MINERALNYYE VODY TOWER
APP - 119.30 MHz - MINERLANYYE VODY APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	197 ft	12,813 ft	122.26	CONCRETE	0 ft	0 ft
	60 m	3,905 m	114.30		0 m	0 m
30	197 ft	12,813 ft	302.29	CONCRETE	0 ft	0 ft
	60 m	3,905 m	294.33		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	LOC-ILS	IMD	111.70 MHz	18 nm	122.27	-	1,046 ft
				33 km	114.32		1,046 m
30	LOC-ILS	IMW	109.30 MHz	18 nm	302.27	-	1,046 ft
				33 km	294.32		1,046 m
12	GS	IMD	111.70 MHz	10 nm	122.27	3.00	1,046 ft
				19 km	114.32		1,046 m
30	GS	IMW	109.30 MHz	10 nm	302.27	3.00	1,046 ft
				19 km	294.32		1,046 m

URRP

Region: RUSSIA
Timezone: EUROPE/MOSCOW
Runways: 1

Elevation: 282 ft / 86 m
Location: 47.494000 39.924700
Magnetic Var: 8.859 E

METAR

URRP 090700Z 05005MPS 9999 FEW///CB 23/15 Q1010 R05/290054 TEMPO 2000 SHRA FEW005 BKN020CB RMK QFE753/1004

TAF

TAF URRP 090455Z 0906/1006 06003G12MPS 9999 SCT030CB TX31/0912Z TN18/1002Z TEMPO 0906/0909 33003G12MPS 6000 -SHRA

Frequencies

REC - 132.40 MHz - ATIS
GND - 119.00 MHz - PLATOV GROUND
TWR - 119.70 MHz - PLATOV TOWER
APP - 128.20 MHz - PLATOV APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	148 ft	11,802 ft	54.27	CONCRETE	0 ft	164 ft
	45 m	3,597 m	45.41		0 m	50 m
23	148 ft	11,802 ft	234.30	CONCRETE	0 ft	164 ft
	45 m	3,597 m	225.44		0 m	50 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	LOC-ILS	IRD	111.50 MHz	18 nm	54.29	-	282 ft
				33 km	45.43		282 m
23	LOC-ILS	IRS	110.90 MHz	18 nm	234.29	-	282 ft
				33 km	225.43		282 m
05	GS	IRD	111.50 MHz	10 nm	54.29	3.00	282 ft
				19 km	45.43		282 m
23	GS	IRS	110.90 MHz	10 nm	234.29	3.00	282 ft
				19 km	225.43		282 m