KSBP
San Luis Co Rgnl


-

KHHR
Jack Northrop Fld Hawthorne Muni

2024/03/28 1159Z

KSBP OHIGH KHHR

138.89 nm / 257.22 km



Notes

Basic altitude profile:
- Ascent Rate: 1000ft/min
- Ascent Speed: 88kts
- Cruise Altitude: 7000ft
- Cruise Speed: 88kts
- Descent Rate: 500ft/min
- Descent Speed: 120kts

Options:
- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KSBP APT	– –	35.23714 −120.64346	0 ft 0 m	–	San Luis Co Rgnl
OHIGH FIX	– –	34.43135 −119.31082	11,200 ft 3,414 m	81	–
KHHR APT	– –	33.92286 −118.33516	0 ft 0 m	57	Jack Northrop Fld Hawthorne Muni

KSBP

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 2
Elevation: 212 ft / 65 m
Location: 35.237200 -120.644000
Magnetic Var: 12.111 E

METAR

KSBP 281056Z AUTO 16005KT 10SM BKN012 OVC023 12/09 A3011 RMK AO2 SLP194 T01220094

TAF

TAF AMD KSBP 280700Z 2807/2906 VRB03KT P6SM BKN015 OVC035 FM281100 VRB03KT 5SM -RA BR OVC015 FM281700 30008KT P6SM

Frequencies

COM - 124.00 MHz - CTAF
REC - 120.60 MHz - ATIS
TWR - 124.00 MHz - SAN LUIS TOWER
DEP - 127.72 MHz - SANTA BARBARA DEPARTURE
COM - 122.95 MHz - SAN LUIS UNICOM
GND - 121.60 MHz - SAN LUIS GROUND
APP - 127.72 MHz - SANTA BARBARA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	150 ft 46 m	6,105 ft 1,861 m	124.88 112.77	ASPHALT	801 ft 244 m	594 ft 181 m
29	150 ft 46 m	6,105 ft 1,861 m	304.89 292.78	ASPHALT	502 ft 153 m	614 ft 187 m
07	100 ft 31 m	2,495 ft 760 m	89.79 77.68	ASPHALT	0 ft 0 m	0 ft 0 m
25	100 ft 31 m	2,495 ft 760 m	269.80 257.68	ASPHALT	0 ft 0 m	299 ft 91 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	LOC-ILS	ISBP	109.70 MHz	18 nm 33 km	124.89 112.78	-	212 ft 212 m
11	GS	ISBP	109.70 MHz	10 nm 19 km	124.89 112.78	3.00	212 ft 212 m

KHHR

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 1
Elevation: 66 ft / 20 m
Location: 33.922900 -118.335000
Magnetic Var: 11.433 E

METAR

KHHR 281120Z AUTO VRB03KT 10SM BKN008 12/11 A3011 RMK AO2 T01220106 $

TAF

UNKNOWN

Frequencies

REC - 118.40 MHz - HAWTHORNE ATIS
TWR - 121.10 MHz - HAWTHORNE TOWER
APP - 124.90 MHz - SOCAL APPROACH
GND - 125.10 MHz - HAWTHORNE GROUND
COM - 121.10 MHz - HAWTHORNE AFIS
DEP - 124.30 MHz - SOCAL DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	98 ft 30 m	4,880 ft 1,488 m	86.74 75.30	ASPHALT	906 ft 276 m	82 ft 25 m
25	98 ft 30 m	4,880 ft 1,488 m	266.75 255.31	ASPHALT	463 ft 141 m	72 ft 22 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25	LOC-LOC	IHHR	109.10 MHz	18 nm 33 km	266.65 255.21	-	66 ft 66 m