


2024/06/06 1256Z

GMFO ALM GMTT

203.71 nm / 377.26 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
GMFO	-	34.79410	0 ft	-	Angads
APT	-	-1.93191	0 m		
ALM	-	35.19110	22,800 ft	96	AL HOCEIMA
VOR	-	-3.84172	6,949 m		
GMTT	-	35.73170	0 ft	106	IBN BATOUTA
APT	-	-5.92099	0 m		

GMFO

Region: MOROCCO
Timezone: AFRICA/CASABLANCA
Runways: 2

Elevation: 1,537 ft / 468 m
Location: 34.794100 -1.931910
Magnetic Var: 0.489 E

METAR

GMFO 061230Z 18018KT 3000 DU FEW023 SCT100 41/03 Q1012 NOSIG

TAF

TAF TAF GMFO 061100Z 0612/0718 16013KT 2500 DU BECMG 0620/0623 24005KT 9999 FEW026

Frequencies

REC - 121.60 MHz - OUJDA ATIS
APP - 136.60 MHz - OUJDA APPROACH

TWR - 118.20 MHz - OUJDA TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	148 ft	9,852 ft	131.03	ASPHALT	0 ft	230 ft
	45 m	3,003 m	130.54		0 m	70 m
31	148 ft	9,852 ft	311.05	ASPHALT	0 ft	226 ft
	45 m	3,003 m	310.56		0 m	69 m
06	148 ft	9,852 ft	57.62	ASPHALT	0 ft	0 ft
	45 m	3,003 m	57.13		0 m	0 m
24	148 ft	9,852 ft	237.63	ASPHALT	0 ft	0 ft
	45 m	3,003 m	237.14		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	ODA	110.10 MHz	18 nm	-	-	1,535 ft
				33 km	-		1,535 m
06	LOC-ILS	ODA	110.10 MHz	18 nm	57.63	-	1,537 ft
				33 km	57.14		1,537 m
13	LOC-ILS	ANG	108.10 MHz	18 nm	131.04	-	1,537 ft
				33 km	130.55		1,537 m
06	GS	ODA	110.10 MHz	10 nm	57.63	3.20	1,537 ft
				19 km	57.14		1,537 m
13	GS	ANG	108.10 MHz	10 nm	131.04	3.40	1,537 ft
				19 km	130.55		1,537 m

GMTT

Region: MOROCCO

Timezone: AFRICA/CASABLANCA

Runways: 1

Elevation: 62 ft / 19 m

Location: 35.731700 -5.920990

Magnetic Var: 0.558 W

METAR

GMTT 061230Z 26008KT CAVOK 24/21 Q1011 NOSIG

TAF

TAF GMTT 061100Z 0612/0718 28009KT CAVOK

Frequencies

TWR - 119.50 MHz - TANGER TWR

APP - 121.20 MHz - TANGER APP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	141 ft	11,479 ft	96.53	ASPHALT	0 ft	197 ft
	43 m	3,499 m	97.09		0 m	60 m
28	141 ft	11,479 ft	276.56	ASPHALT	1,654 ft	184 ft
	43 m	3,499 m	277.11		504 m	56 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28	LOC-ILS	TAG	109.30 MHz	18 nm	276.54	-	62 ft
				33 km	277.10		62 m
28	GS	TAG	109.30 MHz	10 nm	276.54	3.00	62 ft
				19 km	277.10		62 m