


2024/06/07 1015Z

MMCU DEL UJ2 MOV MMY

366.79 nm / 679.29 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
MMCU	-	28.70180	0 ft	-	General R Fierro Villalobos Intl
APT	-	-105.96600	0 m		
DEL	-	28.21420	14,200 ft	40	DELICIAS VOR-DME
DME	-	-105.44900	4,328 m		
MOV	UJ2	26.95550	21,800 ft	224	MONCLOVA
VOR	AWY-HI	-101.47100	6,645 m		
MMMY	-	25.77870	0 ft	101	Mariano Escobedo Intl
APT	-	-100.10600	0 m		

MMCU

Region: MEXICO
Timezone: AMERICA/CHIHUAHUA
Runways: 3

Elevation: 4,460 ft / 1,359 m
Location: 28.701800 -105.966000
Magnetic Var: 7.022 E

METAR

UNKNOWN

TAF

TAF MMCU 070519Z 0706/0806 08005KT P6SM SCT020 SCT200 FM071700 12010KT P6SM SCT020 SCT200 PROB40 0722/0802 5SM TS

Frequencies

REC - 127.90 MHz - ATIS
APP - 121.00 MHz - CHIHUAHUA APPROACH

TWR - 118.40 MHz - CHIHUAHUA TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18L	148 ft	8,552 ft	190.73	ASPHALT	0 ft	144 ft
	45 m	2,607 m	183.71		0 m	44 m
36R	148 ft	8,552 ft	10.73	ASPHALT	0 ft	161 ft
	45 m	2,607 m	3.71		0 m	49 m
18R	75 ft	7,937 ft	190.76	ASPHALT	0 ft	0 ft
	23 m	2,419 m	183.74		0 m	0 m
36L	75 ft	7,937 ft	10.76	ASPHALT	2,608 ft	0 ft
	23 m	2,419 m	3.74		795 m	0 m
04	98 ft	3,597 ft	55.92	ASPHALT	0 ft	0 ft
	30 m	1,096 m	48.90		0 m	0 m
22	98 ft	3,597 ft	235.92	ASPHALT	0 ft	0 ft
	30 m	1,096 m	228.90		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
36R	DME	ICUU	111.90 MHz	18 nm	-	-	4,462 ft
				33 km	-		4,462 m
36R	LOC-ILS	ICUU	111.90 MHz	18 nm	10.73	-	4,460 ft
				33 km	3.71		4,460 m
36R	GS	ICUU	111.90 MHz	10 nm	10.73	3.00	4,460 ft
				19 km	3.71		4,460 m

MMMY

Region: MEXICO
Timezone: AMERICA/MONTERREY
Runways: 2

Elevation: 1,274 ft / 388 m
Location: 25.778700 -100.106000
Magnetic Var: 4.311 E

METAR

UNKNOWN

TAF

TAF MMY 070519Z 0706/0806 06005KT P6SM BKN030 TX35/0721Z TN25/0712Z FM070800 08005KT P6SM SCT020 SCT250 TEMPO 07

Frequencies

REC - 127.70 MHz - ATIS
TWR - 118.10 MHz - MONTERREY TOWER
APP - 121.40 MHz - MONTERREY APPROACH
GND - 121.90 MHz - MONTERREY GROUND
DEP - 119.75 MHz - MONTERREY DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	148 ft	9,852 ft	121.40	ASPHALT	0 ft	0 ft
	45 m	3,003 m	117.09		0 m	0 m
29	148 ft	9,852 ft	301.41	ASPHALT	0 ft	0 ft
	45 m	3,003 m	297.10		0 m	0 m
16	98 ft	5,911 ft	165.89	ASPHALT	0 ft	0 ft
	30 m	1,802 m	161.58		0 m	0 m
34	98 ft	5,911 ft	345.90	ASPHALT	0 ft	0 ft
	30 m	1,802 m	341.58		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
29	DME	IMTY	111.10 MHz	18 nm	-	-	1,278 ft
				33 km	-		1,278 m
29	LOC-ILS	IMTY	111.10 MHz	18 nm	301.42	-	1,275 ft
				33 km	297.11		1,275 m
29	GS	IMTY	111.10 MHz	10 nm	301.42	3.00	1,275 ft
				19 km	297.11		1,275 m