


2024/05/23 0721Z

BIKF NASBU **G3** VALDI **N623** FLS TINIG **Z326** ULMUG **L617** REPKU ESGG

1084.40 nm / 2008.30 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
BIKF APT	-	63.98160 -22.61460	0 ft 0 m	-	Keflavik
NASBU FIX	-	63.94670 -20.34820	21,300 ft 6,492 m	59	-
MIKLA FIX	G3 AWY-HI	63.84830 -17.57420	35,000 ft 10,668 m	73	-
ING VOR	G3 AWY-HI	63.80310 -16.63810	35,000 ft 10,668 m	24	INGO
ROSTI FIX	G3 AWY-HI	63.40640 -14.11220	35,000 ft 10,668 m	71	-
LARUX FIX	G3 AWY-HI	62.62170 -10.00000	35,000 ft 10,668 m	121	-
MY NDB	G3 AWY-HI	62.10690 -7.58768	35,000 ft 10,668 m	73	MYGGENAES (VAGAR)
CONNY FIX	G3 AWY-HI	61.90000 -5.58333	35,000 ft 10,668 m	57	-
VALDI FIX	G3 AWY-HI	61.21440 0.00000	35,000 ft 10,668 m	164	-
OTRAX FIX	N623 AWY-HI	60.47200 4.38348	35,000 ft 10,668 m	135	-
FLS VOR	N623 AWY-HI	60.31120 5.21214	35,000 ft 10,668 m	26	FLESLAND
TINIG FIX	-	60.01050 6.35053	35,000 ft 10,668 m	38	-
NULNO FIX	Z326 AWY-HI	59.56240 8.16223	35,000 ft 10,668 m	61	-
ULMUG FIX	Z326 AWY-HI	59.18800 9.57029	27,000 ft 8,230 m	48	-
REPKU FIX	L617 AWY-HI	58.80590 10.60810	18,500 ft 5,639 m	39	-
ESGG APT	-	57.66280 12.27980	0 ft 0 m	86	Goteborg Landvetter

BIKF

Region: ICELAND
Timezone: ATLANTIC/REYKJAVIK
Runways: 2

Elevation: 168 ft / 51 m
Location: 63.981600 -22.614600
Magnetic Var: 12.361 W

METAR

BIKF 230700Z 24005KT 9999 FEW026 05/01 Q1015

TAF

TAF BIKF 230432Z 2306/2406 23009KT 9999 SCT020 BKN035 TX08/2313Z TN03/2306Z BECMG 2311/2313 15010KT BECMG 2314/2316 15010KT

Frequencies

REC - 128.30 MHz - KEFLAVIK INFORMATION	CLD - 121.00 MHz - KEFLAVIK CLEARANCE DELIVERY
GND - 121.90 MHz - KEFLAVIK GROUND	GND - 126.20 MHz - KEFLAVIK GROUND
TWR - 118.30 MHz - KEFLAVIK TOWER	APP - 119.30 MHz - KEFLAVIK APPROACH
APP - 119.15 MHz - KEFLAVIK FINAL	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	197 ft	9,997 ft	0.01	ASPHALT	0 ft	479 ft
	60 m	3,047 m	12.37		0 m	146 m
19	197 ft	9,997 ft	180.01	ASPHALT	0 ft	85 ft
	60 m	3,047 m	192.37		0 m	26 m
10	200 ft	10,004 ft	89.95	ASPHALT	0 ft	259 ft
	61 m	3,049 m	102.31		0 m	79 m
28	200 ft	10,004 ft	270.01	ASPHALT	0 ft	220 ft
	61 m	3,049 m	282.37		0 m	67 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	LOC-ILS	IKN	111.30 MHz	18 nm	0.01	-	169 ft
				33 km	12.37		169 m
10	LOC-ILS	IKF	109.50 MHz	18 nm	89.98	-	169 ft
				33 km	102.34		169 m
19	LOC-ILS	IKO	110.30 MHz	18 nm	180.01	-	169 ft
				33 km	192.37		169 m
28	LOC-ILS	IKW	108.50 MHz	18 nm	269.98	-	169 ft
				33 km	282.34		169 m
01	GS	IKN	111.30 MHz	10 nm	0.01	3.00	169 ft
				19 km	12.37		169 m
10	GS	IKF	109.50 MHz	10 nm	89.98	3.00	169 ft
				19 km	102.34		169 m
19	GS	IKO	110.30 MHz	10 nm	180.01	3.00	169 ft
				19 km	192.37		169 m
28	GS	IKW	108.50 MHz	10 nm	269.98	3.00	169 ft
				19 km	282.34		169 m

ESGG

Region: SWEDEN
Timezone: EUROPE/STOCKHOLM
Runways: 1

Elevation: 505 ft / 154 m
Location: 57.662800 12.279800
Magnetic Var: 4.724 E

METAR

ESGG 230650Z 07010KT CAVOK 19/10 Q1014

TAF

TAF ESGG 230530Z 2306/2406 08010KT CAVOK TEMPO 2311/2315 SCT050TCU PROB40 2315/2319 12015G25KT SCT050CB PROB40 2401/2406 08010KT CAVOK

Frequencies

REC - 114.60 MHz - ATIS	REC - 118.37 MHz - ATIS
GND - 121.90 MHz - GOTEBOG GROUND	GND - 121.60 MHz - GOTEBOG GROUND
TWR - 118.60 MHz - GOTEBOG TOWER	TWR - 123.10 MHz - GOTEBOG TOWER
APP - 123.10 MHz - GOTEBOG APPROACH	APP - 123.30 MHz - GOTEBOG APPROACH
APP - 124.20 MHz - GOTEBOG APPROACH	APP - 124.67 MHz - GOTEBOG APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	148 ft	10,805 ft	25.95	ASPHALT	0 ft	207 ft
	45 m	3,293 m	21.23		0 m	63 m
21	148 ft	10,805 ft	205.97	ASPHALT	0 ft	207 ft
	45 m	3,293 m	201.25		0 m	63 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03	LOC-ILS	SSG	110.30 MHz	18 nm	25.96	-	506 ft
				33 km	21.24		506 m
21	LOC-ILS	NGG	108.50 MHz	18 nm	205.96	-	506 ft
				33 km	201.24		506 m
03	GS	SSG	110.30 MHz	10 nm	25.96	3.00	506 ft
				19 km	21.24		506 m
21	GS	NGG	108.50 MHz	10 nm	205.96	3.00	506 ft
				19 km	201.24		506 m