

KSLC

Salt Lake City International Airport


KRKS

ROCK SPRINGS SWEETWATER CO

2024/06/04 2247Z

KSLC GRODI KRKS

140.20 nm / 259.66 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
KSLC	-	40.78700	0 ft	-		Salt Lake City International Airport
APT	-	-111.97500	0 m			
GRODI	-	41.20670	16,200 ft	64	-	
FIX	-	-110.66500	4,938 m			
KRKS	-	41.59410	0 ft	75		ROCK SPRINGS SWEETWATER CO
APT	-	-109.06600	0 m			

KSLC

Region: UNITED STATES

Timezone: AMERICA/DENVER

Runways: 4

Elevation: 4,227 ft / 1,288 m

Location: 40.787000 -111.975000

Magnetic Var: 10.764 E

METAR

KSLC 042154Z VRB03KT 10SM FEW080 24/03 A3009 RMK AO2 SLP146 T02390033

TAF

KSLC 042100Z 0421/0524 30010KT P6SM SKC FM050300 15006KT P6SM SKC FM051700 32010KT P6SM SKC

Frequencies

REC - 124.75 MHz - ATIS

COM - 122.95 MHz - UNICOM

GND - 121.90 MHz -

TWR - 118.30 MHz -

TWR - 132.65 MHz -

APP - 124.30 MHz - APP/DEP

APP - 126.25 MHz - APP/DEP

REC - 127.62 MHz - ATIS

CLD - 127.30 MHz - CLNC DEL

GND - 133.65 MHz -

TWR - 119.05 MHz -

APP - 121.10 MHz - APP/DEP

APP - 124.90 MHz - APP/DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16L	151 ft	12,013 ft	174.97	ASPHALT	0 ft	394 ft
	46 m	3,662 m	164.21		0 m	120 m
34R	151 ft	12,013 ft	354.98	ASPHALT	0 ft	400 ft
	46 m	3,662 m	344.21		0 m	122 m
16R	151 ft	12,013 ft	174.97	CONCRETE	0 ft	400 ft
	46 m	3,662 m	164.21		0 m	122 m
34L	151 ft	12,013 ft	354.97	CONCRETE	0 ft	400 ft
	46 m	3,662 m	344.21		0 m	122 m
17	151 ft	9,606 ft	179.99	ASPHALT	0 ft	102 ft
	46 m	2,928 m	169.23		0 m	31 m
35	151 ft	9,606 ft	359.99	ASPHALT	335 ft	312 ft
	46 m	2,928 m	349.23		102 m	95 m
14	151 ft	4,896 ft	153.08	ASPHALT	0 ft	0 ft
	46 m	1,492 m	142.32		0 m	0 m
32	151 ft	4,896 ft	333.09	ASPHALT	0 ft	0 ft
	46 m	1,492 m	322.33		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16L	DME	IMOY	109.50 MHz	18 nm	-	-	4,227 ft
				33 km	-		4,227 m
16R	DME	IUAT	111.90 MHz	18 nm	-	-	4,227 ft
				33 km	-		4,227 m
17	DME	IBNT	111.50 MHz	18 nm	-	-	4,227 ft
				33 km	-		4,227 m
34L	DME	IUUH	111.90 MHz	18 nm	-	-	4,227 ft
				33 km	-		4,227 m
34R	DME	ISLC	109.50 MHz	18 nm	-	-	4,227 ft
				33 km	-		4,227 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16L	LOC-ILS	IMOY	109.50 MHz	18 nm 33 km	174.98 164.22	-	4,227 ft 4,227 m
16R	LOC-ILS	IUAT	111.90 MHz	18 nm 33 km	174.97 164.21	-	4,227 ft 4,227 m
17	LOC-ILS	IBNT	111.50 MHz	18 nm 33 km	179.99 169.23	-	4,227 ft 4,227 m
34L	LOC-ILS	IUUH	111.90 MHz	18 nm 33 km	354.97 344.21	-	4,227 ft 4,227 m
34R	LOC-ILS	ISLC	109.50 MHz	18 nm 33 km	354.98 344.22	-	4,227 ft 4,227 m
35	LOC-ILS	IUTJ	111.50 MHz	18 nm 33 km	359.99 349.23	-	4,227 ft 4,227 m
16L	GS	IMOY	109.50 MHz	10 nm 19 km	174.98 164.22	3.00	4,227 ft 4,227 m
16R	GS	IUAT	111.90 MHz	10 nm 19 km	174.97 164.21	3.00	4,227 ft 4,227 m
17	GS	IBNT	111.50 MHz	10 nm 19 km	179.99 169.23	3.00	4,227 ft 4,227 m
34L	GS	IUUH	111.90 MHz	10 nm 19 km	354.97 344.21	3.00	4,227 ft 4,227 m
34R	GS	ISLC	109.50 MHz	10 nm 19 km	354.98 344.22	3.00	4,227 ft 4,227 m
35	GS	IUTJ	111.50 MHz	10 nm 19 km	359.99 349.23	3.00	4,227 ft 4,227 m

KRKS

Region: UNITED STATES
Timezone: AMERICA/DENVER
Runways: 2

Elevation: 6,759 ft / 2,060 m
Location: 41.594100 -109.066000
Magnetic Var: 9.694 E

METAR

KRKS 042154Z AUTO 26024G34KT 10SM CLR 21/00 A3009 RMK AO2 PK WND 26038/2120 SLP120 T02060000

TAF

KRKS 041727Z 0418/0518 27025G35KT P6SM FEW060 SCT120 FM050400 25012KT P6SM FEW080 SCT120 FM050700 23008KT P6SM FE

Frequencies

COM - 122.80 MHz - ROCK SPRINGS UNICOM
REC - 118.37 MHz - ASOS

COM - 122.80 MHz - ROCK SPRINGS CTAF
REC - 135.07 MHz - AWOS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	75 ft	5,231 ft	45.13	ASPHALT	0 ft	0 ft
	23 m	1,595 m	35.44		0 m	0 m
21	75 ft	5,231 ft	225.14	ASPHALT	0 ft	0 ft
	23 m	1,595 m	215.45		0 m	0 m
09	151 ft	10,009 ft	103.25	ASPHALT	0 ft	0 ft
	46 m	3,051 m	93.55		0 m	0 m
27	151 ft	10,009 ft	283.27	ASPHALT	0 ft	0 ft
	46 m	3,051 m	273.57		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
27	DME	IRKS	109.30 MHz	18 nm	-	-	6,737 ft
				33 km	-		6,737 m
27	LOC-ILS	IRKS	109.30 MHz	18 nm	283.26	-	6,722 ft
				33 km	273.57		6,722 m
27	GS	IRKS	109.30 MHz	10 nm	283.60	3.00	6,756 ft
				19 km	273.91		6,756 m