


2024/06/07 0401Z

UAII DIBAD **A118** LBA LBA **A847** UTAM **V102** SARKS TANBU SOGES NOTSO **B441** NABOX **A453** DAVEP **Q10** MOBET  
OMDB

1328.05 nm / 2459.55 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
UAII	-	42.36340	0 ft	-	Shymkent
APT	-	69.47650	0 m		
DIBAD	-	41.28330	33,800 ft	94	-
FIX	-	67.93330	10,302 m		
OKESO	A118	41.18080	35,000 ft	16	-
FIX	AWY-HI	67.60220	10,668 m		
ASLOK	A118	41.09670	35,000 ft	13	-
FIX	AWY-HI	67.33170	10,668 m		
EVROB	A118	40.74170	35,000 ft	41	-
FIX	AWY-HI	66.53670	10,668 m		
AGDOS	A118	40.39670	35,000 ft	40	-
FIX	AWY-HI	65.78170	10,668 m		
NVI	A118	40.11470	35,000 ft	32	NAVOI
VOR	AWY-HI	65.17650	10,668 m		
INSOM	A118	40.01000	35,000 ft	11	-
FIX	AWY-HI	64.96170	10,668 m		
BUPOR	A118	39.77500	35,000 ft	26	-
FIX	AWY-HI	64.48330	10,668 m		
CHARD	A118	39.25830	35,000 ft	43	-
FIX	AWY-HI	63.82330	10,668 m		
LBA	A118	39.09000	35,000 ft	14	TURKMENABAT VOR-DME
DME	AWY-HI	63.61170	10,668 m		
LBA	-	38.91360	35,000 ft	10	TURKMENABAT
VOR	-	63.58940	10,668 m		
UTAM	A847	37.62170	35,000 ft	111	-
FIX	AWY-HI	61.89670	10,668 m		
SARKS	V102	36.47830	35,000 ft	72	-
FIX	AWY-HI	61.40830	10,668 m		
TANBU	-	35.57280	35,000 ft	67	-
FIX	-	60.57500	10,668 m		
SOGES	-	35.26670	35,000 ft	34	-
FIX	-	59.97280	10,668 m		
NOTSO	-	35.23780	35,000 ft	22	-
FIX	-	59.50940	10,668 m		
ASVIS	B441	33.77580	35,000 ft	88	-
FIX	AWY-HI	59.30780	10,668 m		
BOPEB	B441	33.32030	35,000 ft	27	-
FIX	AWY-HI	59.24670	10,668 m		
BJD	B441	32.97240	35,000 ft	21	BIRJAND
VOR	AWY-HI	59.20010	10,668 m		
KUVAV	B441	31.57390	35,000 ft	84	-
FIX	AWY-HI	58.96310	10,668 m		
BOPAG	B441	30.73690	35,000 ft	50	-
FIX	AWY-HI	58.82470	10,668 m		
SILKO	B441	29.93280	35,000 ft	48	-
FIX	AWY-HI	58.69390	10,668 m		
NABOX	B441	28.27500	35,000 ft	100	-
FIX	AWY-HI	58.43360	10,668 m		
DAVEP	A453	27.70720	35,000 ft	67	-
FIX	AWY-HI	57.33580	10,668 m		
MOBET	Q10	26.73500	21,100 ft	86	-
FIX	AWY-HI	56.15220	6,431 m		
OMDB	-	25.25110	0 ft	98	Dubai Intl
APT	-	55.37110	0 m		

## UAI

Region: KAZAKHSTAN AND KYRGYZSTAN  
Timezone: ASIA/ALMATY  
Runways: 2

Elevation: 1,387 ft / 423 m  
Location: 42.363400 69.476500  
Magnetic Var: 6.177 E

## METAR

UAI 070330Z 19002MPS 150V220 CAVOK 29/08 Q1012 NOSIG RMK QFE722/0962

## TAF

TAF UAI 062303Z 0700/0724 26003G08MPS 9999 SCT040 TX33/0709Z TN16/0701Z TEMPO 0700/0703 15003G08MPS 3100 FU TEM

## Frequencies

REC - 119.20 MHz - ATIS

REC - 126.60 MHz - ATIS

TWR - 125.90 MHz - SHYMKENT TOWER

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	300 ft	7,530 ft	107.29	GRASS	0 ft	0 ft
	91 m	2,295 m	101.11		0 m	0 m
29	300 ft	7,530 ft	287.30	GRASS	0 ft	0 ft
	91 m	2,295 m	281.13		0 m	0 m
10	148 ft	10,804 ft	106.27	CONCRETE	0 ft	394 ft
	45 m	3,293 m	100.10		0 m	120 m
28	148 ft	10,804 ft	286.30	CONCRETE	0 ft	394 ft
	45 m	3,293 m	280.12		0 m	120 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	LOC-ILS	IEN	111.70 MHz	18 nm	106.29	-	1,387 ft
				33 km	100.11		1,387 m
28	LOC-ILS	IIM	110.30 MHz	18 nm	286.29	-	1,387 ft
				33 km	280.11		1,387 m
10	GS	IEN	111.70 MHz	10 nm	106.29	3.00	1,387 ft
				19 km	100.11		1,387 m
28	GS	IIM	110.30 MHz	10 nm	286.29	3.00	1,387 ft
				19 km	280.11		1,387 m

## OMDB

Region: UNITED ARAB EMIRATES  
Timezone: ASIA/DUBAI  
Runways: 2

Elevation: 62 ft / 19 m  
Location: 25.251100 55.371100  
Magnetic Var: 2.356 E

## METAR

OMDB 070300Z 22004KT 180V240 CAVOK 32/17 Q1002 NOSIG

## TAF

TAF OMDB 062300Z 0700/0806 08005KT CAVOK BECMG 0704/0706 18010KT BECMG 0707/0709 31013KT BECMG 0716/0718 08005KT

## Frequencies

REC - 126.27 MHz - ATIS ARRIVAL	REC - 131.70 MHz - ATIS DEPARTURE
TWR - 126.77 MHz - DUBAI TOWER	TWR - 119.55 MHz - DUBAI TOWER
TWR - 118.75 MHz - DUBAI TOWER	TWR - 119.05 MHz - DUBAI TOWER
GND - 118.35 MHz - DUBAI GROUND	GND - 118.85 MHz - DUBAI GROUND
GND - 121.65 MHz - DUBAI GROUND	CLD - 120.35 MHz - CLEARANCE DELIVERY
APP - 122.50 MHz - MINHAD APPROACH	APP - 126.02 MHz - MINHAD APPROACH
APP - 120.25 MHz - DUBAI ARRIVAL	APP - 124.45 MHz - DUBAI ARRIVAL
APP - 124.90 MHz - DUBAI ARRIVAL	DEP - 126.02 MHz - DUBAI DEPARTURE
DEP - 121.02 MHz - DUBAI DEPARTURE	DEP - 126.20 MHz - DUBAI DEPARTURE
DEP - 120.25 MHz - DUBAI DEPARTURE	APP - 120.40 MHz - DUBAI RADAR
APP - 126.02 MHz - DUBAI RADAR	APP - 127.90 MHz - DUBAI DIRECT

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	200 ft	14,604 ft	121.53	ASPHALT	2,352 ft	771 ft
	61 m	4,452 m	119.17		717 m	235 m
30L	200 ft	14,604 ft	301.54	ASPHALT	436 ft	0 ft
	61 m	4,452 m	299.19		133 m	0 m
12L	200 ft	14,289 ft	121.48	ASPHALT	1,496 ft	381 ft
	61 m	4,355 m	119.13		456 m	116 m
30R	200 ft	14,289 ft	301.50	ASPHALT	991 ft	377 ft
	61 m	4,355 m	299.14		302 m	115 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	IDBL	110.10 MHz	18 nm	-	-	62 ft
				33 km	-		62 m
30L	DME	IDBW	111.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
30R	DME	IDBR	110.90 MHz	18 nm	-	-	44 ft
				33 km	-		44 m
12L	LOC-ILS	IDBL	110.10 MHz	18 nm	121.49	-	62 ft
				33 km	119.13		62 m
12R	LOC-ILS	IDBE	109.50 MHz	18 nm	121.54	-	62 ft
				33 km	119.18		62 m
30L	LOC-ILS	IDBW	111.30 MHz	18 nm	301.54	-	62 ft
				33 km	299.18		62 m
30R	LOC-ILS	IDBR	110.90 MHz	18 nm	301.49	-	62 ft
				33 km	299.13		62 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	GS	IDBL	110.10 MHz	10 nm	121.49	3.00	62 ft
				19 km	119.13		62 m
12R	GS	IDBE	109.50 MHz	10 nm	121.54	3.00	62 ft
				19 km	119.18		62 m
30L	GS	IDBW	111.30 MHz	10 nm	301.54	3.00	62 ft
				19 km	299.18		62 m
30R	GS	IDBR	110.90 MHz	10 nm	301.49	3.00	62 ft
				19 km	299.13		62 m