

# BIKF

Keflavik


# LIPX

Verona-Villafranca "Valerio Catullo"

2024/05/23 0910Z

BIKF NASBU G3 LARUX MATIK **UL612** STN **N610** RUGID **UP59** NEXUS **M90** LONAM **UL7** SPY **UN852** ZANDA **UP62** PAM  
**UZ738** RIDSU **UL607** UTABA **UM738** TIRUL LIPX

1662.09 nm / 3078.19 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
BIKF	-	63.98160	0 ft	-	Keflavik
APT	-	-22.61460	0 m		
NASBU	-	63.94670	21,300 ft	59	-
FIX	-	-20.34820	6,492 m		
MIKLA	G3	63.84830	35,000 ft	73	-
FIX	AWY-HI	-17.57420	10,668 m		
ING	G3	63.80310	35,000 ft	24	INGO
VOR	AWY-HI	-16.63810	10,668 m		
ROSTI	G3	63.40640	35,000 ft	71	-
FIX	AWY-HI	-14.11220	10,668 m		
LARUX	G3	62.62170	35,000 ft	121	-
FIX	AWY-HI	-10.00000	10,668 m		
MATIK	-	61.00000	35,000 ft	111	-
FIX	-	-8.06667	10,668 m		
BESGA	UL612	60.78970	35,000 ft	13	-
FIX	AWY-HI	-7.91278	10,668 m		
MODGO	UL612	60.44530	35,000 ft	21	-
FIX	AWY-HI	-7.66528	10,668 m		
STN	UL612	58.20690	35,000 ft	141	STORNOWAY
VOR	AWY-HI	-6.18305	10,668 m		
RUGID	N610	57.36920	35,000 ft	64	-
FIX	AWY-HI	-4.89861	10,668 m		
NEXUS	UP59	56.21190	35,000 ft	122	-
FIX	AWY-HI	-1.84472	10,668 m		
GIVEM	M90	55.46500	35,000 ft	83	-
FIX	AWY-HI	0.24806	10,668 m		
ROLUM	M90	54.30560	35,000 ft	126	-
FIX	AWY-HI	3.30861	10,668 m		
SOTUN	M90	54.17670	35,000 ft	13	-
FIX	AWY-HI	3.62694	10,668 m		
LONAM	M90	53.83960	35,000 ft	23	-
FIX	AWY-HI	3.94254	10,668 m		
SPY	UL7	52.54030	35,000 ft	84	SPIJKERBOOR
VOR	AWY-HI	4.85378	10,668 m		
ZANDA	UN852	52.38980	35,000 ft	9	-
FIX	AWY-HI	4.92252	10,668 m		
PAM	UP62	52.33480	35,000 ft	7	PAMPUS
VOR	AWY-HI	5.09216	10,668 m		
IVLUT	UZ738	52.24410	35,000 ft	8	-
FIX	AWY-HI	5.25696	10,668 m		
LUNIX	UZ738	52.10980	35,000 ft	13	-
FIX	AWY-HI	5.56540	10,668 m		
RENDI	UZ738	52.06150	35,000 ft	4	-
FIX	AWY-HI	5.67543	10,668 m		
EDUPO	UZ738	51.97550	35,000 ft	7	-
FIX	AWY-HI	5.83594	10,668 m		
NAPRO	UZ738	51.85580	35,000 ft	10	-
FIX	AWY-HI	6.05889	10,668 m		
DEPAD	UZ738	51.76810	35,000 ft	7	-
FIX	AWY-HI	6.22000	10,668 m		
AMOSU	UZ738	51.63890	35,000 ft	11	-
FIX	AWY-HI	6.45500	10,668 m		
MISGO	UZ738	51.40470	35,000 ft	21	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	6.87583	10,668 m		
COL	UZ738	50.78350	35,000 ft	46	COLA
VOR	AWY-HI	7.59417	10,668 m		
MONAX	UZ738	50.52140	35,000 ft	17	-
FIX	AWY-HI	7.82306	10,668 m		
TUSUK	UZ738	50.13560	35,000 ft	26	-
FIX	AWY-HI	8.15417	10,668 m		
RIDSU	UZ738	49.74900	35,000 ft	26	-
FIX	AWY-HI	8.47989	10,668 m		
ABUKA	UL607	49.46530	35,000 ft	18	-
FIX	AWY-HI	8.67917	10,668 m		
SUNEG	UL607	49.19860	35,000 ft	17	-
FIX	AWY-HI	8.86417	10,668 m		
TEDGO	UL607	48.61840	35,000 ft	38	-
FIX	AWY-HI	9.25921	10,668 m		
UTABA	UL607	48.25500	35,000 ft	23	-
FIX	AWY-HI	9.46167	10,668 m		
BATUB	UM738	48.01920	35,000 ft	14	-
FIX	AWY-HI	9.56389	10,668 m		
OSDOV	UM738	47.44000	27,300 ft	42	-
FIX	AWY-HI	10.18330	8,321 m		
MADEB	UM738	47.32440	25,600 ft	8	-
FIX	AWY-HI	10.28890	7,803 m		
TIRUL	UM738	47.05720	21,600 ft	18	-
FIX	AWY-HI	10.52870	6,584 m		
LIPX	-	45.39700	0 ft	100	Verona-Villafranca "Valerio Catullo"
APT	-	10.89030	0 m		

## BIKF

Region: ICELAND  
Timezone: ATLANTIC/REYKJAVIK  
Runways: 2

Elevation: 168 ft / 51 m  
Location: 63.981600 -22.614600  
Magnetic Var: 12.361 W

## METAR

BIKF 230900Z 22007KT 9999 BKN026 06/M00 Q1016

## TAF

TAF BIKF 230759Z 2309/2409 23005KT 9999 SCT020 BKN035 TX09/2409Z TN07/2309Z BECMG 2311/2313 14010KT BECMG 2314/2316 14010KT

## Frequencies

REC - 128.30 MHz - KEFLAVIK INFORMATION	CLD - 121.00 MHz - KEFLAVIK CLEARANCE DELIVERY
GND - 121.90 MHz - KEFLAVIK GROUND	GND - 126.20 MHz - KEFLAVIK GROUND
TWR - 118.30 MHz - KEFLAVIK TOWER	APP - 119.30 MHz - KEFLAVIK APPROACH
APP - 119.15 MHz - KEFLAVIK FINAL	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	197 ft	9,997 ft	0.01	ASPHALT	0 ft	479 ft
	60 m	3,047 m	12.37		0 m	146 m
19	197 ft	9,997 ft	180.01	ASPHALT	0 ft	85 ft
	60 m	3,047 m	192.37		0 m	26 m
10	200 ft	10,004 ft	89.95	ASPHALT	0 ft	259 ft
	61 m	3,049 m	102.31		0 m	79 m
28	200 ft	10,004 ft	270.01	ASPHALT	0 ft	220 ft
	61 m	3,049 m	282.37		0 m	67 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	LOC-ILS	IKN	111.30 MHz	18 nm	0.01	-	169 ft
				33 km	12.37		169 m
10	LOC-ILS	IKF	109.50 MHz	18 nm	89.98	-	169 ft
				33 km	102.34		169 m
19	LOC-ILS	IKO	110.30 MHz	18 nm	180.01	-	169 ft
				33 km	192.37		169 m
28	LOC-ILS	IKW	108.50 MHz	18 nm	269.98	-	169 ft
				33 km	282.34		169 m
01	GS	IKN	111.30 MHz	10 nm	0.01	3.00	169 ft
				19 km	12.37		169 m
10	GS	IKF	109.50 MHz	10 nm	89.98	3.00	169 ft
				19 km	102.34		169 m
19	GS	IKO	110.30 MHz	10 nm	180.01	3.00	169 ft
				19 km	192.37		169 m
28	GS	IKW	108.50 MHz	10 nm	269.98	3.00	169 ft
				19 km	282.34		169 m

## LIPX

Region: ITALY  
Timezone: EUROPE/ROME  
Runways: 1

Elevation: 236 ft / 72 m  
Location: 45.397000 10.890300  
Magnetic Var: 3.594 E

## METAR

LIPX 230850Z VRB03KT 9999 FEW015 20/14 Q1016

## TAF

TAF LIPX 230500Z 2306/2406 VRB05KT 9999 SCT018 TEMPO 2313/2316 33015G25KT 4000 TSRA

## Frequencies

GND - 121.75 MHz - VILLAFRANCA GROUND  
REC - 123.25 MHz - ATIS  
APP - 118.55 MHz - GARDA APPROACH  
TWR - 118.65 MHz - VILLAFRANCA TOWER  
APP - 124.25 MHz - GARDA APPROACH  
APP - 135.90 MHz - GARDA APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	148 ft	10,074 ft	45.59	ASPHALT	194 ft	797 ft
	45 m	3,071 m	42.00		59 m	243 m
22	148 ft	10,074 ft	225.61	ASPHALT	1,339 ft	184 ft
	45 m	3,071 m	222.02		408 m	56 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	DME	IVF	110.10 MHz	18 nm	-	-	248 ft
				33 km	-		248 m
04	LOC-ILS	IVF	110.10 MHz	18 nm	45.62	-	237 ft
				33 km	42.03		237 m
04	GS	IVF	110.10 MHz	10 nm	45.62	3.00	237 ft
				19 km	42.03		237 m