

# LIRA

Roma-Ciampino "G. B. Pastine"


# LICA

Lamezia Terme "Sant'Eufemia"

2024/06/03 0450Z

LIRA SOR **M620** POLIT LICA

241.27 nm / 446.82 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIRA	-	41.79920	0 ft	-	Roma-Ciampino "G. B. Pastine"
APT	-	12.59490	0 m		
SOR	-	40.58240	28,600 ft	107	SORRENTO
VOR	-	14.33500	8,717 m		
POLIT	M620	40.14670	21,200 ft	34	-
FIX	AWY-HI	14.83330	6,462 m		
LICA	-	38.90500	0 ft	99	Lamezia Terme "Sant'Eufemia"
APT	-	16.24580	0 m		

## LIRA

Region: ITALY  
Timezone: EUROPE/ROME  
Runways: 1

Elevation: 424 ft / 129 m  
Location: 41.799200 12.594900  
Magnetic Var: 3.734 E

## METAR

LIRA 030420Z 27003KT 9999 SCT065 16/14 Q1014

## TAF

TAF LIRA 022300Z 0300/0324 VRB05KT 9999 SCT030 TEMPO 0302/0308 RA BECMG 0310/0312 25010KT BECMG 0316/0318 VRB05KT

## Frequencies

REC - 122.42 MHz - ATIS	GND - 121.75 MHz - CIAMPINO GROUND
TWR - 122.10 MHz - CIAMPINO TOWER	TWR - 120.50 MHz - CIAMPINO TOWER
CLD - 119.40 MHz - CLEARANCE DELIVERY	APP - 125.50 MHz - ROMA APPROACH
APP - 127.95 MHz - ROMA APPROACH	DEP - 130.90 MHz - ROMA DEPARTURE
DEP - 131.10 MHz - ROMA DEPARTURE	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	151 ft	7,235 ft	152.77	ASPHALT	0 ft	0 ft
	46 m	2,205 m	149.04		0 m	0 m
33	151 ft	7,235 ft	332.78	ASPHALT	0 ft	0 ft
	46 m	2,205 m	329.05		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15	LOC-ILS	CIA	109.90 MHz	18 nm	152.78	-	425 ft
				33 km	149.05		425 m
15	GS	CIA	109.90 MHz	10 nm	152.78	3.00	425 ft
				19 km	149.05		425 m

## LICA

Region: ITALY  
Timezone: EUROPE/ROME  
Runways: 1

Elevation: 39 ft / 12 m  
Location: 38.905000 16.245800  
Magnetic Var: 4.131 E

## METAR

LICA 030420Z AUTO 03002KT 9999 FEW021/// 17/15 Q1013

## TAF

TAF LICA 022300Z 0300/0324 07010KT 9999 FEW020 BECMG 0305/0307 26014KT BECMG 0318/0320 VRB05KT

## Frequencies

TWR - 125.90 MHz - LAMEZIA TOWER  
APP - 122.10 MHz - LAMEZIA APPROACH

TWR - 122.10 MHz - LAMEZIA TOWER

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	154 ft	9,908 ft	98.51	ASPHALT	328 ft	0 ft
	47 m	3,020 m	94.38		100 m	0 m
28	154 ft	9,908 ft	278.53	ASPHALT	1,224 ft	0 ft
	47 m	3,020 m	274.40		373 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28	DME	LAM	110.30 MHz	25 nm	-	-	21 ft
				46 km	-		21 m
28	LOC-ILS	LAM	110.30 MHz	18 nm	278.56	-	39 ft
				33 km	274.43		39 m
28	GS	LAM	110.30 MHz	10 nm	278.56	3.00	39 ft
				19 km	274.43		39 m