

**CZBM**  
BROMONT


—

**CYUL**  
Montreal-Pierre Elliot Trudeau Intl

2024/06/07 2139Z

CZBM YJN CYUL

46.51 nm / 86.13 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
CZBM	-	45.29090	0 ft	-	BROMONT	
APT	-	-72.74120	0 m			
YJN	-	45.25580	4,600 ft	24	ST-JEAN	
VOR	-	-73.32130	1,402 m			
CYUL	-	45.46750	0 ft	21	Montreal-Pierre Elliot Trudeau Intl	
APT	-	-73.74380	0 m			

## CZBM

Region: CANADA  
Timezone: AMERICA/MONTREAL  
Runways: 2

Elevation: 375 ft / 114 m  
Location: 45.290900 -72.741200  
Magnetic Var: 14.285 W

## METAR

UNKNOWN

## TAF

UNKNOWN

## Frequencies

COM - 122.15 MHz - CTAF/UNICOM  
APP - 132.55 MHz - MONTREAL CNTR

TWR - 122.15 MHz - MF

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05L	100 ft	5,002 ft	37.31	ASPHALT	0 ft	0 ft
	30 m	1,525 m	51.59		0 m	0 m
23R	100 ft	5,002 ft	217.32	ASPHALT	0 ft	0 ft
	30 m	1,525 m	231.60		0 m	0 m
05R	320 ft	3,182 ft	34.08	GRASS	0 ft	0 ft
	98 m	970 m	48.36		0 m	0 m
23L	320 ft	3,182 ft	214.08	GRASS	0 ft	0 ft
	98 m	970 m	228.37		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05L	LOC-LOC	IIII	110.70 MHz	18 nm	37.00	-	375 ft
				33 km	51.28		375 m

## CYUL

Region: CANADA  
Timezone: AMERICA/MONTREAL  
Runways: 3

Elevation: 118 ft / 36 m  
Location: 45.467500 -73.743800  
Magnetic Var: 13.892 W

## METAR

CYUL 072100Z 35005KT 290V360 15SM -SHRA BKN052 OVC080 17/13 A2954 RMK SC7AC1 SLP006 DENSITY ALT 800FT

## TAF

TAF CYUL 072041Z 0721/0818 22010G20KT P6SM SCT030 BKN080 TEMPO 0721/0723 P6SM -SHRA BKN030 OVC060 PROB30 0721/0723

## Frequencies

TWR - 119.90 MHz - MONTREAL TOWER	TWR - 119.30 MHz - MONTREAL TOWER
TWR - 124.30 MHz - MONTREAL TOWER	GND - 121.00 MHz - MONTREAL GROUND
GND - 121.90 MHz - MONTREAL GROUND	CLD - 125.60 MHz - CLEARANCE DELIVERY
APP - 132.85 MHz - MONTREAL APPROACH	APP - 126.90 MHz - MONTREAL APPROACH
DEP - 124.65 MHz - MONTREAL DEPARTURE	DEP - 120.42 MHz - MONTREAL DEPARTURE
REC - 133.70 MHz - ATIS	REC - 127.50 MHz - ATIS
COM - 123.55 MHz - QUEBEC FIC	COM - 126.70 MHz - QUEBEC FIC
COM - 134.15 MHz - VFR ADVISORY	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06L	197 ft	11,010 ft	42.55	ASPHALT	0 ft	0 ft
	60 m	3,356 m	56.44		0 m	0 m
24R	197 ft	11,010 ft	222.57	ASPHALT	0 ft	0 ft
	60 m	3,356 m	236.46		0 m	0 m
06R	197 ft	9,608 ft	42.59	CONCRETE	0 ft	0 ft
	60 m	2,929 m	56.48		0 m	0 m
24L	197 ft	9,608 ft	222.60	CONCRETE	0 ft	0 ft
	60 m	2,929 m	236.49		0 m	0 m
10	197 ft	7,008 ft	87.61	ASPHALT	0 ft	0 ft
	60 m	2,136 m	101.50		0 m	0 m
28	197 ft	7,008 ft	267.63	ASPHALT	0 ft	0 ft
	60 m	2,136 m	281.52		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	LOC-ILS	IUL	109.30 MHz	18 nm	42.57	-	118 ft
				33 km	56.46		118 m
06R	LOC-ILS	IOA	110.50 MHz	18 nm	42.60	-	118 ft
				33 km	56.49		118 m
10	LOC-ILS	IDO	110.10 MHz	18 nm	87.62	-	118 ft
				33 km	101.51		118 m
24L	LOC-ILS	IMQ	110.50 MHz	18 nm	222.60	-	118 ft
				33 km	236.49		118 m
24R	LOC-ILS	IZZ	111.90 MHz	18 nm	222.57	-	118 ft
				33 km	236.46		118 m
06L	GS	IUL	109.30 MHz	10 nm	42.57	3.00	118 ft
				19 km	56.46		118 m
06R	GS	IOA	110.50 MHz	10 nm	42.60	3.00	118 ft
				19 km	56.49		118 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	GS	IDO	110.10 MHz	10 nm	87.62	3.00	118 ft
				19 km	101.51		118 m
24L	GS	IMQ	110.50 MHz	10 nm	222.60	3.00	118 ft
				19 km	236.49		118 m
24R	GS	IZZ	111.90 MHz	10 nm	222.57	3.00	118 ft
				19 km	236.46		118 m