

RCTP

Taiwan Taoyuan International


KLAX

Los Angeles Intl

2024/05/04 0706Z

RCTP MORSU **M750** MANEP **Y753** JAKAL **A1** KEC **Y21** VIOLA XAC PQE **3E23** TYE **OTR5** PABBA 36N150E 11 38N160E
39N160E **14** 38N130W ALLBE **R463** ALCOA **C1173H** OAK **J1** AVE **V107** DERBB KLAX

6178.24 nm / 11442.10 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes
Using PACOT tracks from 20/12/2017

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
RCTP	-	25.07773	0 ft	-	Taiwan Taoyuan International
APT	-	121.23282	0 m		
MORSU	-	25.90556	35,000 ft	107	-
FIX	-	123.00000	10,668 m		
MOLKA	M750	26.65861	35,000 ft	70	-
FIX	AWY-LO	124.00000	10,668 m		
MUMBA	M750	27.39776	35,000 ft	69	-
FIX	AWY-LO	124.99827	10,668 m		
MELEN	M750	29.52701	35,000 ft	202	-
FIX	AWY-LO	127.96575	10,668 m		
MOMPA	M750	30.84467	35,000 ft	128	-
FIX	AWY-LO	129.91583	10,668 m		
MADOG	M750	32.12519	35,000 ft	148	-
FIX	AWY-LO	132.39624	10,668 m		
MANEP	M750	32.65369	35,000 ft	60	-
FIX	AWY-LO	133.40956	10,668 m		
JAKAL	Y753	33.06203	35,000 ft	48	-
FIX	AWY-LO	134.23425	10,668 m		
HALON	A1	33.24878	35,000 ft	39	-
FIX	AWY-LO	134.99722	10,668 m		
ALBAT	A1	33.36450	35,000 ft	23	-
FIX	AWY-LO	135.44150	10,668 m		
KEC	A1	33.44775	35,000 ft	18	KUSHIMOTO VORTAC
VOR	AWY-LO	135.79450	10,668 m		
MEIWA	Y21	33.68941	35,000 ft	47	-
FIX	AWY-LO	136.70648	10,668 m		
CELLO	Y21	33.99861	35,000 ft	63	-
FIX	AWY-LO	137.92017	10,668 m		
SETSU	Y21	34.22225	35,000 ft	26	-
FIX	AWY-LO	138.37891	10,668 m		
VIOLA	Y21	34.54780	35,000 ft	38	-
FIX	AWY-LO	139.05743	10,668 m		
XAC	-	34.71225	35,000 ft	20	OSHIMA VORTAC
VOR	-	139.41402	10,668 m		
PQE	-	34.94639	35,000 ft	27	TATEYAMA VOR-DME
VOR	-	139.89553	10,668 m		
TYE	3E23	35.78359	35,000 ft	53	SAKURA VOR-DME
VOR	AWY-LO	140.26299	10,668 m		
PABBA	OTR5	37.00322	35,000 ft	194	-
FIX	AWY-LO	143.99636	10,668 m		
36N150E	-	36.00000	35,000 ft	295	-
LATLON	-	150.00000	10,668 m		
38N160E	11	38.00000	35,000 ft	494	-
LATLON	PACOT	160.00000	10,668 m		
39N160E	-	39.00000	35,000 ft	60	-
LATLON	-	160.00000	10,668 m		
40N170E	14	40.00000	35,000 ft	467	-
LATLON	PACOT	170.00000	10,668 m		
40N180E	14	40.00000	35,000 ft	459	-
LATLON	PACOT	-180.00000	10,668 m		
40N170W	14	40.00000	35,000 ft	459	-
LATLON	PACOT	-170.00000	10,668 m		
39N160W	14	39.00000	35,000 ft	467	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	PACOT	-160.00000	10,668 m		
39N150W	14	39.00000	35,000 ft	466	-
LATLON	PACOT	-150.00000	10,668 m		
40N140W	14	40.00000	35,000 ft	467	-
LATLON	PACOT	-140.00000	10,668 m		
38N130W	14	38.00000	35,000 ft	481	-
LATLON	PACOT	-130.00000	10,668 m		
ALLBE	-	37.50639	35,000 ft	145	-
FIX	-	-127.00000	10,668 m		
ALCOA	R463	37.83325	35,000 ft	58	-
FIX	AWY-LO	-125.83452	10,668 m		
OAK	C1173H	37.72592	35,000 ft	171	OAKLAND VORTAC
VOR	AWY-HI	-122.22358	10,668 m		
AVE	J1	35.64697	27,500 ft	165	AVENAL VORTAC
VOR	AWY-HI	-119.97861	8,382 m		
DERBB	V107	35.25590	21,300 ft	28	-
FIX	AWY-LO	-119.64145	6,492 m		
KLAX	-	33.94313	0 ft	99	Los Angeles Intl
APT	-	-118.40892	0 m		

RCTP

Region: REPUBLIC OF CHINA (TAIWAN)
Timezone: ASIA/TAIPEI
Runways: 2

Elevation: 108 ft / 33 m
Location: 25.077900 121.234000
Magnetic Var: 4.989 W

METAR

RCTP 040630Z 33006KT 300V020 9999 FEW015 SCT090 BKN180 29/25 Q1009 NOSIG RMK A2981

TAF

TAF RCTP 040500Z 0406/0512 34005KT 9999 FEW012 BKN032 BECMG 0410/0412 16005KT TEMPO 0420/0501 23005KT 3200 BR SCT

Frequencies

REC - 127.60 MHz - ATIS	TWR - 129.30 MHz - TAIPEI TOWER
TWR - 118.70 MHz - TAIPEI TOWER	GND - 121.70 MHz - TAIPEI GROUND
GND - 121.60 MHz - TAIPEI GROUND	CLD - 121.80 MHz - TAIPEI CLEARANCE DELIVERY
APP - 119.50 MHz - TAIPEI APPROACH	APP - 119.60 MHz - TAIPEI APPROACH
APP - 119.70 MHz - TAIPEI APPROACH	APP - 123.50 MHz - TAIPEI APPROACH
APP - 123.60 MHz - TAIPEI APPROACH	APP - 124.20 MHz - TAIPEI APPROACH
APP - 125.10 MHz - TAIPEI APPROACH	APP - 125.50 MHz - TAIPEI APPROACH
APP - 125.60 MHz - TAIPEI APPROACH	APP - 128.50 MHz - TAIPEI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05L	197 ft	12,020 ft	49.01	ASPHALT	0 ft	420 ft
	60 m	3,664 m	54.00		0 m	128 m
23R	197 ft	12,020 ft	229.02	ASPHALT	0 ft	390 ft
	60 m	3,664 m	234.01		0 m	119 m
05R	197 ft	12,478 ft	49.01	ASPHALT	328 ft	404 ft
	60 m	3,803 m	54.00		100 m	123 m
23L	197 ft	12,478 ft	229.02	ASPHALT	1,148 ft	394 ft
	60 m	3,803 m	234.01		350 m	120 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05L	DME	ITIA	111.10 MHz	18 nm	-	-	106 ft
				33 km	-		106 m
05R	DME	ICKS	110.70 MHz	18 nm	-	-	106 ft
				33 km	-		106 m
23R	DME	ITYA	109.30 MHz	18 nm	-	-	106 ft
				33 km	-		106 m
23L	DME	ICJN	111.90 MHz	18 nm	-	-	106 ft
				33 km	-		106 m
05L	LOC-ILS	ITIA	111.10 MHz	18 nm	49.02	-	108 ft
				33 km	54.01		108 m
05R	LOC-ILS	ICKS	110.70 MHz	18 nm	49.02	-	108 ft
				33 km	54.01		108 m
23L	LOC-ILS	ICJN	111.90 MHz	18 nm	229.02	-	108 ft
				33 km	234.01		108 m
23R	LOC-ILS	ITYA	109.30 MHz	18 nm	229.02	-	108 ft
				33 km	234.01		108 m
05L	GS	ITIA	111.10 MHz	10 nm	49.02	3.00	108 ft
				19 km	54.01		108 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05R	GS	ICKS	110.70 MHz	10 nm	49.02	3.00	108 ft
				19 km	54.01		108 m
23L	GS	ICJN	111.90 MHz	10 nm	229.02	3.00	108 ft
				19 km	234.01		108 m
23R	GS	ITYA	109.30 MHz	10 nm	229.02	3.00	108 ft
				19 km	234.01		108 m

KLAX

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 4

Elevation: 125 ft / 38 m
Location: 33.943100 -118.409000
Magnetic Var: 11.443 E

METAR

KLAX 040553Z 23007KT 10SM FEW014 14/12 A2990 RMK AO2 SLP123 T01440122 10183 20144 51015

TAF

KLAX 040555Z 0406/0512 25008KT P6SM SCT025 FM040900 14006KT P6SM BKN015 OVC025 FM041600 19007KT P6SM OVC025 FM042

Frequencies

COM - 122.95 MHz - UNICOM	GND - 121.65 MHz - LOS ANGELES GROUND
GND - 121.75 MHz - LOS ANGELES GROUND	GND - 121.40 MHz - LOS ANGELES GROUND
TWR - 119.80 MHz - LOS ANGELES TOWER	TWR - 120.95 MHz - LOS ANGELES TOWER
TWR - 133.90 MHz - LOS ANGELES TOWER	REC - 133.80 MHz - D-ATIS
REC - 135.65 MHz - D-ATIS	APP - 124.90 MHz - SOCAL APPROACH
APP - 124.30 MHz - SOCAL APPROACH	APP - 124.50 MHz - SOCAL APPROACH
APP - 128.50 MHz - SOCAL APPROACH	DEP - 125.20 MHz - SOCAL DEPARTURE
DEP - 124.30 MHz - SOCAL DEPARTURE	CLD - 120.35 MHz - CLEARANCE DELIVERY

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	200 ft	11,106 ft	82.96	CONCRETE	0 ft	381 ft
	61 m	3,385 m	71.51		0 m	116 m
25L	200 ft	11,106 ft	262.98	CONCRETE	0 ft	381 ft
	61 m	3,385 m	251.53		0 m	116 m
07L	151 ft	12,935 ft	82.95	CONCRETE	846 ft	374 ft
	46 m	3,943 m	71.51		258 m	114 m
25R	151 ft	12,935 ft	262.98	CONCRETE	968 ft	197 ft
	46 m	3,943 m	251.53		295 m	60 m
06R	151 ft	10,896 ft	82.95	CONCRETE	551 ft	384 ft
	46 m	3,321 m	71.50		168 m	117 m
24L	151 ft	10,896 ft	262.97	CONCRETE	814 ft	384 ft
	46 m	3,321 m	251.52		248 m	117 m
06L	151 ft	8,936 ft	82.95	CONCRETE	0 ft	0 ft
	46 m	2,724 m	71.51		0 m	0 m
24R	151 ft	8,936 ft	262.96	CONCRETE	0 ft	285 ft
	46 m	2,724 m	251.52		0 m	87 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	DME	IUWU	108.50 MHz	18 nm	-	-	120 ft
				33 km	-		120 m
06R	DME	IGPE	111.70 MHz	18 nm	-	-	120 ft
				33 km	-		120 m
07L	DME	IIAS	111.10 MHz	18 nm	-	-	103 ft
				33 km	-		103 m
07R	DME	IMKZ	109.90 MHz	18 nm	-	-	103 ft
				33 km	-		103 m
24L	DME	IHQB	111.70 MHz	18 nm	-	-	133 ft
				33 km	-		133 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24R	DME	IOSS	108.50 MHz	18 nm 33 km	- -	-	133 ft 133 m
25L	DME	ILAX	109.90 MHz	18 nm 33 km	- -	-	126 ft 126 m
25R	DME	ICFN	111.10 MHz	18 nm 33 km	- -	-	126 ft 126 m
06L	LOC-ILS	IUWU	108.50 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
06R	LOC-ILS	IGPE	111.70 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
07L	LOC-ILS	IIAS	111.10 MHz	18 nm 33 km	82.98 71.54	-	125 ft 125 m
07R	LOC-ILS	IMKZ	109.90 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
24L	LOC-ILS	IHQB	111.70 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
24R	LOC-ILS	IOSS	108.50 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
25L	LOC-ILS	ILAX	109.90 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
25R	LOC-ILS	ICFN	111.10 MHz	18 nm 33 km	262.98 251.54	-	125 ft 125 m
06L	GS	IUWU	108.50 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
06R	GS	IGPE	111.70 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
07L	GS	IIAS	111.10 MHz	10 nm 19 km	82.98 71.54	3.00	125 ft 125 m
07R	GS	IMKZ	109.90 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
24L	GS	IHQB	111.70 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
24R	GS	IOSS	108.50 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
25L	GS	ILAX	109.90 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
25R	GS	ICFN	111.10 MHz	10 nm 19 km	262.98 251.54	3.00	125 ft 125 m