

KMKE

General Mitchell Intl


KJAC

Jackson Hole

2024/06/16 0949Z

KMKE DUTYS **J16** FSD **J82** CZI **J32** BOY KJAC

1005.72 nm / 1862.59 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KMKE APT	-	42.94790 -87.89650	0 ft 0 m	-	General Mitchell Intl
DUTYS FIX	-	43.13060 -89.33500	22,800 ft 6,949 m	64	-
SIBER FIX	J16 AWY-HI	43.13470 -90.39270	35,000 ft 10,668 m	46	-
SABBO FIX	J16 AWY-HI	43.13150 -91.16870	35,000 ft 10,668 m	34	-
MCW VOR	J16 AWY-HI	43.09480 -93.32990	35,000 ft 10,668 m	94	MASON CITY
ONTIJ FIX	J16 AWY-HI	43.29760 -94.51290	35,000 ft 10,668 m	53	-
HAYNS FIX	J16 AWY-HI	43.42900 -95.32290	35,000 ft 10,668 m	36	-
FSD VOR	J16 AWY-HI	43.64950 -96.78110	35,000 ft 10,668 m	64	SIOUX FALLS
VIVID FIX	J82 AWY-HI	43.86050 -99.98760	35,000 ft 10,668 m	139	-
RAP VOR	J82 AWY-HI	43.97600 -103.01200	35,000 ft 10,668 m	131	RAPID CITY
CZI VOR	J82 AWY-HI	43.99970 -106.43600	35,000 ft 10,668 m	147	CRAZY WOMAN
BOY VOR	J32 AWY-HI	43.46320 -108.30000	22,800 ft 6,949 m	87	BOYSEN RESERVOIR
KJAC APT	-	43.60740 -110.73800	0 ft 0 m	106	Jackson Hole

KMKE

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 5

Elevation: 728 ft / 222 m
Location: 42.947900 -87.896500
Magnetic Var: 4.247 W

METAR

KMKE 160852Z 16014G22KT 10SM BKN250 21/13 A2992 RMK A02 SLP126 T02060128 58015

TAF

TAF AMD KMKE 160914Z 1609/1712 16010G20KT P6SM BKN240 FM161200 19012G23KT P6SM BKN070 WS020/20040KT PROB30 1612/1

Frequencies

REC - 126.40 MHz - D-ATIS
GND - 121.80 MHz - MILWAUKEE GROUND
CLD - 120.80 MHz - MILWAUKEE CLEARANCE DELIVERY
DEP - 135.87 MHz - MILWAUKEE DEPARTURE
APP - 126.50 MHz - MILWAUKEE APPROACH
COM - 122.95 MHz - MILWAUKEE UNICOM
TWR - 124.57 MHz - MILWAUKEE TOWER
DEP - 125.35 MHz - MILWAUKEE DEPARTURE
APP - 118.00 MHz - MILWAUKEE APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01L	200 ft	10,006 ft	7.14	CONCRETE	302 ft	407 ft
	61 m	3,050 m	11.38		92 m	124 m
19R	200 ft	10,006 ft	187.14	CONCRETE	791 ft	289 ft
	61 m	3,050 m	191.39		241 m	88 m
01R	150 ft	4,187 ft	7.13	ASPHALT	0 ft	0 ft
	46 m	1,276 m	11.37		0 m	0 m
19L	150 ft	4,187 ft	187.13	ASPHALT	0 ft	0 ft
	46 m	1,276 m	191.37		0 m	0 m
13	150 ft	5,539 ft	132.37	ASPHALT	741 ft	0 ft
	46 m	1,688 m	136.61		226 m	0 m
31	150 ft	5,539 ft	312.38	ASPHALT	207 ft	325 ft
	46 m	1,688 m	316.62		63 m	99 m
07L	100 ft	4,789 ft	71.58	ASPHALT	0 ft	0 ft
	30 m	1,460 m	75.83		0 m	0 m
25R	100 ft	4,789 ft	251.59	ASPHALT	0 ft	0 ft
	30 m	1,460 m	255.84		0 m	0 m
07R	150 ft	8,286 ft	71.57	CONCRETE	0 ft	200 ft
	46 m	2,526 m	75.82		0 m	61 m
25L	150 ft	8,286 ft	251.59	CONCRETE	433 ft	246 ft
	46 m	2,526 m	255.84		132 m	75 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07R	DME	IGMF	111.50 MHz	18 nm	-	-	730 ft
				33 km	-		730 m
25L	DME	IPXY	111.50 MHz	18 nm	-	-	723 ft
				33 km	-		723 m
01L	LOC-ILS	IMKE	110.30 MHz	18 nm	7.14	-	728 ft
				33 km	11.39		728 m
07R	LOC-ILS	IGMF	111.50 MHz	18 nm	71.58	-	728 ft
				33 km	75.83		728 m
19R	LOC-ILS	IBLY	110.30 MHz	18 nm	187.14	-	728 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	191.39		728 m
25L	LOC-LOC	IPXY	111.50 MHz	18 nm	251.58	-	728 ft
				33 km	255.83		728 m
01L	GS	IMKE	110.30 MHz	10 nm	7.14	3.00	728 ft
				19 km	11.39		728 m
07R	GS	IGMF	111.50 MHz	10 nm	71.58	3.00	728 ft
				19 km	75.83		728 m
19R	GS	IBLY	110.30 MHz	10 nm	187.14	3.00	728 ft
				19 km	191.39		728 m

KJAC

Region: UNITED STATES
Timezone: AMERICA/DENVER
Runways: 1

Elevation: 6,451 ft / 1,966 m
Location: 43.607400 -110.738000
Magnetic Var: 10.669 E

METAR

UNKNOWN

TAF

TAF KJAC 160520Z 1606/1706 21007KT P6SM SCT080 BKN140 FM161800 22011KT P6SM SCT080 BKN200 FM170300 03005KT P6SM BKN200

Frequencies

REC - 120.62 MHz - ATIS
COM - 118.07 MHz - CTAF
GND - 124.55 MHz -

REC - 135.17 MHz - AWOS 3
COM - 122.95 MHz - UNICOM
TWR - 118.07 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	151 ft	6,285 ft	19.50	ASPHALT	0 ft	308 ft
	46 m	1,916 m	8.83		0 m	94 m
19	151 ft	6,285 ft	199.50	ASPHALT	0 ft	305 ft
	46 m	1,916 m	188.83		0 m	93 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
19	DME	IJAC	109.10 MHz	18 nm	-	-	6,415 ft
				33 km	-		6,415 m
19	LOC-ILS	IJAC	109.10 MHz	18 nm	199.36	-	6,408 ft
				33 km	188.69		6,408 m
19	GS	IJAC	109.10 MHz	10 nm	199.72	3.00	6,441 ft
				19 km	189.05		6,441 m