


2024/06/04 1638Z

F92 PER **V354** EMP KSTJ

275.33 nm / 509.91 km



Notes

Basic altitude profile:

- Ascent Rate: 500ft/min
- Ascent Speed: 170kts
- Cruise Altitude: 5000ft
- Cruise Speed: 120kts
- Descent Rate: 500ft/min
- Descent Speed: 120kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
F92	-	35.87504	0 ft	-	Kingfisher
APT	-	-97.95033	0 m		
PER	-	36.74653	23,100 ft	64	PIONEER VORTAC
VOR	-	-97.16017	7,041 m		
OBDW	V354	37.68722	31,400 ft	63	-
FIX	AWY-LO	-96.54350	9,571 m		
UBWIK	V354	37.89347	28,400 ft	14	-
FIX	AWY-LO	-96.40586	8,656 m		
EMP	V354	38.29114	22,600 ft	27	EMPORIA VORTAC
VOR	AWY-LO	-96.13811	6,888 m		
KSTJ	-	39.77141	0 ft	105	ROSECRANS MEM
APT	-	-94.91066	0 m		

KSTJ

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 2

Elevation: 826 ft / 252 m
Location: 39.771400 -94.910700
Magnetic Var: 1.256 E

METAR

KSTJ 041553Z VRB03KT 10SM FEW029 26/17 A2965 RMK AO2 SLP032 T02610172

TAF

TAF KSTJ 041120Z 0412/0512 12008KT P6SM BKN035 FM041400 20008KT P6SM BKN035 FM042300 20010KT P6SM VCTS BKN040CB FM050000 20010KT P6SM BKN035

Frequencies

REC - 125.05 MHz - ATIS
COM - 122.95 MHz - UNICOM
TWR - 126.90 MHz - ST JOSEPH TWR
COM - 126.90 MHz - CTAF
GND - 121.90 MHz -
APP - 120.35 MHz - ST JOSEPH APP/DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17	150 ft	8,073 ft	180.01	CONCRETE	0 ft	800 ft
	46 m	2,461 m	178.76		0 m	244 m
35	150 ft	8,073 ft	0.01	CONCRETE	0 ft	1,000 ft
	46 m	2,461 m	358.76		0 m	305 m
13	75 ft	4,796 ft	135.84	ASPHALT	0 ft	0 ft
	23 m	1,462 m	134.58		0 m	0 m
31	75 ft	4,796 ft	315.85	ASPHALT	0 ft	0 ft
	23 m	1,462 m	314.59		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
35	LOC-ILS	ISTJ	110.30 MHz	18 nm	0.01	-	826 ft
				33 km	358.75		826 m
35	GS	ISTJ	110.30 MHz	10 nm	0.02	2.80	812 ft
				19 km	358.77		812 m