

PANC

Ted Stevens Anchorage Intl


PAJN

Juneau Intl

2024/05/10 0744Z

PANC YESKA JOH KATAT YAK YISPO FAKES BERGS ASORT SSR PAJN

506.76 nm / 938.51 km



Notes

Requested: PANC ANC YESKA JOH KATAT YAK YISPO FAKES BERGS ASORT SSR PAJN

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
PANC	-	61.17411	0 ft	-	Ted Stevens Anchorage Intl
APT	-	-149.99598	0 m		
YESKA	-	61.00022	0 ft	21	-
FIX	-	-149.33384	0 m		
JOH	-	60.48094	0 ft	86	JOHNSTONE POINT VOR-DME
VOR	-	-146.59933	0 m		
KATAT	-	60.25810	0 ft	57	-
FIX	-	-144.70521	0 m		
YAK	-	59.51083	0 ft	158	YAKUTAT VOR-DME
VOR	-	-139.64814	0 m		
YISPO	-	59.37515	0 ft	16	-
FIX	-	-139.16133	0 m		
FAKES	-	58.98241	0 ft	47	-
FIX	-	-137.80800	0 m		
BERGS	-	58.51929	0 ft	54	-
FIX	-	-136.30729	0 m		
ASORT	-	58.36268	0 ft	17	-
FIX	-	-135.82089	0 m		
SSR	-	58.17767	0 ft	20	SISTERS ISLAND VORTAC
VOR	-	-135.25886	0 m		
PAJN	-	58.35496	0 ft	24	Juneau Intl
APT	-	-134.57628	0 m		

PANC

Region: USA (ALASKA)

Timezone: AMERICA/ANCHORAGE

Runways: 3

Elevation: 151 ft / 46 m

Location: 61.174300 -149.998000

Magnetic Var: 14.025 E

METAR

PANC 100653Z 15005KT 10SM FEW026 BKN065 BKN250 03/M01 A2988

TAF

PANC 100527Z 1006/1112 15006KT P6SM FEW025 SCT060 FM101200 17011KT P6SM FEW008 SCT040 BKN100 FM110000 15015G25KT

Frequencies

REC - 135.50 MHz - D-ATIS

GND - 121.90 MHz - ANCHORAGE GROUND

CLD - 119.40 MHz - CLEARANCE DELIVERY

APP - 118.60 MHz - ANCHORAGE APPROACH

APP - 123.80 MHz - ANCHORAGE APPROACH

DEP - 118.60 MHz - ANCHORAGE DEPARTURE

DEP - 123.80 MHz - ANCHORAGE DEPARTURE

COM - 122.95 MHz - UNICOM

TWR - 118.30 MHz - ANCHORAGE TOWER

CLD - 128.65 MHz - CLEARANCE DELIVERY

APP - 119.10 MHz - ANCHORAGE APPROACH

APP - 126.40 MHz - ANCHORAGE APPROACH

DEP - 119.10 MHz - ANCHORAGE DEPARTURE

DEP - 126.40 MHz - ANCHORAGE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	200 ft	12,357 ft	89.84	ASPHALT	0 ft	0 ft
	61 m	3,767 m	75.82		0 m	0 m
25L	200 ft	12,357 ft	269.90	ASPHALT	0 ft	194 ft
	61 m	3,767 m	255.88		0 m	59 m
07L	150 ft	10,566 ft	89.88	ASPHALT	0 ft	387 ft
	46 m	3,221 m	75.85		0 m	118 m
25R	150 ft	10,566 ft	269.93	ASPHALT	0 ft	387 ft
	46 m	3,221 m	255.91		0 m	118 m
15	200 ft	10,847 ft	164.89	ASPHALT	0 ft	397 ft
	61 m	3,306 m	150.86		0 m	121 m
33	200 ft	10,847 ft	344.90	ASPHALT	463 ft	236 ft
	61 m	3,306 m	330.88		141 m	72 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	DME	ITGN	109.90 MHz	18 nm	-	-	152 ft
				33 km	-		152 m
07R	DME	IANC	111.30 MHz	18 nm	-	-	152 ft
				33 km	-		152 m
15	DME	IBSC	111.75 MHz	18 nm	-	-	152 ft
				33 km	-		152 m
07L	LOC-ILS	ITGN	109.90 MHz	18 nm	89.90	-	151 ft
				33 km	75.88		151 m
07R	LOC-ILS	IANC	111.30 MHz	18 nm	89.87	-	151 ft
				33 km	75.85		151 m
15	LOC-ILS	IBSC	111.75 MHz	18 nm	164.90	-	151 ft
				33 km	150.88		151 m
07L	GS	ITGN	109.90 MHz	10 nm	89.90	3.00	151 ft
				19 km	75.88		151 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07R	GS	IANC	111.30 MHz	10 nm	89.87	3.00	151 ft
				19 km	75.85		151 m
15	GS	IBSC	111.75 MHz	10 nm	164.90	3.00	151 ft
				19 km	150.88		151 m

PAJN

Region: USA (ALASKA)
Timezone: AMERICA/JUNEAU
Runways: 1

Elevation: 20 ft / 6 m
Location: 58.355000 -134.576000
Magnetic Var: 17.278 E

METAR

PAJN 100653Z 36003KT 8SM -RA FEW009 BKN020 OVC043 08/07 A3017

TAF

PAJN 100532Z 1006/1106 00000KT P6SM -SHRA FEW006 BKN035 OVC090 FM101500 11006KT P6SM VCSH SCT025 OVC050 FM102100 1

Frequencies

TWR - 118.70 MHz - JUNEAU TOWER
COM - 122.95 MHz - JUNEAU UNICOM

GND - 121.90 MHz - JUNEAU GROUND
REC - 135.20 MHz - ATIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	151 ft	8,867 ft	104.87	ASPHALT	220 ft	0 ft
	46 m	2,703 m	87.59		67 m	0 m
26	151 ft	8,867 ft	284.90	ASPHALT	217 ft	0 ft
	46 m	2,703 m	267.63		66 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	DME	IJDL	109.90 MHz	18 nm	-	-	175 ft
				33 km	-		175 m
08	LOC-LOC	IJDL	109.90 MHz	18 nm	84.92	-	21 ft
				33 km	67.64		21 m