

# KMSY

Louis Armstrong New Orleans Intl


# KBTR

BATON ROUGE METRO RYAN FLD

2024/05/13 0012Z

KMSY VEILS KBTR

56.48 nm / 104.61 km



## Notes

Basic altitude profile:

- Ascent Rate: 750ft/min
- Ascent Speed: 75kts
- Cruise Altitude: 300ft
- Cruise Speed: 100kts
- Descent Rate: 750ft/min
- Descent Speed: 75kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
KMSY	-	29.99335	0 ft	-	Louis Armstrong New Orleans Intl	
APT	-	-90.25741	0 m			
VEILS	-	30.30047	5,100 ft	32	-	
FIX	-	-90.77461	1,554 m			
KBTR	-	30.53305	0 ft	23	BATON ROUGE METRO RYAN FLD	
APT	-	-91.14904	0 m			

## KMSY

Region: UNITED STATES  
Timezone: AMERICA/CHICAGO  
Runways: 2

Elevation: 2 ft / 1 m  
Location: 29.993300 -90.257400  
Magnetic Var: 1.460 W

## METAR

KMSY 122353Z 10015G23KT 10SM FEW026 FEW038 FEW100 BKN190 OVC250 26/21 A2985 RMK A02 SLP109 T02610206 10289 20261 5

## TAF

KMSY 122330Z 1300/1406 11010KT P6SM BKN035 OVC250 FM130700 12012KT P6SM VCSH BKN020 OVC050 FM131100 17011KT P6SM

## Frequencies

COM - 122.95 MHz - UNICOM	GND - 121.90 MHz - NEW ORLEANS GROUND
TWR - 119.50 MHz - NEW ORLEANS TOWER	APP - 125.50 MHz - NEW ORLEANS APPROACH
APP - 133.15 MHz - NEW ORLEANS APPROACH	DEP - 125.50 MHz - NEW ORLEANS DEPARTURE
TWR - 133.15 MHz - NEW ORLEANS DEPARTURE	CLD - 127.20 MHz - CLEARANCE DELIVERY
REC - 127.55 MHz - D-ATIS	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	151 ft	7,008 ft	15.41	CONCRETE	0 ft	610 ft
	46 m	2,136 m	16.87		0 m	186 m
20	151 ft	7,008 ft	195.41	CONCRETE	0 ft	610 ft
	46 m	2,136 m	196.87		0 m	186 m
11	151 ft	10,095 ft	105.55	CONCRETE	0 ft	400 ft
	46 m	3,077 m	107.01		0 m	122 m
29	151 ft	10,095 ft	285.57	CONCRETE	308 ft	118 ft
	46 m	3,077 m	287.03		94 m	36 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02	DME	IJFI	111.70 MHz	18 nm	-	-	4 ft
				33 km	-		4 m
11	DME	IMSY	109.90 MHz	18 nm	-	-	4 ft
				33 km	-		4 m
20	DME	IONW	111.70 MHz	18 nm	-	-	10 ft
				33 km	-		10 m
29	DME	IHOX	109.90 MHz	18 nm	-	-	4 ft
				33 km	-		4 m
02	LOC-ILS	IJFI	111.70 MHz	18 nm	15.41	-	3 ft
				33 km	16.87		3 m
11	LOC-ILS	IMSY	109.90 MHz	18 nm	105.56	-	3 ft
				33 km	107.02		3 m
29	LOC-ILS	IHOX	109.90 MHz	18 nm	285.56	-	3 ft
				33 km	287.02		3 m
20	LOC-LOC	IONW	111.70 MHz	18 nm	195.41	-	3 ft
				33 km	196.87		3 m
02	GS	IJFI	111.70 MHz	10 nm	15.41	3.00	3 ft
				19 km	16.87		3 m
11	GS	IMSY	109.90 MHz	10 nm	105.56	2.80	3 ft
				19 km	107.02		3 m
29	GS	IHOX	109.90 MHz	10 nm	285.56	3.00	3 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				19 km	287.02		3 m

## KBTR

Region: UNITED STATES  
Timezone: AMERICA/CHICAGO  
Runways: 3

Elevation: 68 ft / 21 m  
Location: 30.532900 -91.149300  
Magnetic Var: 0.916 W

## METAR

KBTR 122353Z 04010KT 10SM OVC030 22/19 A2985 RMK A02 RAE14 SLP106 P0001 60001 T02220194 10278 20222 53018 \$

## TAF

KBTR 122330Z 1300/1324 08008KT P6SM VCSH BKN025 OVC040 FM130700 11010KT P6SM VCTS BKN015CB BKN025 FM131200 15008KT

## Frequencies

REC - 125.20 MHz - ATIS  
COM - 122.95 MHz - UNICOM  
GND - 121.90 MHz -  
APP - 126.50 MHz - APP/DEP  
COM - 118.45 MHz - CTAF  
CLD - 119.40 MHz - CLNC DEL  
TWR - 118.45 MHz -

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	150 ft	7,009 ft	133.61	CONCRETE	600 ft	0 ft
	46 m	2,136 m	134.53		183 m	0 m
31	150 ft	7,009 ft	313.62	CONCRETE	318 ft	308 ft
	46 m	2,136 m	314.54		97 m	94 m
04L	150 ft	7,521 ft	43.28	CONCRETE	627 ft	0 ft
	46 m	2,292 m	44.19		191 m	0 m
22R	150 ft	7,521 ft	223.29	CONCRETE	440 ft	0 ft
	46 m	2,292 m	224.20		134 m	0 m
04R	75 ft	3,813 ft	43.34	ASPHALT	0 ft	0 ft
	23 m	1,162 m	44.25		0 m	0 m
22L	75 ft	3,813 ft	223.34	ASPHALT	0 ft	0 ft
	23 m	1,162 m	224.26		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13	DME	IBTR	110.30 MHz	18 nm	-	-	82 ft
				33 km	-		82 m
22R	DME	ICLZ	108.70 MHz	18 nm	-	-	70 ft
				33 km	-		70 m
13	LOC-ILS	IBTR	110.30 MHz	18 nm	133.62	-	68 ft
				33 km	134.54		68 m
22R	LOC-ILS	ICLZ	108.70 MHz	18 nm	223.28	-	68 ft
				33 km	224.20		68 m
13	GS	IBTR	110.30 MHz	10 nm	133.62	3.00	68 ft
				19 km	134.54		68 m
22R	GS	ICLZ	108.70 MHz	10 nm	223.28	3.00	68 ft
				19 km	224.20		68 m