

LKPR

Praha - Ruzyne


EKBI

Billund

2024/05/08 1217Z

LKPR OLBK **UM748** BKD **W93** RAMAR **G99** TOSPA **UT726** MIC EKBI

395.05 nm / 731.64 km



Notes

Basic altitude profile:

- Ascent Rate: 1800ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 24000ft
- Cruise Speed: 420kts
- Descent Rate: 1400ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LKPR	-	50.10114	0 ft	-	Praha - Ruzyne
APT	-	14.26296	0 m	-	
OLBIK	-	51.66250	34,000 ft	100	-
FIX	-	13.34111	10,363 m	-	-
BOLBO	UM748	51.79472	34,000 ft	10	-
FIX	AWY-HI	13.15111	10,363 m	-	-
MOSEX	UM748	51.91917	34,000 ft	10	-
FIX	AWY-HI	12.97083	10,363 m	-	-
ESIKA	UM748	52.12389	34,000 ft	16	-
FIX	AWY-HI	12.67139	10,363 m	-	-
SOBLU	UM748	52.39222	34,000 ft	21	-
FIX	AWY-HI	12.27278	10,363 m	-	-
SOGMA	UM748	52.63528	34,000 ft	19	-
FIX	AWY-HI	11.90528	10,363 m	-	-
GARMA	UM748	52.73528	34,000 ft	6	-
FIX	AWY-HI	11.81611	10,363 m	-	-
BKD	UM748	53.03453	34,000 ft	20	BRUNKENDORF VOR-DME
VOR	AWY-HI	11.54622	10,363 m	-	
RAMAR	W93	53.71083	24,000 ft	46	-
FIX	AWY-LO	10.93889	7,315 m	-	-
TOSPA	G99	54.11389	23,000 ft	24	-
FIX	AWY-LO	10.98361	7,010 m	-	-
MIC	UT726	54.30546	25,000 ft	11	MICHAELSDORF VOR
VOR	AWY-HI	11.00519	7,620 m	-	
EKBI	-	55.73618	0 ft	107	Billund
APT	-	9.15206	0 m	-	

LKPR

Region: CZECH REPUBLIC
Timezone: EUROPE/PRAGUE
Runways: 2

Elevation: 1,247 ft / 380 m
Location: 50.104100 14.256700
Magnetic Var: 4.663 E

METAR

LKPR 081200Z 01008KT 320V030 9999 FEW033 BKN048 14/06 Q1023 NOSIG

TAF

TAF LKPR 081100Z 0812/0918 01008KT 9999 SCT025 BKN045 BECMG 0814/0816 CAVOK BECMG 0916/0918 33004KT

Frequencies

REC - 122.15 MHz - ATIS	TWR - 118.10 MHz - RUZYNE TOWER
TWR - 134.55 MHz - RUZYNE TOWER	GND - 121.90 MHz - RUZYNE GROUND
GND - 131.95 MHz - RUZYNE GROUND	CLD - 120.05 MHz - CLEARANCE DELIVERY
APP - 136.07 MHz - PRAGUE APPROACH	APP - 127.57 MHz - PRAGUE APPROACH
APP - 120.52 MHz - PRAGUE APPROACH	APP - 119.00 MHz - PRAGUE APPROACH
REC - 118.30 MHz - RUZYNE INFORMATION	REC - 127.57 MHz - RUZYNE INFORMATION
REC - 136.07 MHz - RUZYNE INFORMATION	REC - 136.17 MHz - RUZYNE INFORMATION
APP - 120.52 MHz - PRAGUE RADAR	APP - 127.57 MHz - PRAGUE RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	10,674 ft	126.99	CONCRETE	0 ft	0 ft
	45 m	3,253 m	122.32		0 m	0 m
30	148 ft	10,674 ft	307.02	CONCRETE	0 ft	0 ft
	45 m	3,253 m	302.35		0 m	0 m
06	148 ft	12,198 ft	64.93	CONCRETE	0 ft	0 ft
	45 m	3,718 m	60.26		0 m	0 m
24	148 ft	12,198 ft	244.96	CONCRETE	0 ft	0 ft
	45 m	3,718 m	240.30		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	PH	111.15 MHz	18 nm	-	-	1,250 ft
				33 km	-		1,250 m
12	DME	PA	109.95 MHz	18 nm	-	-	1,246 ft
				33 km	-		1,246 m
24	DME	PR	109.10 MHz	18 nm	-	-	1,175 ft
				33 km	-		1,175 m
30	DME	PG	109.50 MHz	18 nm	-	-	1,250 ft
				33 km	-		1,250 m
06	LOC-ILS	PH	111.15 MHz	18 nm	64.94	-	1,202 ft
				33 km	60.28		1,202 m
12	LOC-ILS	PA	109.95 MHz	18 nm	127.00	-	1,246 ft
				33 km	122.34		1,246 m
24	LOC-ILS	PR	109.10 MHz	18 nm	244.95	-	1,156 ft
				33 km	240.28		1,156 m
30	LOC-ILS	PG	109.50 MHz	18 nm	307.08	-	1,234 ft
				33 km	302.42		1,234 m
06	GS	PH	111.15 MHz	10 nm	65.88	3.00	1,202 ft
				19 km	61.22		1,202 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	GS	PA	109.95 MHz	10 nm	127.00	3.00	1,246 ft
				19 km	122.34		1,246 m
24	GS	PR	109.10 MHz	10 nm	245.88	3.00	1,156 ft
				19 km	241.22		1,156 m
30	GS	PG	109.50 MHz	10 nm	307.00	3.00	1,234 ft
				19 km	302.34		1,234 m

EKBI

Region: DENMARK / FAROE ISLANDS
Timezone: EUROPE/COPENHAGEN
Runways: 1

Elevation: 247 ft / 75 m
Location: 55.740500 9.157080
Magnetic Var: 3.490 E

METAR

EKBI 081150Z AUTO 26007KT 230V300 9999 SCT048/// 17/05 Q1027

TAF

TAF EKBI 081104Z 0812/0912 24005KT 9999 SCT040 TEMPO 0820/0908 2000 BR BKN004

Frequencies

REC - 118.77 MHz - ATIS
TWR - 119.00 MHz - BILLUND TOWER
APP - 119.25 MHz - BILLUND ARRIVAL
GND - 131.90 MHz - BILLUND HANDLING
APP - 127.57 MHz - BILLUND APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft	10,180 ft	86.84	ASPHALT	492 ft	0 ft
	45 m	3,103 m	83.35		150 m	0 m
27	148 ft	10,180 ft	266.88	ASPHALT	492 ft	0 ft
	45 m	3,103 m	263.39		150 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
27	DME	LEL	110.70 MHz	18 nm	-	-	246 ft
				33 km	-		246 m
09	LOC-ILS	BIL	111.70 MHz	18 nm	86.85	-	247 ft
				33 km	83.36		247 m
27	LOC-ILS	LEL	110.70 MHz	18 nm	266.86	-	247 ft
				33 km	263.37		247 m
09	GS	BIL	111.70 MHz	10 nm	87.70	3.00	247 ft
				19 km	84.21		247 m
27	GS	LEL	110.70 MHz	10 nm	267.70	3.00	247 ft
				19 km	264.21		247 m