

LIPZ

Venezia Tesserà


EDDP

Leipzig-Halle

2024/05/16 2028Z

LIPZ VENOG **P994** TURBU **Y704** ROTIN **N871** MEBEK VIBUG **M736** RUDNO **L132** BADUG EDDP

365.27 nm / 676.49 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 300ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIPZ	-	45.50479	0 ft	-	Venezia Tessera
APT	-	12.34969	0 m		
VENOG	-	46.95477	31,100 ft	87	-
FIX	-	12.27579	9,479 m		
ARTUS	P994	47.51886	35,000 ft	33	-
FIX	AWY-LO	12.25580	10,668 m		
4812E	P994	47.60571	35,000 ft	5	-
FIX	AWY-LO	12.19876	10,668 m		
TURBU	P994	47.72889	35,000 ft	8	-
FIX	AWY-LO	12.11750	10,668 m		
ROTIN	Y704	47.94278	35,000 ft	13	-
FIX	AWY-LO	12.24639	10,668 m		
MEBEK	N871	48.23194	35,000 ft	21	-
FIX	AWY-LO	12.56556	10,668 m		
VIBUG	-	48.43861	35,000 ft	12	-
FIX	-	12.48083	10,668 m		
RDG	M736	49.04027	31,200 ft	36	RODING VORTAC
VOR	AWY-LO	12.52655	9,510 m		
RUDNO	M736	49.33583	27,400 ft	17	-
FIX	AWY-LO	12.54139	8,352 m		
AGNAV	L132	49.56713	24,400 ft	14	-
FIX	AWY-LO	12.61344	7,437 m		
BADUG	L132	49.96665	19,100 ft	24	-
FIX	AWY-LO	12.74180	5,822 m		
EDDP	-	51.42263	0 ft	89	Leipzig-Halle
APT	-	12.23604	0 m		

LIPZ

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 4 ft / 1 m
Location: 45.504800 12.349700
Magnetic Var: 3.907 E

METAR

LIPZ 161950Z 33013KT 8000 -TSRA BKN020CB 14/14 Q1004 RETSRA RETSGS NOSIG

TAF

TAF LIPZ 161700Z 1618/1724 16015KT 8000 BKN020 TEMPO 1618/1621 16016G28KT 4000 TSRA BECMG 1621/1623 24007KT BECMG

Frequencies

REC - 128.65 MHz - ATIS
TWR - 120.20 MHz - VENEZIA TOWER
APP - 118.25 MHz - VENEZIA APPROACH
GND - 121.70 MHz - VENEZIA GROUND
APP - 118.90 MHz - VENEZIA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft	10,836 ft	42.03	ASPHALT	0 ft	0 ft
	45 m	3,303 m	38.12		0 m	0 m
22L	148 ft	10,836 ft	222.05	ASPHALT	0 ft	0 ft
	45 m	3,303 m	218.14		0 m	0 m
04L	148 ft	9,129 ft	42.03	ASPHALT	318 ft	0 ft
	45 m	2,782 m	38.12		97 m	0 m
22R	148 ft	9,129 ft	222.05	ASPHALT	0 ft	0 ft
	45 m	2,782 m	218.14		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04R	DME	VTS	109.95 MHz	18 nm	-	-	26 ft
				33 km	-		26 m
04R	LOC-ILS	VTS	109.95 MHz	18 nm	42.04	-	4 ft
				33 km	38.13		4 m
04R	GS	VTS	109.95 MHz	10 nm	42.04	3.00	4 ft
				19 km	38.13		4 m

EDDP

Region: GERMANY - CIVIL
Timezone: EUROPE/BERLIN
Runways: 2

Elevation: 470 ft / 143 m
Location: 51.422600 12.236000
Magnetic Var: 4.238 E

METAR

EDDP 162020Z AUTO 10014KT CAVOK 15/09 Q1008 NOSIG

TAF

TAF EDDP 161700Z 1618/1718 09010KT CAVOK BECMG 1707/1710 11015G25KT TEMPO 1710/1715 12020G35KT BECMG 1715/1718 11015G25KT

Frequencies

REC - 123.95 MHz - LEIPZIG ATIS	GND - 121.67 MHz - LEIPZIG GROUND
TWR - 125.95 MHz - LEIPZIG TOWER	TWR - 121.10 MHz - LEIPZIG TOWER
COM - 121.10 MHz - LEIPZIG UNICOM	APP - 126.17 MHz - MUNCHEN RADAR
APP - 379.92 MHz - MUNCHEN RADAR	APP - 128.47 MHz - LEIPZIG DIRECTOR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	11,769 ft	85.69	CONCRETE	0 ft	331 ft
	45 m	3,587 m	81.45		0 m	101 m
26R	148 ft	11,769 ft	265.73	CONCRETE	0 ft	335 ft
	45 m	3,587 m	261.49		0 m	102 m
08R	197 ft	11,778 ft	85.69	CONCRETE	0 ft	325 ft
	60 m	3,590 m	81.45		0 m	99 m
26L	197 ft	11,778 ft	265.73	CONCRETE	0 ft	341 ft
	60 m	3,590 m	261.49		0 m	104 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	LOC-ILS	ILNE	108.55 MHz	18 nm	85.71	-	470 ft
				33 km	81.47		470 m
08R	LOC-ILS	ILSR	111.75 MHz	18 nm	85.71	-	470 ft
				33 km	81.47		470 m
26L	LOC-ILS	ILSL	110.30 MHz	18 nm	265.71	-	470 ft
				33 km	261.47		470 m
26R	LOC-ILS	ILNW	108.35 MHz	18 nm	265.71	-	470 ft
				33 km	261.47		470 m
08L	GS	ILNE	108.55 MHz	10 nm	85.71	3.00	470 ft
				19 km	81.47		470 m
08R	GS	ILSR	111.75 MHz	10 nm	85.71	3.00	470 ft
				19 km	81.47		470 m
26L	GS	ILSL	110.30 MHz	10 nm	265.71	3.00	470 ft
				19 km	261.47		470 m
26R	GS	ILNW	108.35 MHz	10 nm	265.71	3.00	470 ft
				19 km	261.47		470 m