


2024/05/07 1658Z

KEGE JNC **J80** MLF **J58** DUGLE KSFO

741.54 nm / 1373.33 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KEGE APT	-	39.64257 -106.91770	0 ft 0 m	-	EAGLE CO RGNL
JNC DME	-	39.05957 -108.79257	32,500 ft 9,906 m	93	GRAND JUNCTION VOR-DME
SAKES FIX	J80 AWY-HI	38.83347 -110.27126	34,000 ft 10,363 m	70	-
MLF VOR	J80 AWY-HI	38.36036 -113.01322	34,000 ft 10,363 m	131	MILFORD VORTAC
ILC DME	J58 AWY-HI	38.25019 -114.39423	34,000 ft 10,363 m	65	WILSON CREEK VORTAC
OAL VOR	J58 AWY-HI	38.00325 -117.77044	34,000 ft 10,363 m	160	COALDALE VORTAC
TIOGA FIX	J58 AWY-HI	37.93295 -119.42802	30,200 ft 9,205 m	78	-
JOFAV FIX	J58 AWY-HI	37.92873 -119.51265	28,400 ft 8,656 m	4	-
DUCKE FIX	J58 AWY-HI	37.89768 -120.10103	22,400 ft 6,828 m	27	-
DUGLE FIX	J58 AWY-HI	37.86499 -120.66789	18,000 ft 5,486 m	26	-
KSFO APT	-	37.61867 -122.37501	0 ft 0 m	82	San Francisco Intl

KEGE

Region: UNITED STATES
Timezone: AMERICA/DENVER
Runways: 1

Elevation: 6,546 ft / 1,995 m
Location: 39.642700 -106.916000
Magnetic Var: 8.500 E

METAR

KEGE 071556Z 24016G19KT 4SM -SN BKN010 BKN015 OVC028 01/00 A2978 RMK A02 CIG 007V012 SLP013 P0001 T00110000

TAF

TAF AMD KEGE 071536Z 0716/0812 25008KT 1SM -SN BR BKN009 OVC017 TEMPO 0716/0718 26022G32KT 2SM -SHSN BR OVC015 FM0

Frequencies

GND - 121.80 MHz - EAGLE GROUND
REC - 135.57 MHz - ATIS

TWR - 119.80 MHz - EAGLE TOWER
CLD - 124.75 MHz - DENVER CLEARANCE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	150 ft	8,980 ft	81.90	ASPHALT	0 ft	200 ft
	46 m	2,737 m	73.40		0 m	61 m
25	150 ft	8,980 ft	261.92	ASPHALT	1,001 ft	197 ft
	46 m	2,737 m	253.42		305 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25	DME	IESJ	109.75 MHz	18 nm	-	-	6,473 ft
				33 km	-		6,473 m

KSFO

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 4

Elevation: 13 ft / 4 m
Location: 37.618500 -122.375000
Magnetic Var: 12.844 E

METAR

KSFO 071556Z 00000KT 10SM FEW006 FEW014 13/06 A3010 RMK A02 SLP192 T01280056 VISNO \$

TAF

TAF AMD KSFO 071459Z 0715/0818 30006KT P6SM FEW006 FEW015 FM071900 28020G25KT P6SM SKC FM080600 27009KT P6SM SKC F

Frequencies

REC - 113.70 MHz - D-ATIS	REC - 115.80 MHz - D-ATIS
REC - 118.85 MHz - D-ATIS	COM - 122.95 MHz - UNICOM
CLD - 118.20 MHz -	GND - 121.80 MHz - SAN FRANCISCO GROUND
SAN FRANCISCO CLEARANCE DELIVERY	APP - 134.50 MHz - NORCAL APPROACH
TWR - 120.50 MHz - SAN FRANCISCO TOWER	APP - 128.57 MHz - NORCAL APPROACH
APP - 128.32 MHz - NORCAL APPROACH	DEP - 120.90 MHz - NORCAL DEPARTURE
APP - 133.95 MHz - NORCAL APPROACH	
DEP - 135.10 MHz - NORCAL DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10L	200 ft	11,859 ft	117.90	ASPHALT	0 ft	876 ft
	61 m	3,615 m	105.05		0 m	267 m
28R	200 ft	11,859 ft	297.92	ASPHALT	302 ft	318 ft
	61 m	3,615 m	285.08		92 m	97 m
10R	200 ft	11,371 ft	117.90	ASPHALT	0 ft	748 ft
	61 m	3,466 m	105.05		0 m	228 m
28L	200 ft	11,371 ft	297.92	ASPHALT	305 ft	322 ft
	61 m	3,466 m	285.07		93 m	98 m
01R	200 ft	8,665 ft	27.71	ASPHALT	564 ft	404 ft
	61 m	2,641 m	14.87		172 m	123 m
19L	200 ft	8,665 ft	207.72	ASPHALT	0 ft	443 ft
	61 m	2,641 m	194.88		0 m	135 m
01L	200 ft	7,664 ft	27.71	ASPHALT	643 ft	469 ft
	61 m	2,336 m	14.87		196 m	143 m
19R	200 ft	7,664 ft	207.72	ASPHALT	0 ft	446 ft
	61 m	2,336 m	194.87		0 m	136 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
19L	DME	ISIA	108.90 MHz	18 nm	-	-	24 ft
				33 km	-		24 m
28L	DME	ISFO	109.55 MHz	18 nm	-	-	22 ft
				33 km	-		22 m
28R	DME	IGWQ	111.70 MHz	18 nm	-	-	17 ft
				33 km	-		17 m
28R	DME	IFNP	110.75 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
19L	LOC-ILS	ISIA	108.90 MHz	18 nm	207.72	-	13 ft
				33 km	194.88		13 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28L	LOC-ILS	ISFO	109.55 MHz	18 nm	297.91	-	13 ft
				33 km	285.07		13 m
28R	LOC-ILS	IGWQ	111.70 MHz	18 nm	297.91	-	13 ft
				33 km	285.07		13 m
19L	GS	ISIA	108.90 MHz	10 nm	207.72	3.00	13 ft
				19 km	194.88		13 m
28L	GS	ISFO	109.55 MHz	10 nm	297.91	2.85	13 ft
				19 km	285.07		13 m
28R	GS	IGWQ	111.70 MHz	10 nm	297.91	3.00	13 ft
				19 km	285.07		13 m