

LIEE

Cagliari Elmas


LIML

Milano Linate

2024/05/13 1410Z

LIEE MINKA **UM858** CORSI **UM733** AJO **UM858** OLETI LIML

373.92 nm / 692.50 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 270kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 260kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIEE APT	-	39.25147 9.05429	0 ft 0 m	-	Cagliari Elmas
MINKA FIX	-	40.81917 8.85556	32,700 ft 9,967 m	94	-
CORSI FIX	UM858 AWY-HI	41.33333 8.81222	34,000 ft 10,363 m	30	-
AJO VOR	UM733 AWY-HI	41.77053 8.77467	34,000 ft 10,363 m	26	AJACCIO VOR-DME
SUDAS FIX	UM858 AWY-HI	42.93806 8.90639	31,500 ft 9,601 m	70	-
AKUTI FIX	UM858 AWY-HI	43.22722 8.94028	27,700 ft 8,443 m	17	-
TORTU FIX	UM858 AWY-HI	43.38833 8.95833	25,600 ft 7,803 m	9	-
OLETI FIX	UM858 AWY-HI	43.81000 9.00861	21,200 ft 6,462 m	25	-
LIML APT	-	45.45030 9.27280	0 ft 0 m	99	Milano Linate

LIEE

Region: ITALY
Timezone: EUROPE/ROME
Runways: 1

Elevation: 13 ft / 4 m
Location: 39.251500 9.054300
Magnetic Var: 2.946 E

METAR

LIEE 131350Z 18012KT CAVOK 22/15 Q1014

TAF

TAF LIEE 131100Z 1312/1412 17012KT CAVOK BECMG 1320/1322 34006KT

Frequencies

REC - 127.05 MHz - ATIS	GND - 125.42 MHz - ELMAS GROUND
TWR - 120.60 MHz - ELMAS TOWER	TWR - 122.10 MHz - ELMAS TOWER
APP - 118.40 MHz - CAGLIARI APPROACH	APP - 118.75 MHz - CAGLIARI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	148 ft	9,209 ft	138.10	ASPHALT	0 ft	0 ft
	45 m	2,807 m	135.15		0 m	0 m
32	148 ft	9,209 ft	318.11	ASPHALT	0 ft	0 ft
	45 m	2,807 m	315.17		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
32	DME	IEL	109.50 MHz	18 nm	-	-	26 ft
				33 km	-		26 m
32	LOC-ILS	IEL	109.50 MHz	18 nm	318.10	-	13 ft
				33 km	315.15		13 m
32	GS	IEL	109.50 MHz	10 nm	318.10	3.00	13 ft
				19 km	315.15		13 m

LIML

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 354 ft / 108 m
Location: 45.450300 9.272810
Magnetic Var: 3.240 E

METAR

LIML 131350Z 02005KT 320V060 9999 FEW040 SCT090 22/12 Q1014 NOSIG

TAF

TAF LIML 131100Z 1312/1412 03006KT 8000 BKN060 TEMPO 1318/1406 4000 TSRA

Frequencies

REC - 136.37 MHz - ATIS	GND - 121.80 MHz - LINATE GROUND
TWR - 118.40 MHz - LINATE TOWER	TWR - 118.10 MHz - LINATE TOWER
APP - 134.17 MHz - MILANO RADAR	APP - 126.75 MHz - MILANO RADAR
APP - 126.30 MHz - MILANO RADAR	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	197 ft	8,019 ft	175.67	ASPHALT	0 ft	200 ft
	60 m	2,444 m	172.43		0 m	61 m
36	197 ft	8,019 ft	355.67	ASPHALT	0 ft	413 ft
	60 m	2,444 m	352.43		0 m	126 m
17	72 ft	1,974 ft	175.66	ASPHALT	0 ft	0 ft
	22 m	602 m	172.42		0 m	0 m
35	72 ft	1,974 ft	355.66	ASPHALT	0 ft	0 ft
	22 m	602 m	352.42		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
36	DME	ILNT	109.55 MHz	25 nm	-	-	352 ft
				46 km	-		352 m
36	LOC-ILS	ILNT	109.55 MHz	18 nm	355.69	-	353 ft
				33 km	352.45		353 m
36	GS	ILNT	109.55 MHz	10 nm	355.68	3.00	352 ft
				19 km	352.44		352 m