


2024/05/09 0848Z

GVNP POMAT 1400N02500W AMDOL **UN866** NELTO 1000N03000W **UL435** DIGUN **UN741** NANIK 600N03500W **UL375**
EGIMI **UL695** ARUSI 400N04000W 100N04500W JANES SBBE

1971.75 nm / 3651.68 km



Notes

Basic altitude profile:

- Ascent Rate: 1800ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 300kts
- Descent Rate: 1800ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: no
- Use low airways: no

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
GVNP	-	14.93258	0 ft	-	PRAIA INTERNATIONAL
APT	-	-23.48919	0 m	-	
POMAT	-	13.87667	32,200 ft	90	-
FIX	-	-24.59667	9,815 m	-	-
1400N02500W	-	14.00000	34,000 ft	24	-
LATLON	-	-25.00000	10,363 m	-	-
AMDOL	-	14.35333	34,000 ft	81	-
FIX	-	-26.35833	10,363 m	-	-
NELTO	UN866	9.79500	34,000 ft	315	-
FIX	AWY-HI	-29.03167	10,363 m	-	-
1000N03000W	-	10.00000	34,000 ft	58	-
LATLON	-	-30.00000	10,363 m	-	-
DIGUN	UL435	9.66083	34,000 ft	83	-
FIX	AWY-HI	-31.37056	10,363 m	-	-
NANIK	UN741	6.34167	34,000 ft	226	-
FIX	AWY-HI	-33.17233	10,363 m	-	-
600N03500W	-	6.00000	34,000 ft	111	-
LATLON	-	-35.00000	10,363 m	-	-
EGIMI	UL375	6.00000	34,000 ft	79	-
FIX	AWY-HI	-36.33333	10,363 m	-	-
ARUSI	UL695	6.41667	34,000 ft	64	-
FIX	AWY-HI	-37.33333	10,363 m	-	-
400N04000W	-	4.00000	34,000 ft	215	-
LATLON	-	-40.00000	10,363 m	-	-
100N04500W	-	1.00000	34,000 ft	349	-
LATLON	-	-45.00000	10,363 m	-	-
JANES	-	-1.56750	8,500 ft	229	-
FIX	-	-47.83817	2,591 m	-	-
SBBE	-	-1.38078	0 ft	39	Val De Caes Intl
APT	-	-48.47619	0 m	-	

SBBE

Region: BRAZIL
Timezone: AMERICA/BELEM
Runways: 2

Elevation: 56 ft / 17 m
Location: -1.380720 -48.476200
Magnetic Var: 20.293 W

METAR

SBBE 090800Z 17002KT CAVOK 26/25 Q1009

TAF

TAF SBBE 090320Z 0906/1006 06003KT 9999 FEW020 TN25/0909Z TX32/0915Z TEMPO 0906/0910 4500 BR NSC BECMG 0913/0915 (

Frequencies

REC - 127.60 MHz - BELEM ATIS
TWR - 118.70 MHz - BELEM TOWER
APP - 119.50 MHz - BELEM APP

GND - 121.90 MHz - BELEM GROUND
APP - 119.05 MHz - BELEM APP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	9,195 ft	45.25	ASPHALT	0 ft	0 ft
	45 m	2,803 m	65.55		0 m	0 m
24	148 ft	9,195 ft	225.25	ASPHALT	0 ft	197 ft
	45 m	2,803 m	245.55		0 m	60 m
02	148 ft	6,026 ft	4.86	ASPHALT	0 ft	197 ft
	45 m	1,837 m	25.15		0 m	60 m
20	148 ft	6,026 ft	184.86	ASPHALT	0 ft	197 ft
	45 m	1,837 m	205.15		0 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	IBE	109.30 MHz	18 nm	-	-	48 ft
				33 km	-		48 m
06	LOC-ILS	IBE	109.30 MHz	18 nm	45.25	-	56 ft
				33 km	65.54		56 m
06	GS	IBE	109.30 MHz	10 nm	45.25	3.00	56 ft
				19 km	65.54		56 m